

Publications by Wolfgang H. Berger

- Berger, W.H., 1967. Foraminiferal ooze: solution at depth. *Science*, 156: 383-385.
- Berger, W.H., and A. Soutar, 1967. Planktonic foraminifera: field experiment on production rate. *Science*, 156: 1495-1497.
- Berger, W.H., 1968. Planktonic foraminifera: selective solution and paleoclimatic interpretation. *Deep-Sea Res.*, 15: 31-43.
- Berger, W.H., 1968. Radiolaria skeletons: solution at depth. *Science*, 159: 1237-1238.
- Berger, W.H., and G.R. Heath, 1968. Vertical mixing in pelagic sediments. *J. Mar. Res.*, 26: 134-143.
- Berger, W.H., 1969. Ecologic patterns of living planktonic foraminifera. *Deep-Sea Res.*, 16: 1-24.
- Berger, W.H., 1969. Planktonic foraminifera: basic morphology and ecologic implications. *J. Paleont.*, 43:1369-1383.
- Berger, W.H., 1970. Biogenous deep-sea sediments: fractionation by deep-sea circulation. *Bull. Geol. Soc. Am.*, 81: 1385-1402.
- Berger, W.H., 1970. Planktonic foraminifera: differential production and expatriation off Baja California. *Limnol. Oceanogr.*, 15: 183-204.
- Berger, W.H., 1970. Planktonic foraminifera: selective solution and the lysocline. *Mar. Geol.*, 8: 111-138.
- Berger, W.H., and A. Soutar, 1970. Preservation of planktonic shells in an anaerobic basin off California. *Bull. Geol. Soc. Am.*, 81: 275-282.
- Berger, W.H., and F.L. Parker, 1970. Diversity of planktonic foraminifera in deep-sea sediments. *Science*, 168: 1345-1347.
- Berger, W.H., 1971. Planktonic foraminifera: sediment production in an oceanic front. *J. Foram. Res.*, 1:95-118.
- Berger, W.H., 1971. Sedimentation of planktonic foraminifera. *Mar. Geol.*, 11: 325-358.
- Parker, F.L., and W.H. Berger, 1971. Faunal and solution patterns of planktonic foraminifera in surface sediments of the South Pacific. *Deep-Sea Res.*, 18: 73-107.
- Berger, W.H., 1972. Deep-sea carbonates: dissolution facies and age depth constancy. *Nature*, 236: 392-395.
- Berger, W.H., and D.J.W. Piper, 1972. Planktonic foraminifera: differential settling, dissolution and redeposition. *Limnol. Oceanogr.*, 17: 275-286.
- Berger, W.H., and U. von Rad, 1972. Cretaceous and Cenozoic sediments from the Atlantic Ocean. *Initial Reports of the Deep Sea Drilling Project, Vol. 14, Washington, D. C.:* 787-954.
- Röttger, R., and W.H. Berger, 1972. Benthic foraminifera: morphology and growth in clone cultures of

Heterostegina depressa. Mar. Biol., 15: 89-94.

Berger, W.H., 1973. Cenozoic sedimentation in the eastern tropical Pacific. Bull. Geol. Soc. Am., 84: 1941-1954.

Berger, W.H., 1973. Deep-sea carbonates: evidence for a coccolith lysocline. Deep-Sea Res., 20: 917-921.

Berger, W.H., 1973. Deep-sea carbonates: Pleistocene dissolution cycles. J. Foram. Res., 3: 187-195.

Berger, W.H., 1974. Deep-sea sedimentation. In: The Geology of Continental Margins (C. A. Burk and C. L. Drake, Eds.). Springer-Verlag, New York, 213-241.

Berger, W.H., and E.L. Winterer, 1974. Plate stratigraphy and the fluctuating carbonate line. In: Pelagic Sediments on Land and Under the Sea (K. J. Hs_ and H. Jenkyns, Eds.). Spec. Publ. Intl. Assoc. Sediment., 1: 11-48.

Adelseck, C.G., and W.H. Berger, 1975. On the dissolution of planktonic foraminifera and associated microfossils during settling and on the sea floor. Cushman Found. Foram. Res., Spec. Publ., 13: 70-81.

Berger, W.H., 1975. Dissolution of deep-sea carbonates: an introduction. In: Dissolution of Deep-Sea Carbonates (W.V. Sliter, A.W.H. Bé and W.H. Berger, Eds.). Cushman Found. Foram. Res., Spec. Publ., 13: 7-10.

Berger, W.H., 1975. Deep-sea carbonates: dissolution profiles from foraminiferal preservation. Cushman Found. Foram. Res. Spec. Publ., 13: 82-86.

Berger, W.H., and J.V. Gardner, 1975. On the determination of Pleistocene temperatures from planktonic foraminifera. J. Foram. Res. 5 (2): 102-113.

Berger, W.H., and P.H. Roth, 1975. Oceanic micropaleontology: progress and prospects. Reviews of Geophysics and Space Physics, 13 (3): 561-585, and 624-635.

Roth, P.R., and W.H. Berger, 1975. Distribution and dissolution of coccoliths in the South and Central Pacific. Cushman Found. Foram. Res. Spec. Publ., 13: 87-113.

Roth, P.H., M.M. Mullin, and W.H. Berger, 1975. Coccolith sedimentation by fecal pellets: laboratory experiments and field observations. Geol. Soc. Amer. Bull., 86: 1079-1084.

Berger, W.H., 1976. Biogenous deep-sea sediments: production, preservation and interpretation. In: Treatise on Chemical Oceanography, vol.5 (J.P. Riley and R. Chester, Eds.). Academic Press, London, 265-388.

Berger, W.H., and T.C. Johnson, 1976. Deep-sea carbonates: dissolution and mass wasting on Ontong-Java Plateau. Science, 192 (4241): 785-787.

Berger, W.H., C.G. Adelseck and L.A. Mayer, 1976. Distribution of carbonate in surface sediments of the Pacific Ocean. J. Geophys. Res., 81 (15): 2617-2627.

Matthews, J.L., R.F. Johnson, W.H. Berger, and E.L. Winterer, 1976. Backtracking and forward-tracking of sediments in the east equatorial Pacific: a test of assumptions. SIO Reference Series 76-16, 211 pp.

- Berger, W.H., 1977. Carbon dioxide excursions and the deep sea record: aspects of the problem. In: *The Fate of Fossil Fuel CO₂ in the Oceans* (N.R. Andersen and A. Malahoff, Eds.). Plenum Press, New York, 505-542.
- Berger, W.H., 1977. Recommendations of the working group on Fate of Fossil Fuel CO₂ and the Sedimentary Record. In: *The Fate of Fossil Fuel CO₂ in the Oceans* (N. R. Andersen and A. Malahoff, Eds.). Plenum Press, New York, 497-503.
- Berger, W.H., 1977. Deep-sea carbonate and the deglaciation preservation spike in pteropods and foraminifera. *Nature*, 269: 301-304.
- Berger, W.H., and J.S. Killingley, 1977. Glacial-Holocene transition in deep-sea carbonates: selective dissolution and the stable isotope signal. *Science*, 197: 563-566.
- Berger, W.H., R.F. Johnson and J.S. Killingley, 1977. "Unmixing" of the deep-sea record and the deglacial meltwater spike. *Nature*, 269: 661-663.
- Berger, W.H., T.C. Johnson and E.L. Hamilton, 1977. Sedimentation on Ontong-Java Plateau: observations on a classic "carbonate monitor". In: *The Fate of Fossil Fuel CO₂ in the Oceans* (N. R. Andersen and A. Malahoff, Eds.). Plenum Press, New York, 543-567.
- Johnson, T.C., E.L. Hamilton, and W.H. Berger, 1977. Physical properties of calcareous ooze: control by dissolution at depth. *Marine Geol.* 24 (4): 259-277.
- Berger, W.H., 1978. Deep-sea carbonate: pteropod distribution and the aragonite compensation depth. *Deep-Sea Res.*, 25: 447-452.
- Berger, W.H., 1978. O-18 stratigraphy in deep-sea sediments: additional evidence for the deglacial meltwater effect. *Deep-Sea Res.*, 25: 473-480.
- Berger, W.H., 1978. Sedimentation of deep-sea carbonate: maps and models of variations and fluctuations. *J. Foram. Res.*, 8 (4): 286-302.
- Berger, W.H., and L.A. Mayer, 1978. Deep-sea carbonates: acoustic reflectors and lysocline fluctuations. *Geology*, 6: 11-15.
- Berger, W.H., and R.F. Johnson, 1978. On the thickness and the ¹⁴C age of the mixed layer in deep-sea carbonates. *Earth Planet. Sci. Lett.*, 41: 223-227.
- Berger, W.H., L. Diester-Haass and J.S. Killingley, 1978. Upwelling off Northwest Africa: the Holocene decrease as seen in carbon isotopes and sedimentological indicators. *Oceanologica Acta*, 1: 3-7.
- Berger, W.H., J.S. Killingley and E. Vincent, 1978. Stable isotopes in deep-sea carbonates: Box Core ERDC-92, West Equatorial Pacific. *Oceanologica Acta*, 1: 203-216.
- Ekdale, A.A., and W.H. Berger, 1978. Deep-sea ichnofacies: modern organism traces on and in pelagic carbonates of the western equatorial Pacific. *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 23: 263-278.
- Johnson, T.C., E.L. Hamilton, R.T. Bachman, and W.H. Berger, 1978. Sound velocities in calcareous oozes and chalks from sonobuoy data: Ontong-Java Plateau, western equatorial Pacific. *J. Geophys. Res.*, 83(B1):

283-288.

Mikkelsen, N., L. Labeyrie, and W.H. Berger, 1978. Silica oxygen isotopes in diatoms: a 20,000-year record in deep-sediments. *Nature*, 271: 536-538.

Thierstein, H. and W.H. Berger, 1978. Injection events in ocean history. *Nature*, 276: 461-466.

Berger, W.H., 1979. Impact of deep-sea drilling on paleoceanography. In: *Deep Drilling Results in the Atlantic Ocean: Continental Margins and Paleoenvironment*. Maurice Ewing Series, Vol. 3 (M. Talwani, W. Hay and W. B. F. Ryan, Eds.) Amer. Geophys. Union, Washington, D. C., 297-314.

Berger, W.H., A.A. Ekdale, and P.F. Bryant, 1979. Selective preservation of burrows in deep-sea carbonates. *Marine Geology*, 32: 205-230.

Killingley, J.S., and W.H. Berger, 1979. Stable isotopes in a mollusk shell: detection of upwelling events. *Science*, 205: 186-188.

Krishnamurthy, R.V., D. Lal, B.L.K. Somayajulu, and W.H. Berger, 1979. Radiometric studies of box cores from the Ontong-Java Plateau. *Proc. Indian Acad. Sci., Ser. A.*, 88A, No. 3: 273-283.

Mulcahy, S.A., J.S. Killingley, C.F. Phleger, and W.H. Berger, 1979. Isotopic composition of otoliths from a benthopelagic fish, *Coryphaenoides acrolepis*, Macrouridae: Gadiformes. *Oceanologica Acta*, 2: 423-427.

Peng, T.-H., W.S. Broecker, and W.H. Berger, 1979. Rates of benthic mixing in deep-sea sediment as determined by radioactive tracers. *Quaternary Research*, 11: 141-149.

Bonneau, M.-C., C. Vergnaud-Grazzini, and W.H. Berger, 1980. Stable isotope fractionation and differential dissolution in Recent planktonic foraminifera from Pacific box-cores. *Oceanologica Acta*, 3, (3):377-382.

Coulbourn, W.T., F.L. Parker, and W.H. Berger, 1980. Faunal and solution patterns of planktonic foraminifera in surface sediments of the North Pacific. *Marine Micropaleontology*, 5: 329-399.

Killingley, J.S., W.H. Berger, K.C. Macdonald, and W.A. Newman, 1980. $^{18}\text{O}/^{16}\text{O}$ variations in deep-sea carbonate shells from the RISE hydrothermal field. *Nature*, 287: 218-221.

Vincent, E., J.S. Killingley, and W.H. Berger, 1980. The Magnetic Epoch-6 Carbon Shift: a change in the ocean's $^{13}\text{C}/^{12}\text{C}$ ratio 6.2 million years ago. *Marine Micropaleontology*, 5: 185-203.

Wefer, G., and W.H. Berger, 1980. Stable isotopes in benthic foraminifera: seasonal variation in large tropical species. *Science*, 209: 803-805.

Berger, W.H., 1981. Oxygen and carbon isotopes in foraminifera: an introduction. In: *Oxygen and Carbon Isotopes in Recent Foraminifera*. (Symposium) (W.H. Berger, A.W.H. Bé, and E. Vincent, Eds.). *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 33: 3-7.

Berger, W.H., 1981. Paleoceanography: the deep-sea record. In: *The Sea*, Vol. 7 (C. Emiliani, Ed.). Wiley-Interscience, New York, 1437-1519.

Berger, W.H., and E. Vincent, 1981. Chemostratigraphy and biostratigraphic correlation: exercises in

systemic stratigraphy. *Oceanologica Acta*, 26th Internat. Geol. Congress, Colloque C4, Geology of Oceans, Paris 1980, 115-127 (supplement to vol. 4).

Berger, W.H., E. Vincent and H.R. Thierstein, 1981. The deep-sea record: major steps in Cenozoic ocean evolution. In: *The Deep Sea Drilling Project: a decade of progress* (J.E. Warme, R.D. Douglas and E.L. Winterer, Eds.) *SEPM Spec. Publ.*, 32: 489-504.

Dunbar, R.B., and W.H. Berger, 1981. Fecal pellet flux to modern bottom sediment of Santa Barbara Basin (California) based on sediment trapping. *Bull. Geol. Soc. Amer.*, 92: 212-218.

Killingley, J.S., R.F. Johnson, and W.H. Berger, 1981. Oxygen and carbon isotopes of individual shells of planktonic foraminifera from Ontong-Java Plateau, Equatorial Pacific. *Palaeogeogr., Palaeoclimat., Palaeoecol.*, 33: 193-204.

Vincent, E., and W.H. Berger, 1981. Planktonic foraminifera and their use in paleoceanography. In: *The Sea*, Vol. 7 (C. Emiliani, Ed.). Wiley-Interscience, New York, 1025-1119.

Vincent, E., J.S. Killingley, and W.H. Berger, 1981. Stable isotope composition of benthic foraminifera from the equatorial Pacific. *Nature*, 289: 639-643.

Vincent, E., J.S. Killingley, and W.H. Berger, 1981. Stable isotopes in benthic foraminifera from Ontong-Java Plateau, Box Cores ERDC 112 and 123. *Palaeogeogr., Palaeoclimat., Palaeoecol.*, 33: 221-230.

Wefer, G., and W.H. Berger, 1981. Stable isotope composition of benthic calcareous algae from Bermuda. *Jour. Sed. Petrology*, 51: 459-465.

Berger, W.H., 1982. Climate steps in ocean history - lessons from the Pleistocene. In: W. H. Berger, J. C. Crowell, et al., *Climate in Earth History. Studies in Geophysics*, National Academy Press, Washington, D.C.: 43-54.

Berger, W.H., 1982. Deep-sea stratigraphy: Cenozoic climate steps and the search for chemo-climatic feedback. In: *Cyclic and Event Stratification* (G. Einsele and A. Seilacher, Eds.). Springer-Verlag, Heidelberg: 121-157.

Berger, W.H., 1982. Increase of carbon dioxide in the atmosphere during deglaciation: the coral reef hypothesis. *Naturwissenschaften*, 69: 87-88.

Berger, W.H., 1982. Deglacial CO₂ buildup: constraints on the coral-reef model. *Palaeogeogr., Palaeoclimat., Palaeoecol.*, 40: 235-253.

Berger, W.H., 1982. On the definition of the Pleistocene-Holocene boundary in deep-sea sediments. *Sveriges geologiska undersökning, Avhand. Uppsat., v. 76 (7), Ser. C (794): 270-280.*

Berger, W.H., 1982. The benthic interface of deep-sea carbonates: a three-tiered sequence controlled by depth of deposition. In: *The Dynamic Environment of the Ocean Floor* (K.A. Fanning and F.T. Manheim, Eds.) D.C. Heath, Lexington, Mass., 95-114.

Berger, W.H., and J.C. Crowell, (Eds.) 1982. *Climate in Earth History. Studies in Geophysics.* National Academy Press, Washington, D. C. 198 pp.

Berger, W.H., and J.S. Killingley, 1982. Box cores from the Equatorial Pacific: 14C sedimentation rates and benthic mixing. *Marine Geology*, 45: 93-125.

Berger, W.H., and J.S. Killingley, 1982. The Worthington Effect and the origin of the Younger Dryas. *J. Mar. Res.*, 40 (Supp.): 27-38.

Berger, W.H., M.-C. Bonneau, and F.L. Parker, 1982. Foraminifera on the deep-sea floor: lysocline and dissolution rate. *Oceanologica Acta*, 5: 249-258.

Haake, F.-W., W.T. Coulbourn, and W.H. Berger, 1982. Benthic foraminifera: depth distribution and redeposition. In: *Geology of the Northwest African Continental Margin* (U. von Rad, K. Hinz, M. Sarnthein, E. Seibold, Eds.). Springer, Berlin Heidelberg New York, 632-657.

Hamilton, E.L., R.T. Bachman, W.H. Berger, T.C. Johnson, and L.A. Mayer, 1982. Acoustic and related properties of calcareous deep-sea sediments. *J. Sed. Petrol.*, 52: 733-753.

Mikkelsen, N., H. Erlenkeuser, J.S. Killingley, and W.H. Berger, 1982. Norwegian corals: C-14 and stable isotopes in *Lophelia pertusa*. *Boreas*, 11: 163-171.

Seibold, E., and W.H. Berger, 1982. *The Sea Floor, An Introduction to Marine Geology*. Springer, Berlin Heidelberg New York, 281 pp. (Russian translation, 1984; Japanese translation, 1986).

Berger, W.H., R.C. Finkel, J.S. Killingley and V. Marchig, 1983. Glacial-Holocene transition in deep-sea sediments: manganese spike in the east-equatorial Pacific. *Nature*, 303: 231-233.

Keir, R.S., and W.H. Berger, 1983. Atmospheric CO₂ content in the last 120,000 years: the phosphate-extraction model. *J. Geophys. Res.*, 88 (C10): 6027-6038.

Berger, W.H., 1984. On transgression warming and deglaciation. In: *Stratigraphy quo vadis* (E. Seibold, and J.D. Meulenkamp Eds.). IUGS Symposium, Bad Honnef, 1982, AAPG Studies in Geology No. 16: 29-37.

Berger, W.H., and conference participants, 1984. Short-term changes affecting atmosphere, oceans, and sediments during the Phanerozoic. In: *Patterns of Change in Earth Evolution*. Dahlem Konferenzen (H.D. Holland and A.F. Trendall, Eds.). Springer, Berlin: 171-205.

Berger, W.H., and R.S. Keir, 1984. Glacial-Holocene changes in atmospheric CO₂ and the deep-sea record. In: *Climate Processes and Climate Sensitivity* (J.E. Hansen and T. Takahashi, Eds.). *Geophys. Monogr.* 29, Maurice Ewing Series, vol.5, American Geophys. Union, Washington, D.C.: 337-351.

Somayajulu, B.L.K., P. Sharma and W.H. Berger, 1984. 10Be, 14C and U-Th decay series nuclides and $\delta^{18}\text{O}$ in a box core from the central North Atlantic. *Marine Geology*, 54: 169-180.

Berger, W.H., 1985. Carbon dioxide increase and climate prediction: clues from deep-sea carbonates. *Episodes* 8, 163-168.

Berger, W.H., 1985. On the time-scale of deglaciation: Atlantic deep-sea sediments and Gulf of Mexico. *Palaeogeogr., Palaeoclimat., Palaeoecol.*, 50: 167-184.

Berger, W.H., J.A. Eddy and E.M. Shoemaker, 1985. Effects of extraterrestrial phenomena on the evolution of complex life on Earth. In: *The Evolution of Complex and Higher Organisms* (D. Milne, D. Raup, J. Billingham, K. Niklas, K. Padian, Eds.) NASA Publication SP-478, U. S. Gov. Printing Office, Washington, D. C.: 111-143.

Berger, W.H., J.S. Killingley and E. Vincent, 1985. Timing of deglaciation from an oxygen isotope curve for Atlantic deep-sea sediments. *Nature*, 314: 156-158.

Berger, W.H., J.S. Killingley, C.V. Metzler, and E. Vincent, 1985. Two-step deglaciation: ^{14}C -dated high resolution $\delta^{18}\text{O}$ records from the tropical Atlantic Ocean. *Quaternary Res.*, 23: 258-271.

Keir, R.S., and W.H. Berger, 1985. Late Holocene carbonate dissolution in the equatorial Pacific: reef growth or Neoglaciation? In: *The Carbon Cycle and Atmospheric CO₂: Natural Variations Archean to Present* (E.Sundquist and W.S.Broecker, Eds.). Amer. Geophys. Union. Geophys. Monogr. vol. 32, 208-219.

Lal, D., and W.H. Berger, 1985. Global environmental change and the ocean. In: T.F. Malone and J.G. Roederer (eds) *Global Change, A Symposium of the International Council of Scientific Unions*. Cambridge Univ. Press, Cambridge: pp. 157-170.

Price, B., J.S. Killingley and W.H. Berger, 1985. On the pteropod pavement of the eastern Rio Grande Rise. *Marine Geology*, 64: 217-235.

Vincent, E., and W.H. Berger, 1985. Carbon dioxide and polar cooling in the Miocene: the Monterey hypothesis. In: *The Carbon Cycle and Atmospheric CO₂: Natural Variations Archean to Present* (E.T. Sundquist and W.S. Broecker, Eds.). Amer. Geophys. Union. Geophys. Monogr. vol. 32, 455-468.

Vincent, E., J.S. Killingley and W.H. Berger, 1985. Miocene oxygen and carbon isotope stratigraphy of the tropical Indian Ocean. In: *The Miocene Ocean: Paleoceanography and Biogeography* (J.P. Kennett, Ed.). Geol. Soc. Amer. Memoir 163, 103-130.

Berger, W.H., 1986. Gumbel's hypothesis regarding the origin of manganese nodules. *EOS*, 67, 169, 175, 179.

Berger, W.H., 1986. Gumbel's hypothesis: a footnote to the manganese problem. *Freyberg Festschrift. Geologische Blätter von Nordost-Bayern*, 34/35, 805-830.

Berger, W.H., and E. Vincent, 1986. Deep-sea carbonates: reading the carbon isotope signal. *Geol. Rundschau*, 75, 249-269.

Berger, W.H., and E. Vincent, 1986. Sporadic shutdown of North Atlantic deep water production during the Glacial-Holocene transition? *Nature*, 324, 53-55.

Berger, W.H., 1987. Ocean ventilation during the last 12,000 years: hypothesis of counterpoint deep water production. *Marine Geology*, 78, 1-10.

Berger, W.H., and L.D. Labeyrie, 1987. Abrupt climatic change - an introduction. In: W.H. Berger and L.D. Labeyrie (editors) *Abrupt Climatic Change - Evidence and Implications*. D. Reidel, Dordrecht, p.3-14.

Berger, W.H., and L.A. Mayer, 1987. Cenozoic paleoceanography 1986: an introduction. *Paleoceanography*,

2, 613-623.

Berger, W.H., S. Burke, and E. Vincent, 1987. Glacial-Holocene transition: climate pulsations and sporadic shutdown of NADW production. In: W.H. Berger and L.D. Labeyrie (Eds.) *Abrupt Climatic Changes - Evidence and Implications*. Reidel, Dordrecht, p.279-297.

Berger, W.H., J.S. Killingley, and E. Vincent, 1987. Time scale of Wisconsin/Holocene transition: oxygen isotope record in the western equatorial Pacific. *Quaternary Res.*, 28, 295-306.

Berger, W.H., K. Fischer, C. Lai, and G. Wu. 1987. Ocean productivity and organic carbon flux. Part I. Overview and maps of primary production and export production. University of California, San Diego, SIO Reference 87-30, 67pp.

Lange, C.B., W.H. Berger, S.K. Burke, R.E. Casey, A. Schimmelmann, A. Soutar, and A.L. Weinheimer, 1987. El Niño in Santa Barbara Basin: diatom, radiolarian, and foraminiferan responses to the "1983 El Niño" event. *Marine Geology*, 78, 153-160.

Berger, W.H., and L. Diester-Haass, 1988. Paleoproductivity: the benthic/planktonic ratio in foraminifera as a productivity index. *Marine Geology*, 81, 15-25.

Berger, W.H., and A. Spitzky, 1988. History of atmospheric CO₂: constraints from the deep-sea record. *Paleoceanography*, 3, 401-411.

Berger, W.H., and G. Wefer, 1988. Benthic deep-sea foraminifera: possible consequences of infaunal habitat for paleoceanographic interpretation. *J. Foraminiferal Res.*, 18, 147-150.

Berger, W.H., Fischer, K., Lai, C., and Wu, G., 1988. Ocean carbon flux: global maps of primary production and export production. In: C. Agegian (ed.) *Biogeochemical Cycling and Fluxes Between the Deep Euphotic Zone and Other Oceanic Realms*. NOAA National Undersea Research Program, Research Report 88-1, 131-176.

Berger, W.H., 1989. Global maps of ocean productivity. In: Berger, W.H., Smetacek, V.S., and Wefer, G. (eds.), *Productivity of the Ocean: Present and Past*. Dahlem Konferenzen. John Wiley, Chichester, 429-455.

Berger, W.H., Smetacek, V.S., and Wefer, G., 1989. Ocean productivity and paleoproductivity - an overview. In: Berger, W.H., Smetacek, V.S., and Wefer, G. (eds.), *Productivity of the Ocean: Present and Past*. Dahlem Konferenzen. John Wiley, Chichester, 1-34.

Wu, G., and W.H. Berger, 1989. Planktonic foraminifera: differential dissolution and the Quaternary stable isotope record in the west-equatorial Pacific. *Paleoceanography*, 4, 181-198.

Berger, W.H., 1990. The Younger Dryas cold spell - a quest for causes. *Global and Planetary Change* 3 (3) 219-237.

Berger, W.H., 1990. Foundations of Planktology. *Science*, 248, 902-904. (Book review)

Berger, W.H., and G. Wefer, 1990. Export production: seasonality and intermittency, and paleoceanographic implications. *Global and Planetary Change* 3 (3) 245-254.

Hebbeln, D., G. Wefer, and W.H. Berger, 1990. Pleistocene dissolution fluctuations from apparent depth of

deposition in Core ERDC-127P, west-equatorial Pacific. *Marine Geology*, 92, 165-176.

Lange, C.B., S.K. Burke, and W.H. Berger, 1990. Biological Production off Southern California is linked to climatic change. *Climatic Change*, 16, 319-329.

Schimmelmann, A., C.B. Lange, and W.H. Berger, 1990. Climatically controlled marker layers in Santa Barbara Basin sediments and fine-scale core-to-core correlation. *Limnology and Oceanography*, 35 (1), 165-173.

Schimmelmann, A., C.B. Lange, J. Michaelson, and W.H. Berger, 1990. Climatic changes reflected in laminated Santa Barbara Basin sediments. In: J.L. Betancourt and A.M. MacKay (eds.) *Proceedings of the Sixth Annual Pacific Climate Workshop*, March 1989. Calif. Dept. Water Resources, Technical Report 23, 97-99.

Wu, G., J.C. Herguera, and W.H. Berger, 1990. Differential dissolution: modification of late Pleistocene oxygen isotope records in the western equatorial Pacific. *Paleoceanography*, 5, 581-594.

Berger, W.H., 1991. On the extinction of the mammoth: science and myth. In: D.W. Müller, J.A. McKenzie, and H. Weissert (eds.) *Controversies in Modern Geology: Evolution of Geologic Theories in Sedimentology, Earth History, and Tectonics*. Academic Press, London, 115-132.

Berger, W.H., 1991. No change down under. *Nature*, 351, 187 (News and Views; regarding productivity changes in the Circumpolar Sea, from glacial to Holocene).

Berger, W.H., 1991. Produktivität des Ozeans aus geologischer Sicht: Denkmodelle und Beispiele. *Zt. Deutsch. Geol. Gesellschaft*, 142, 149-178.

Berger, W.H., and G. Wefer, 1991. Productivity of the glacial ocean: Discussion of the iron hypothesis. *Limnol. Oceanogr.* 36, 1899-1918.

Berger, W.H., L.W. Kroenke, L.A. Mayer, and Shipboard Scientific Party, 1991. Ontong Java Plateau, Leg 130: Synopsis of major drilling results. *Proceedings of the Ocean Drilling Program, Initial Reports*, v. 130, 497-537.

Groetsch, J., G. Wu, and W.H. Berger, 1991. Carbonate cycles in the Pacific: Reconstruction of saturation fluctuations. In: G. Einsele, W. Ricken, and A. Seilacher (eds.) *Cycles and Events in Stratigraphy*, Springer-Verlag, Heidelberg, 110-125.

Herguera, J.C., and W.H. Berger, 1991. Paleoproductivity: glacial to postglacial change in the western equatorial Pacific, from benthic foraminifera. *Geology*, 19, 1173-1176.

Herguera, J.C., L.D. Stott, and W.H. Berger, 1991. Glacial deep-water properties in the west-equatorial Pacific: bathyal thermocline near 2000 m depth. *Marine Geology*, 100:201-206.

Wefer, G., and W.H. Berger, 1991. Isotope paleontology: growth and composition of extant calcareous species. *Marine Geology*, 100: 207-248.

Wu, G., and W.H. Berger, 1991. Pleistocene $\delta^{18}\text{O}$ records from Ontong-Java Plateau: Effects of winnowing and dissolution. *Marine Geology*, 96, 193-209.

Wu, G., M.K. Yasuda, and W.H. Berger, 1991. Late Pleistocene carbonate stratigraphy on Ontong-Java Plateau in the western equatorial Pacific. *Marine Geology*, 99, 135-150.

Berger, W.H., 1992. Pacific carbonate cycles revisited: arguments for and against productivity control. In: K. Ishizaki and T. Saito (eds.) *Centenary of Japanese Micropaleontology*. Terra Scientific. Publ. Co., Tokyo, pp. 15-25.

Berger, W.H., and J.C. Herguera, 1992. Reading the sedimentary record of the ocean's productivity. In: P.G. Falkowski and A.D. Woodhead (eds.) *Primary Productivity and Biogeochemical Cycles in the Sea*. Plenum Press, New York, 455-486.

Berger, W.H., and G. Wefer, 1992. Klimageschichte aus Tiefseesedimenten - Neues vom Ontong-Java-Plateau (Westpazifik). *Naturwissenschaften*, 79:541-550.

Berger, W.H., and G. Wefer, 1992. Flux of biogenous materials to the sea floor: open questions. In: K.J. Hsü and J. Thiede (eds) *Use and Misuse of the Sea Floor*. Dahlem Konferenzen. John Wiley and Sons, Chichester, p. 285-304.

Berger, W.H., L.W. Kroenke, L.A. Mayer, J. Backman, T.R. Janecek, L. Krissek, M. Leckie, M. Lyle, and Shipboard Scientific Party. 1992. The record of Ontong Java Plateau: main results of ODP Leg 130. *Geological Society of America Bulletin*, 104, 954-972.

Berger, W.H. (rapporteur), 1992. The CO₂/CH₄ climate connection. In: B. Moore and D. Schimel (eds) *Trace Gases and the Biosphere*. UCAR Office for Interdisciplinary Earth Studies, Boulder, Colorado, p.13-40.

Herguera, J.C., E. Jansen, and W.H. Berger, 1992. Evidence for a bathyal front at 2000 m depth in the glacial Pacific, based on a depth transect on Ontong Java Plateau. *Paleoceanography*, 7, 273-288.

Schimmelmann, A., C.B. Lange, W.H. Berger, A. Simon, S.K. Burke, and R.B. Dunbar, 1992. Extreme climatic conditions recorded in Santa Barbara Basin laminated sediments: the 1835-1840 Macoma event. *Marine Geology*, 106:279-299.

Whitman, J.M., and W.H. Berger, 1992. Pliocene-Pleistocene oxygen isotope record of Site 586, Ontong Java Plateau. *Marine Micropal.* 18, 171-198.

Berger, W.H., T. Bickert, H. Schmidt, and G. Wefer, 1993. Quaternary oxygen isotope record of pelagic foraminifers: Site 806, Ontong Java Plateau. *Proceedings of the Ocean Drilling Program, Scientific Results*, 130:381-395.

Berger, W.H., T. Bickert, H. Schmidt, G. Wefer, and M. Yasuda, 1993. Quaternary oxygen isotope record of pelagic foraminifers: Site 805, Ontong Java Plateau. *Proceedings of the Ocean Drilling Program, Scientific Results*, 130:363-379.

Berger, W.H., R.M. Leckie, T.R. Janecek, R. Stax, and T. Takayama, 1993. Neogene carbonate sedimentation on Ontong Java Plateau: highlights and open questions. *Proceedings of the Ocean Drilling Program, Scientific Results*, 130:711-744.

Bickert, T., W.H. Berger, S. Burke, H. Schmidt, and G. Wefer, 1993. Late Quaternary stable isotope record

of benthic foraminifers: Sites 805 and 806, Ontong Java Plateau. Proceedings of the Ocean Drilling Program, Scientific Results, 130:411-420.

Burke, S.K., W.H. Berger, W.T. Coulbourn, and E. Vincent, 1993. Benthic foraminifera in box core ERDC 112, Ontong Java Plateau. *J. Foram. Res.* 23, 19-39.

Lange, C.B., and W.H. Berger, 1993. Diatom productivity and preservation in the western equatorial Pacific: the Quaternary record. Proceedings of the Ocean Drilling Program, Scientific Results, 130:509-523.

Seibold, E., and W.H. Berger, 1993. *The Sea Floor, An Introduction to Marine Geology*, Second, Revised and Updated Edition. Springer Verlag, Heidelberg, 356pp.

Schmidt, H., W.H. Berger, T. Bickert, and G. Wefer, 1993. Quaternary carbon isotope record of pelagic foraminifera: Site 806, Ontong Java Plateau. Proceedings of the Ocean Drilling Program, Scientific Results, 130:397-409.

Whitman, J.M., and W.H. Berger, 1993. Pliocene-Pleistocene carbon isotope record of Site 586, Ontong Java Plateau. Proceedings of the Ocean Drilling Program, Scientific Results, 130, 333-348.

Yasuda, M., W.H. Berger, G. Wu, S. Burke, and H. Schmidt, 1993. Foraminifer preservation record for the last million years: Site 805, Ontong Java Plateau. Proceedings of the Ocean Drilling Program, Scientific Results, 130, 491-508.

Berger, W.H., 1994. Quaternary Fourier stratigraphy: orbital templates and Milankovitch anomalies. *Math. Geol.*, 26, 769-781.

Berger, W.H., and E. Jansen, 1994. Mid-Pleistocene climate shift: The Nansen connection. In: O.M. Johannessen, R.D. Muench, and J.E. Overland (eds.) *The Polar Oceans and Their Role in Shaping the Global Environment: The Nansen Centennial Volume*. AGU Geophysical Monograph 84, 295-311.

Berger, W.H., and E. Jansen, 1994. Fourier stratigraphy: spectral gain adjustment of orbital ice mass models as an aid in dating late Neogene deep-sea sediments. *Paleoceanography*, 9 (5), 693-703.

Berger, W.H., and R. Stax, 1994. Neogene carbonate stratigraphy of Ontong Java Plateau (western equatorial Pacific): three unexpected findings. *Terra Nova*, 6, 520-534.

Berger, W.H., T. Bickert, E. Jansen, G. Wefer, and M. Yasuda, 1994. The central mystery of the Quaternary ice age: a view from the South Pacific. *Oceanus* 36 (4), 53-56.

Berger, W.H., T. Bickert, E. Jansen, M. Yasuda, and G. Wefer, 1994. Das Klima im Quartär. Rekonstruktion aus Tiefseesedimenten mit Hilfe der Milankovitch-Theorie. *Geowissenschaften*, 12 (9) 258-266.

Berger, W.H., M. Yasuda, T. Bickert, G. Wefer, and T. Takayama, 1994. Quaternary time scale for the Ontong Java Plateau: Milankovitch template for Ocean Drilling Program Site 806. *Geology* 22, 463-467.

Berger, W.H., J.C. Herguera, C.B. Lange, and R. Schneider, 1994. Paleoproductivity: flux proxies versus nutrient proxies and other problems concerning the Quaternary productivity record. In R. Zahn, M. Kaminski, L.D. Labeyrie, and T.F. Pederson (eds) *Carbon Cycling in the Glacial Ocean: Constraints on the Ocean's Role in Global Change*. Springer Verlag Berlin Heidelberg, pp.385-412.

Herguera, J.C., and W.H. Berger, 1994. Glacial to postglacial drop of productivity in the western equatorial Pacific: Mixing rate versus nutrient concentrations. *Geology*, 22(7), 629-632.

Wefer, G., P.-M. Heinze, and W. H. Berger, 1994. Clues to ancient methane release. *Nature (London)* 369(6478), 282.

Berger, W.H., and E. Jansen, 1995. Younger Dryas episode: Ice collapse and super-fjord heat pump. In: S.R. Troelstra, J.E. van Hinte, G.M. Ganssen (eds.) *The Younger Dryas*, pp. 61-105, North-Holland, Amsterdam.

Berger, W.H., and D. Kroon, 1995. Possible causes for the Younger Dryas: a brief survey. In: S.R. Troelstra, J.E. van Hinte, G.M. Ganssen (eds.) *The Younger Dryas*, pp. 221-224.

Berger, W.H., M. Yasuda, T. Bickert, and G. Wefer, 1995. Brunhes-Matuyama boundary: 790 k.y. date consistent with ODP Leg 130 oxygen isotope records based on fit to Milankovitch template. *Geophysical Research Letters*, 22 (12) 1525-1528.

Burke, S.K., R.B. Dunbar, W.H. Berger, 1995. Benthic and pelagic foraminifera of the Macoma layer, Santa Barbara Basin. *J. Foram. Res.*, 25 (2) 117-133.

Berger, W.H., 1996. An algorithm for reconstruction of atmospheric CO₂ from deepsea sediments. *Naturwissenschaften*, 83, 519-522.

Berger, W.H., and G. Wefer, 1996. Central themes of South Atlantic circulation. In: G. Wefer, W.H. Berger, G. Siedler, D. J. Webb (eds) *The South Atlantic: Present and Past Circulation*. Springer-Verlag Berlin Heidelberg, 1-11.

Berger, W.H., and G. Wefer, 1996. Expeditions into the past: Paleoceanographic studies in the South Atlantic. In: G. Wefer, W.H. Berger, G. Siedler, D.J. Webb (eds) *The South Atlantic: Present and Past Circulation*. Springer-Verlag Berlin Heidelberg, 363-410.

Berger, W.H., T. Bickert, M.K. Yasuda, and G. Wefer, 1996. Reconstruction of atmospheric CO₂ from the deep-sea record of Ontong Java Plateau: The Milankovitch chron. *Geol. Rundschau*, 85, 466-495.

Lange, C.B., A. Schimmelmann, M.K. Yasuda, and W.H. Berger, 1996. Marine varves off Southern California. *SIO Reference Series N. 96-22*, 1-55.

Wefer, G., W.H. Berger, T. Bickert, B. Donner, G. Fischer, S. Kemle-von Mücke, G. Meinecke, P.J. Müller, S. Mulitza, H.-S. Niebler, J. Pätzold, H. Schmidt, R.R. Schneider, and M. Segl, 1996. Late Quaternary surface circulation in the South Atlantic: The stable isotope record and implications for heat transport and productivity. In: G. Wefer, W.H. Berger, G. Siedler, D.J. Webb (eds) *The South Atlantic: Present and Past Circulation*. Springer-Verlag Berlin Heidelberg, 461-502.

Berger, W.H., 1997. Experimenting with ice-age cycles in a spreadsheet. *J. Geoscience Education*, 45, 428-439.

Berger, W.H., and I.L. Lind, 1997. Abundance of color bands in Neogene carbonate sediments on Ontong Java Plateau: a proxy for sedimentation rate? *Marine Geol.*, 144, 1-8.

Berger, W.H., C.B. Lange, A. Weinheimer, 1997. Silica depletion of the thermocline in the eastern North Pacific during glacial conditions: Clues from Ocean Drilling Program Site 893, Santa Barbara Basin,

California. *Geology*, 25, 619-622.

Biondi, F., D.R. Cayan, and W.H. Berger, 1997. Dendroclimatology of Torrey Pine (*Pinus torreyana* Parry ex Carr.). *American Midland Naturalist*, 138:237-251.

Biondi, F., D.R. Cayan, and W.H. Berger, 1997. Long-term response of Torrey Pine to coastal climate: precipitation, temperature and fog. In: C.M. Isaacs and V.L. Tharp (eds.) *Proceedings of the Thirteenth Annual Pacific Climate (PACCLIM) Workshop, Interagency Ecological Program for the Sacramento-San Joaquin Estuary*, Techn. Rpt. 53, Calif. Dp. Water Resources, 141-159.

Biondi, F., C.B. Lange, M.K. Hughes and W.H. Berger, 1997. The Near-AD 1600 Multi-Proxy Puzzle. In: C.M. Isaacs and V.L. Tharp (eds.) *Proceedings of the Thirteenth Annual Pacific Climate (PACCLIM) Workshop, Interagency Ecological Program for the Sacramento-San Joaquin Estuary*, Techn. Rpt. 53, Calif. Dp. Water Resources, 169-191.

Biondi, F., C.B. Lange, M.K. Hughes and W.H. Berger, 1997. Inter-decadal signals during the last millennium (AD 1117-1992) in the varve record of Santa Barbara basin, California. *Geophys. Res. Letters*, 24 (2) 193-196.

Paul, A., and W.H. Berger, 1997. Modellierung der Eiszeiten: Klimazyklen und Klimasprünge. *Geowissenschaften*, 15 (1) 20-27.

Berger, W.H., and C.B. Lange, 1998. Silica depletion in the thermocline of the glacial North Pacific: corollaries and implications. *Deep-Sea Research, Part II*, 45:1885-1904.

Berger, W.H., G. Wefer, C. Richter, and the Leg 175 Scientific Party, 1998. Benguela Current and Angola-Benguela upwelling systems: preliminary results from Leg 175. *JOIDES Journal*, 24 (1) 7-9 and 22.

Berger, W.H., G. Wefer, C. Richter, and Scientific Shipboard Party, 1998. The Angola-Benguela Upwelling System: Paleooceanographic synthesis of shipboard results from Leg 175. *Proceedings of the Ocean Drilling Program, Init. Rpts.*, Vol. 175, pp. 505-531.

Berger, W.H., G. Wefer, C. Richter, and Scientific Shipboard Party, 1998. Color cycles in Quaternary sediments from the Congo Fan region (Site 1075): a statistical analysis. *Ocean Drilling Program, Init. Rpts.*, Vol. 175, pp. 561-567.

Scientific Shipboard Party, Leg 175 (Co-Chiefs: W.H. Berger, G. Wefer), 1998. Introduction: background, scientific objectives, and principal results for Leg 175 (Benguela Current and upwelling systems). *Proceedings of the Ocean Drilling Program, Init. Rpts.* Vol. 175, pp. 7-25.

Wefer, G., W.H. Berger, C. Richter, and Scientific Shipboard Party, 1998. Facies patterns and authigenic minerals of upwelling deposits off southwest Africa. *Proceedings of the Ocean Drilling Program, Init. Rpts.*, Vol. 175, pp. 487-504.

Berger, W.H., 1999. The 100-kyr ice-age cycle: internal oscillation or inclinational forcing? *Int. Journ. Earth Sciences*, 88, 305-316.

Berger, W.H., 1999. On the reconstruction of past levels of atmospheric carbon dioxide. In: F. Abrantes and A. Mix (eds.) "Reconstructing Ocean History", *Proceedings 6th Internat. Conf. Paleoceanography*, August 1998, Lisbon, Portugal. Kluwer, Dordrecht, pp. 151-162.

Biondi, F., D.R. Cayan, and W.H. Berger, 1999. Decadal-scale changes in Southern California tree-ring records. In T. R. Karl (ed.) Proceedings, 10th Symposium on Global Change Studies. American Meteorological Society, Boston Ma, 303-306.

Biondi, F., I. Galindo Estrada, A. Burton, S.E. Metcalfe, D.R. Cayan, and W.H. Berger, 1999. A 400-year tree-ring chronology from the North American tropics. In T. R. Karl (ed.) Proceedings, 10th Symposium on Global Change Studies. American Meteorological Society, Boston Ma,

Biondi, F., D.L. Perkins, D.R. Cayan, and W.H. Berger, 1999. An 857-year reconstruction of July Temperature from Idaho tree rings. In T. R. Karl (ed.) Proceedings, 10th Symposium on Global Change Studies. American Meteorological Society, Boston Ma.

Lange, C.B., A. Schimmelmann, M.K. Yasuda, and W.H. Berger, 1999. Paleoclimatic significance of marine varves off Southern California. In: M. R. Rose and P. E. Wigand (eds.) Southern California Climate: Trends and Extremes of the Past 2000 Years. Technical Reports of the Natural History Museum of Los Angeles County, 11, 45-92.

Lange, C.B., W.H. Berger, H.-L. Lin, G. Wefer, 1999. The early Matuyama Diatom Maximum off SW Africa, Benguela Current System (ODP Leg 175). *Marine Geology*, 161, 93-114.

Paul, A., and W.H. Berger, 1999. Climate cycles and climate transitions as a response to astronomical and CO₂ forcings. In J. Harff, W. Lemke and K. Stattegger (Eds) *Computerized Modeling of Sedimentary Systems*. Springer-Verlag, Berlin, Heidelberg, New York, pp. 223-245.

Schulz, M., W.H. Berger, M. Sarnthein, P. M. Grootes, 1999. Amplitude variations of 1470-yr climate oscillations during the last 100,000 years linked to fluctuations of continental ice mass. *Geophys. Res. Lett.*, 26, 3385-3388.

von Rad, U., M. Schaaf, K.H. Michels, H. Schulz, W.H. Berger, and F. Sirocko, 1999. A 5000-yr record of climate change in varved sediments from the oxygen minimum zone off Pakistan, Northeastern Arabian Sea. *Quaternary Research*, 51:39-53.

Wefer, G., W.H. Berger, J. Bijma and G. Fischer, 1999. Clues to ocean history: a brief overview of proxies. In: G. Fischer and G. Wefer (eds.), *Use of Proxies in Paleoceanography: Examples from the South Atlantic*. Springer-Verlag Berlin Heidelberg, pp. 1-68.

Biondi, F., C. Isaacs, M. K. Hughes, D. R. Cayan and W. H. Berger, 2000. The near-1600 dry/wet knock-out: Linking terrestrial and near-shore ecosystems. Proceedings of the 24th Annual Climate Diagnostics and Prediction Workshop, Nat. Tech. Info. Service, NOAA, Department of Commerce, Springfield VA, 76-79.

Anderson, P.A., C.D. Charles and W.H. Berger, 2001. Productivity fluctuations off southwestern Africa in the early Quaternary, ODP Site 1085. In Wefer, G., Berger, W.H., and Richter, C. (Eds.) *Proc. ODP, Sci. Results*, 175. <http://www-odp.tamu.edu/publications/175_SR/>

Jackson, J.B.C., M.X. Kirby, W. H. Berger, K. A. Bjorndal, L. W. Botsford, B. J. Bourque, R. Bradbury, R. Cooke, J. Erlandson, J. A. Estes, T. P. Hughes, S. Kidwell, C. B. Lange, H. S. Lenihan, J. M. Pandolfi, C. H. Peterson, R. S. Steneck, M. J. Tegner, R. R. Warner, 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science*, 293, 629-643.

Pérez, M.E., Charles, C., Berger, W.H., 2001. Late Quaternary productivity fluctuations off Angola: Evidence from benthic foraminifera, Site 1079. In: G. Wefer, W.H. Berger, C. Richter (Eds) Proceedings of the Ocean Drilling Program, Scientific Results, Vol. 175, 1-19 [Online http://www-odp.tamu.edu/publications/175_SR/volume/chapters/sr175_19.pdf]

Berger, W.H., 2002. Climate history and the great geophysical experiment. In: G. Wefer, W. H. Berger, K.-H. Behre and E. Jansen (eds.) Climate Development and History of the North Atlantic Realm. Springer Berlin Heidelberg New York, pp. 1-16.

Berger, W. H., (translator), 2002. Are there ancient deep-sea deposits of geologic significance? by G. Steinmann. *Int. J. Earth Sci.*, 91,18-42. [Essay by G. Steinmann, Gibt es fossile Tiefseeablagerungen von erdgeschichtlicher Bedeutung? *Geol. Rdsch.* 1925.]

Berger, W. H., 2002. Frances Lawrence Parker (1906-2002), micropaleontologist and pioneer of paleoceanography. *C.R.Palevol* 1, 471-477.

Berger, W. H., 2002. Cesare Emiliani (1922-1995), pioneer of Ice Age studies and oxygen isotope stratigraphy. *C.R.Palevol* 1, 479-487.

Berger, W. H., C. B. Lange and M. E. Perez, 2002. The early Matuyama diatom maximum off SW Africa: a conceptual model. *Marine Geology*, 180, 105-116.

Berger, W. H., C. B. Lange and G. Wefer, 2002. Upwelling off Namibia: Opals and Diatoms. In K. White and E. Urquhart (eds.), ODP's Greatest Hits, vol. 2, 1pp [Online]. <http://www.joiscience.org/greatesthits2/pdfs/berger>

Berger, W.H., C.B. Lange and G. Wefer, 2002. Upwelling history of the Benguela-Namibia system: a synthesis of Leg 175 results. In Wefer, G., Berger, W.H., and Richter, C. (Eds.) *Proc. ODP, Sci. Results*, 175, 1-103 [Online]. <http://www-odp.tamu.edu/publications/175_SR/VOLUME/SYNTH/SR175SYN.PDF>

Berger, W.H., J. Pätzold and G. Wefer, 2002. Times of quiet, times of agitation: Sverdrup's conjecture and the Bermuda coral record. In: G. Wefer, W. H. Berger, K.-H. Behre and E. Jansen (eds.) *Climate Development and History of the North Atlantic Realm*. Springer Berlin Heidelberg New York, pp. 89-99.

Berger, W.H., J. Pätzold and G. Wefer, 2002. A case for climate cycles: orbit, sun and moon. In: G. Wefer, W. H. Berger, K.-H. Behre and E. Jansen (eds.) *Climate Development and History of the North Atlantic Realm*. Springer Berlin Heidelberg New York, pp 101-123.

Berger, W. H., and U. von Rad, 2002. Decadal to millennial cyclicity in varves and turbidites from the Arabian Sea: hypothesis of tidal origin. *Global and Planetary Change* 34, 313-325.

Berger, W.H., and G. Wefer, 2002. On the reconstruction of upwelling history: Namibia upwelling in context. *Marine Geology*, 180, 3-28.

Schulz, M., W. H. Berger, M. Baillie, J. Luterbacher, J. Meincke, J. W. F. Negendank, A. Paul and R.O. Ramseier, 2002. Tracing climate-variability: The search for climate dynamics on decadal to millennial time scales. In: G. Wefer, W. H. Berger, K.-H. Behre and E. Jansen (eds.) *Climate Development and History of the North Atlantic Realm*. Springer Berlin Heidelberg New York, pp 125-148.

Berger, W. H., 2003. Humankind as a major geologic factor. In: Walter Rüegg (editor) "Meeting the Challenges of the Future." Balzan Symposium 2002. Leo S. Olschki, Zurich and Milan, pp. 129-132.

Berger, W.H., 2003. Frances Lawrence Parker, 1906-2002. In: R.L. Fisher, E.D. Goldberg, C.S. Cox (eds.) *Coming of Age, Scripps Institution of Oceanography, A Centennial Volume 1903-2003*. Scripps Institution of Oceanography, San Diego, p.99-106.

Berger, W.H., and G. Wefer, 2003. On the Dynamics of the Ice Ages: Stage-11 Paradox, Mid-Brunhes Climate Shift, and 100-ky Cycle. In: A.W. Droxler, R.Z. Poore and L.H. Burckle (eds.) *Earth's Climate and Orbital Eccentricity: The Marine Isotope Stage 11 Question*. AGU Geophysical Monograph 137, 41-59.

Berger, W. H., 2004. Terraces on a rising coast. In: R.L. Wernli and C.F. Kennel (conveners), *Oceans 2003, Proceedings*. Holland Enterprises, Escondido (CA), 1209-1212.

Berger, W. H., 2004. Climate future in a warming world: Lessons from the Ice Ages. In: R.L. Wernli and C.F. Kennel (conveners), *Oceans 2003, Proceedings*. Holland Enterprises, Escondido (CA), 404-408.

Berger, W. H., A. Schimmelmann, C. B. Lange, 2004, Tidal cycles in the sediments of Santa Barbara Basin. *Geology*, 32 (4) 329-332.

Norris, R.D., and W. H. Berger, 2004. Methane blowout during the end-Cretaceous meteorite impact? In: R.L. Wernli and C.F. Kennel (conveners), *Oceans 2003, Proceedings*. Holland Enterprises, Escondido (CA), 399-402.

Vecsei, A., and W. H. Berger, 2004. Increase of atmospheric CO₂ during deglaciation: Constraints on the coral reef hypothesis from patterns of deposition. *Global Biogeochemical Cycles*, 18, BG1035, 1-7.

Drange, H., T. Dokken, T. Furevik, R. Gerdes, W. Berger (eds.) 2005. *The Nordic Seas: An Integrated Perspective*. AGU Geophysical Monograph 158, 1-366.

Berger, W.H., 2006. Global warming's early roots. *American Scientist* 94, 186-187. [Book review]