

Reference List

1. **van der Eb, A. J. and L. W. van Kesteren.** 1966. Structure and molecular weight of the DNA of adenovirus type 5. *Biochim. Biophys. Acta* **129**:441-444.
2. **van der Eb A.J. and Ross K.F.A.** 1967. The influence of high altitude on the hemoglobin content of individual erythrocytes in mice *In* Ross K.F.A. (ed.), *Phase contrast and interference microscopy for cell biologist.* Edward Arnold, London.
3. **van der Eb, A. J. and J. A. Cohen.** 1967. The effect of UV-irradiation on the plaque-forming ability of single- and double-stranded polyoma virus DNA. *Biochem. Biophys. Res. Commun.* **28**:284-288.
4. van der Eb A.J. Physical-chemical and biological properties of the DNA of animal tumor viruses. 1968.
Ref Type: Thesis/Dissertation
5. **van der Eb, A. J., L. W. van Kesteren, and E. F. van Bruggen.** 1969. Structural properties of adenovirus DNA's. *Biochim. Biophys. Acta* **182**:530-541.
6. **Bachra, B. N. and A. J. van der Eb .** 1970. Site of proline hydroxylation during collagen synthesis in mouse fibroblasts. *Biochemistry* **9**:3001-3011.
7. **Jordan, J. M., van der Eb A.J., and Vinograd J.** 1970. Complex mitochondrial DNA in cell culture. *Fred. Proc.* **29**:725.
8. **Graham, F. L. and A. J. van der Eb .** 1973. A new technique for the assay of infectivity of human adenovirus 5 DNA. *Virology* **52**:456-467.
9. **Graham, F. L. and A. J. van der Eb .** 1973. Transformation of rat cells by DNA of human adenovirus 5. *Virology* **54**:536-539.
10. **van der Eb, A. J.** 1973. Intermediates in type 5 adenovirus DNA replication. *Virology* **51**:11-23.
11. **Graham, F. L., A. J. van der Eb, and H. L. Heijneker.** 1974. Size and location of the transforming region in human adenovirus type 5 DNA. *Nature* **251**:687-691.
12. **Abrahams, P. J. and A. J. van der Eb.** 1975. In vitro transformation of rat and mouse cells by DNA from simian virus 40. *J. Virol.* **16**:206-209.
13. **Abrahams, P. J., C. Mulder, Van De Voorde A., S. O. Warnaar, and A. J. van der Eb.** 1975. Transformation of primary rat kidney cells by fragments of simian virus 40 DNA. *J. Virol.* **16**:818-823.
14. **Graham, F. L., P. J. Abrahams, C. Mulder, H. L. Heijneker, S. O. Warnaar, F. A. De Vries, W. Fiers, and A. J. van der Eb.** 1975. Studies on in vitro transformation by DNA and DNA fragments of human adenoviruses and simian virus 40. *Cold Spring Harb. Symp. Quant. Biol.* **39 Pt 1**:637-650.
15. **Abrahams, P. J. and A. J. van der Eb.** 1976. Host-cell reactivation of ultraviolet-irradiated SV40 DNA in five complementation groups of xeroderma pigmentosum. *Mutat. Res.* **35**:13-22.
16. Lupker, J. H., Davis-Olivier, A., Jochemsen, H., and van der Eb A.J. Identification of adenovirus type 5 specific transforming proteins. 69[Early proteins of oncogenic DNA viruses], 223-232. 1977. INSERM.
Ref Type: Conference Proceeding

17. van der Eb A.J., Lupker, J. H., Maat, J., Abrahams, P. J., Jochemsen, H., Houweling, A., Fiers, W., Mulder, C., van Ormondt, H., and de Waard, A. Studies of adenovirus and SV40 genes required in vitro transformation. J.Schultz and Z.Brada. 121-135. 1977. Proc. IXth Miami Winter Symposium on: Genetic manipulation as it affects the cancer problem.
Ref Type: Conference Proceeding
18. **van der Eb, A. J. and A. Houweling.** 1977. Transformation with specific fragments of adenovirus DNAs. II. Analysis of the viral DNA sequences present in cells transformed with a 7% fragment of adenovirus 5 DNA. *Gene* **2**:133-146.
19. **van der Eb, A. J., C. Mulder, F. L. Graham, and A. Houweling.** 1977. Transformation with specific fragments of adenovirus DNAs. I. Isolation of specific fragments with transforming activity of adenovirus 2 and 5 DNA. *Gene* **2**:115-132.
20. **Chinnadural, G., K. Fujinaga, M. H. Rho, A. J. van der Eb, and M. Green.** 1978. Transcription of the transforming region of adenovirus type 5 in a rat cell line transformed by a small restriction fragment. *J. Virol.* **28**:1011-1014.
21. **van Ormondt, H., J. Maat, A. de Waard, and A. J. van der Eb.** 1978. The nucleotide sequence of the transforming HpaI-E fragment of adenovirus type 5 DNA. *Gene* **4**:309-328.
22. **Dijkema, R., B. M. Dekker, M. J. van der Feltz, and A. J. van der Eb.** 1979. Transformation of primary rat kidney cells by DNA fragments of weakly oncogenic adenoviruses. *J. Virol.* **32**:943-950.
23. **Miller, G., P. Wertheim, G. Wilson, J. Robinson, J. L. Geelen, N. J. van der, and A. J. van der Eb.** 1979. Transfection of human lymphoblastoid cells with herpes simplex viral DNA. *Proc. Natl. Acad. Sci. U. S. A* **76**:949-953.
24. **Schrier, P. I., P. J. van den Elsen, J. J. Hertoghs, and A. J. van der Eb.** 1979. Characterization of tumor antigens in cells transformed by fragments of adenovirus type 5 DNA. *Virology* **99**:372-385.
25. van der Eb A.J., van Ormondt, H., Schrier, P. I., Jochemsen, H., Lupker, J. H., Van den Elsen P., Maat, J., van Beveren, C. P., and de Waard, A. Structure and organization of adenovirus 5 transformation genes. 217-234. 1979. UCN-UCLA Symp. on Extrachromosomal DNA.
Ref Type: Conference Proceeding
26. **Cornelis, J. J., J. H. Lupker, and A. J. van der Eb.** 1980. UV-reactivation, virus production and mutagenesis of SV40 in VU-irradiated monkey kidney cells. *Mutat. Res.* **71** :139-146.
27. **Garver, J. J., P. L. Pearson, P. J. Abrahams, and A. J. van den Eb.** 1980. Control of sv40 replication by a simple chromosome in monkey-hamster cell hybrids. *Somatic. Cell Genet.* **6**:443-453.
28. **Houweling, A., P. J. van den Elsen, and A. J. van der Eb.** 1980. Partial transformation of primary rat cells by the leftmost 4.5% fragment of adenovirus 5 DNA. *Virology* **105**:537-550.
29. **Jochemsen, H., G. S. Daniels, J. H. Lupker, and A. J. van der Eb.** 1980. Identification and mapping of the early gene products of adenovirus type 12. *Virology* **105**:551-563.
30. **van der Eb A.J., H. Jochemsen, J. H. Lupker, J. Maat, H. van Ormondt, and P. I. Schrier.** 1980. Structure and functions of adenovirus 5 transformation genes, p. 73-85. *In* Cleton F.J.and Simons J.W. (ed.), Origin of tumor cells.

31. **van der Eb, A. J., H. van Ormondt, P. I. Schrier, J. H. Lupker, H. Jochemsen, P. J. van den Elsen, R. J. DeLeys, J. Maat, C. P. van Beveren, R. Dijkema, and A. de Waard.** 1980. Structure and function of the transforming genes of human adenoviruses and SV40. Cold Spring Harb. Symp. Quant. Biol. **44 Pt 1**,383-399.
32. **van der Eb, A. J. and F. L. Graham.** 1980. Assay of transforming activity of tumor virus DNA. Methods Enzymol. **65**:826-839.
33. **Bos, J. L., L. J. Polder, R. Bernardts, P. I. Schrier, P. J. van den Elsen, A. J. van der Eb, and H. van Ormondt.** 1981. The 2.2 kb E1b mRNA of human Ad12 and Ad5 codes for two tumor antigens starting at different AUG triplets. Cell **27**:121-131.
34. **Cornelis, J. J., J. H. Lupker, B. Klein, and A. J. van der Eb.** 1981. The effect of cell irradiation on mutation in ultraviolet-irradiated and intact simian virus 40. Mutat. Res. **82**:1-10.
35. **Jochemsen, H., J. J. Hertoghs, J. H. Lupker, A. Davis, and A. J. van der Eb.** 1981. In vitro synthesis of adenovirus type 5 T antigens. II. Translation of virus-specific RNA from cells transformed by fragments of adenovirus type 5 DNA. J. Virol. **37**:530-534.
36. **Lupker, J. H., A. Davis, H. Jochemsen, and A. J. van der Eb.** 1981. In vitro synthesis of adenovirus type 5 T antigens. I. Translation of early region 1-specific rna from lytically infected cells. J. Virol. **37**:524-529.
37. **Bernardts, R., A. Houweling, P. I. Schrier, J. L. Bos, and A. J. van der Eb.** 1982. Characterization of cells transformed by Ad5/Ad12 hybrid early region I plasmids. Virology **120**:422-432.
38. **Cornelis, J. J., B. Klein, J. H. Lupker, P. J. Abrahams, Hooft van Huysduynen, and van der Eb A.J.** 1982. The use of viruses to study DNA repair and induced mutagenesis in mammalian cells, p. 337-350. *In* A. P. Natarajan and et al (eds.), Progress in mutation research . Elsevier Biomedical Press.
39. **de Leij, L., L. A. Smets, H. Jochemsen, and A. J. van der Eb.** 1982. Tumor- and growth-related membrane changes caused by transformation with different fragments of the adenovirus 12 genome. Virology **122**:210-214.
40. **Jochemsen, H., G. S. Daniels, J. J. Hertoghs, P. I. Schrier, P. J. van den Elsen, and A. J. van der Eb.** 1982. Identification of adenovirus-type 12 gene products involved in transformation and oncogenesis. Virology **122**:15-28.
41. **van den Elsen, P. J., S. de Pater, A. Houweling, d. van, V, and E. A. van der.** 1982. The relationship between region E1a and E1b of human adenoviruses in cell transformation. Gene **18**:175-185.
42. **Bernardts, R., P. I. Schrier, A. Houweling, J. L. Bos, A. J. van der Eb, M. Zijlstra, and C. J. Melief.** 1983. Tumorigenicity of cells transformed by adenovirus type 12 by evasion of T-cell immunity. Nature **305**:776-779.
43. **Bernardts, R., M. J. Vaessen, A. J. van der Eb, and J. S. Sussenbach.** 1983. Construction and characterization of an adenovirus type 5/adenovirus type 12 recombinant virus. Virology **131**:30-38.
44. **Bernardts, R., P. I. Schrier, J. L. Bos, and A. J. van der Eb.** 1983. Role of adenovirus types 5 and 12 early region 1b tumor antigens in oncogenic transformation. Virology **127**:45-53.

45. **Bos, J. L., A. G. Jochemsen, R. Bernards, P. I. Schrier, H. van Ormondt, and A. J. van der Eb.** 1983. Deletion mutants of region E1a of AD12 E1 plasmids: effect on oncogenic transformation. *Virology* **129**:393-400.
46. **Schrier, P. I., R. Bernards, R. T. Vaessen, A. Houweling, and A. J. van der Eb.** 1983. Expression of class I major histocompatibility antigens switched off by highly oncogenic adenovirus 12 in transformed rat cells. *Nature* **305**:771-775.
47. **Valerio, D., M. G. Duyvesteyn, Meera Khan P., v. K. Geurts, A. de Waard, and A. J. van der Eb.** 1983. Isolation of cDNA clones for human adenosine deaminase. *Gene* **25**:231-240.
48. **Van den Elsen P., B. Klein, B. Dekker, H. van Ormondt, and van der Eb A.J.** 1983. Analysis of virus-specific mRNAs present in cells transformed with restriction fragments of adenovirus type 5 DNA. *J. Gen. Virol.* **64**:1079-1090.
49. **Van den Elsen P., A. Houweling, and van der Eb A.J.** 1983. Expression of region E1b of human adenoviruses in the absence of region E1a is not sufficient for complete transformation. *Virology* **128**:377-390.
50. **van den Elsen, P. J., A. Houweling, and A. J. van der Eb.** 1983. Morphological transformation of human adenoviruses is determined to a large extent by gene products of region E1a. *Virology* **131**:242-246.
51. **van der Eb A.J., R. Bernards, Van den Elsen P., J. L. Bos, and P. I. Schrier.** 1983. Studies on the role of transformation and oncogenesis, p. 631-638. *In* Harris C.C. Atrup H (ed.), *Human Carcinogenesis*. Academic Press, New York.
52. **Abrahams, P. J., B. A. Huitema, and A. J. van der Eb.** 1984. Enhanced reactivation and enhanced mutagenesis of herpes simplex virus in normal human and xeroderma pigmentosum cells. *Mol. Cell Biol.* **4**:2341-2346.
53. **Bernards, R. and A. J. van der Eb .** 1984. Adenovirus: transformation and oncogenicity. *Biochim. Biophys. Acta* **783**:187-204.
54. **Bernards, R., M. G. de Leeuw, M. J. Vaessen, A. Houweling, and A. J. van der Eb.** 1984. Oncogenicity by adenovirus is not determined by the transforming region only. *J. Virol.* **50**:847-853.
55. **Bos, J. L., M. Verlaan-de Vries, A. M. Jansen, G. H. Veeneman, J. H. van Boom, and A. J. van der Eb.** 1984. Three different mutations in codon 61 of the human N-ras gene detected by synthetic oligonucleotide hybridization. *Nucleic Acids Res.* **12**:9155-9163.
56. **Dinsart, C., J. J. Cornelis, B. Klein, A. J. van der Eb, and J. Rommelaere.** 1984. Transfection with extracellularly UV-damaged DNA induces human and rat cells to express a mutator phenotype towards parvovirus H-1. *Mol. Cell Biol.* **4**:324-328.
57. **Jochemsen, A. G., J. L. Bos, and A. J. van der Eb.** 1984. The first exon of region E1a genes of adenoviruses 5 and 12 encodes a separate functional protein domain. *EMBO J.* **3**:2923-2927.
58. **Vaessen, M. J., Bernards, R., Oostra, B. A. Houweling A, Jochemsen, A. G., Bos, J. L., and van der Eb A.J.** Expression of MHC genes in adenovirus-transformed cells. Bishop, J. M. Rowley J. D. Graeves M. 17, 303-314. 1984. New York, Alan R. Liss. *Genes and Cancer*.
Ref Type: Conference Proceeding

59. **Valerio, D., M. G. Duyvesteyn, H. van Ormondt, Meera Khan P., and A. J. van der Eb.** 1984. Adenosine deaminase (ADA) deficiency in cells derived from humans with severe combined immunodeficiency is due to an aberration of the ADA protein. *Nucleic Acids Res.* **12**:1015-1024.
60. **Valerio, D., R. S. Mclvor, S. R. Williams, M. G. Duyvesteyn, H. van Ormondt, A. J. van der Eb, and D. W. Martin, Jr.** 1984. Cloning of human adenosine deaminase cDNA and expression in mouse cells. *Gene* **31**:147-153.
61. van der Eb A.J., Bernardis, R., Schrier, P. I., Bos, J. L., Vaessen, M. J., Jochemsen, A. G., and Melief, C. J. Altered expression of cellular genes in adenovirus-transformed cells. 501-510. 1984. Cold Spring Harbor Symp.Quant.Biol. Cancer Cells 2, Oncogenes and Viral Genes. Ref Type: Conference Proceeding
62. **van der Eb, A. J. and R. Bernardis .** 1984. Transformation and oncogenicity by adenoviruses. *Curr. Top. Microbiol. Immunol.* **110**:23-51.
63. **Bos, J. L., D. Toksoz, C. J. Marshall, M. Verlaan-de Vries, G. H. Veeneman, A. J. van der Eb, J. H. van Boom, J. W. Janssen, and A. C. Steenvoorden.** 1985. Amino-acid substitutions at codon 13 of the N-ras oncogene in human acute myeloid leukaemia. *Nature* **315**:726-730.
64. **Bos, J. L. and van der Eb A.J.** 1985. Adenovirus region E1A: transcription modulator and transforming agents. *TIBS*310-313.
65. **Braggaar, H., J. J. Cornelis, J. L. van der Lubbe, and A. J. van der Eb.** 1985. Mutagenesis in UV-irradiated simian virus 40 occurs predominantly at pyrimidine doublets. *Mutat. Res.* **142**:75-81.
66. **Dinsart, C., J. J. Cornelis, M. Decaesstecker, van der Lubbe J., A. J. van der Eb, and J. Rommelaere.** 1985. Differential effect of ultraviolet light on the induction of simian virus 40 and a cellular mutator phenotype in transformed mammalian cells. *Mutat. Res.* **151**:9-14.
67. **Mclvor, R. S., D. Valerio, S. R. Williams, J. M. Goddard, C. C. Simonsen, M. G. Duyvesteyn, H. van Ormondt, A. J. van der Eb, and D. W. Martin, Jr.** 1985. Mammalian expression of cloned cDNA sequences encoding human purine nucleoside phosphorylase and adenosine deaminase. *Ann. N. Y. Acad. Sci.* **451**:245-249.
68. **Valerio, D., M. G. Duyvesteyn, and A. J. van der Eb.** 1985. Introduction of sequences encoding functional human adenosine deaminase into mouse cells using a retroviral shuttle system. *Gene* **34**:163-168.
69. Valerio, D., Duyvesteyn, M. G., Berkvens, T. M., Dekker, B., van der Voorn, L., Meera Khan P., van der Eb A.J., and van Ormondt, H. The human gene for adenosine deaminase. part C, 301-306. 1985. Proceedings of the 16th FEBS Congress. Ref Type: Conference Proceeding
70. Valerio, D., Berkvens, T. M., Duyvesteyn, M. G., van der Voorn, L., Dekker, B., van Ormondt, H., Meera Khan P., and van der Eb A.J. The human gene for adenosine deaminase, its structural organization and expression in mouse cells. 451, 332-351. 1985. *Anal. N.Y. Acad. Sci.* Ref Type: Conference Proceeding
71. **Valerio, D., M. G. Duyvesteyn, B. M. Dekker, G. Weeda, T. M. Berkvens, L. van der Voorn, H. van Ormondt, and A. J. van der Eb.** 1985. Adenosine deaminase: characterization and expression of a gene with a remarkable promoter. *EMBO J.* **4**:437-443.

72. **van der Eb A.J. and B. A. Oostra.** 1985. Expression of class 1 major histocompatibility antigens in adenovirus-transformed cells, p. 343-363. *In* W. Doerfler (ed.), *Developments in Molecular Virology: Adenovirus DNA: The viral genome and its expression.* Nijhof, M..
73. **van der Lubbe, J. L., C. M. van Drunen, J. J. Hertoghs, J. J. Cornelis, J. Rommelaere, and A. J. van der Eb.** 1985. Enhanced induction of SV40 replication from transformed mammalian cells by fusion with UV-irradiated untransformed cells. *Mutat. Res.* **151**:1-8.
74. **Zantema, A., J. A. Fransen, A. Davis-Olivier, F. C. Ramaekers, G. P. Vooijs, B. DeLeys, and A. J. van der Eb.** 1985. Localization of the E1B proteins of adenovirus 5 in transformed cells, as revealed by interaction with monoclonal antibodies. *Virology* **142**:44-58.
75. **Zantema, A., P. I. Schrier, A. Davis-Olivier, T. van Laar, R. T. Vaessen, and A. J. van der Eb.** 1985. Adenovirus serotype determines association and localization of the large E1B tumor antigen with cellular tumor antigen p53 in transformed cells. *Mol. Cell Biol.* **5**:3084-3091.
76. **Berkvens, T. M., D. Valerio, M. G. Duyvesteyn, B. M. Dekker, G. Weeda, L. van der Voorn, C. Breukel, H. van Ormondt, P. Meera Khan, and A. J. van der Eb.** 1986. The human gene for adenosine deaminase. *Adv. Exp. Med. Biol.* **195 Pt A**:211-216.
77. **Bernards, R., M. G. de Leeuw, A. Houweling, and A. J. van der Eb.** 1986. Role of the adenovirus early region 1B tumor antigens in transformation and lytic infection. *Virology* **150**:126-139.
78. **Bos, J. L., M. Verlaan-de Vries, C. J. Marshall, G. H. Veeneman, J. H. van Boom, and A. J. van der Eb.** 1986. A human gastric carcinoma contains a single mutated and an amplified normal allele of the Ki-ras oncogene. *Nucleic Acids Res.* **14**:1209-1217.
79. **Bos, J. L., M. Verlaan-de Vries, van der Eb A.J., R. Delwel, B. Lowenberg, S. Rodenhuis, J. W. Janssen, and L. P. Colly.** 1986. Activated ras oncogenes in acute leukemia, p. 43-50. *In* A. Hagenbeek and B. Lowenberg (eds.), *Minimal residual disease in acute leukemia.* Nijhoff, M..
80. **Jochemsen, A. G., R. Bernards, H. J. van Kranen, A. Houweling, J. L. Bos, and A. J. van der Eb.** 1986. Different activities of the adenovirus types 5 and 12 E1A regions in transformation with the EJ Ha-ras oncogene. *J. Virol.* **59**:684-691.
81. **Jochemsen, A. G., C. M. de Wit, J. L. Bos, and A. J. van der Eb.** 1986. Transforming properties of a 15-kDa truncated Ad12 E1A gene product. *Virology* **152**:375-383.
82. Vaessen, R. T., Jochemsen, A. G., Bos, J. L., Bernards, R., Israel, A., Kourilsky, P., and van der Eb A.J. The role of adenovirus E1A in transformation and oncogenicity. [*Cancer Cells* 4], 317-325. 1986. Cold Spring Harbor Laboratory. DNA Tumor viruses. Ref Type: Conference Proceeding
83. **Vaessen, R. T., A. Houweling, A. Israel, P. Kourilsky, and A. J. van der Eb.** 1986. Adenovirus E1A-mediated regulation of class I MHC expression. *EMBO J.* **5**:335-341.
84. **Valerio, D., B. M. Dekker, M. G. Duyvesteyn, L. van der Voorn, T. M. Berkvens, H. van Ormondt, and A. J. van der Eb.** 1986. One adenosine deaminase allele in a patient with severe combined immunodeficiency contains a point mutation abolishing enzyme activity. *EMBO J.* **5**:113-119.
85. **Valerio, D., T. P. Visser, G. Wagemaker, van der Eb A.J., and D. W. van Bekkum.** 1986. The introduction of human ADA sequences into mouse hematopoietic cells, p. 335-344. *In* J. M.

Vossen and C. Griselli (eds.), Progress in Immunodeficiency Research and Therapy II. Elsevier Science Publ..

86. van der Eb A.J., Vaessen, R. T., Timmers, H. T., Offringa, R., Jochemsen, A. G., Bos, J. L., and van Zoelen, E. J. The influence of adenovirus transformation on cellular gene expression. Niels Ole Kjeldgaard and Jes Forchammer. 24[Alfred Benzon Symp.], 177-191. 1986. Copenhagen, Munksgaard. Viral Carcinogenesis: functional aspects.
Ref Type: Conference Proceeding
87. **van der Lubbe, J. L., P. J. Abrahams, C. M. van Druenen, and A. J. van der Eb.** 1986. Enhanced induction of SV40 replication from transformed rat cells by fusion with UV-irradiated normal and repair-deficient human fibroblasts. *Mutat. Res.* **165**:47-56.
88. **van Ormondt, H. and A. J. van der Eb.** 1986. The role of oncogenes in the pathogenesis of cancer. *Neth. J. Med.* **29**:49-52.
89. **van Ormondt, H. and A. J. van der Eb.** 1986. Oncogenes and malignant transformation. *Urol. Res.* **14**:119-122.
90. **Verlaan-de Vries, M., M. E. Bogaard, H. van den Elst, J. H. van Boom, A. J. van der Eb, and J. L. Bos.** 1986. A dot-blot screening procedure for mutated ras oncogenes using synthetic oligodeoxynucleotides. *Gene* **50**:313-320.
91. **Berkvens, T. M., E. J. Gerritsen, M. Oldenburg, C. Breukel, J. T. Wijnen, H. van Ormondt, J. M. Vossen, A. J. van der Eb, and P. Meera Khan.** 1987. Severe combined immune deficiency due to a homozygous 3.2-kb deletion spanning the promoter and first exon of the adenosine deaminase gene. *Nucleic Acids Res.* **15**:9365-9378.
92. **Berkvens, T. M., F. Schoute, H. van Ormondt, P. Meera Khan, and A. J. van der Eb.** 1987. Adenosine deaminase mRNA expression is regulated posttranscriptionally during differentiation of HL-60 cells. *Nucleic Acids Res.* **15**:6575-6587.
93. **Bos, J. L., M. Verlaan-de Vries, A. J. van der Eb, J. W. Janssen, R. Delwel, B. Lowenberg, and L. P. Colly.** 1987. Mutations in N-ras predominate in acute myeloid leukemia. *Blood* **69**:1237-1241.
94. **Bos, J. L., E. R. Fearon, S. R. Hamilton, M. Verlaan-de Vries, J. H. van Boom, A. J. van der Eb, and B. Vogelstein.** 1987. Prevalence of ras gene mutations in human colorectal cancers. *Nature* **327**:293-297.
95. **Hilgers, G., P. J. Abrahams, R. Schouten, J. J. Cornelis, A. R. Lehmann, A. J. van der Eb, and J. Rommelaere.** 1987. [Cells of patients with ataxia telangiectasia show a normal capacity of radio-induced reactivation of damaged HSV-1 virus]. *C R. Seances Soc. Biol. Fil.* **181**:432-438.
96. **Jochemsen, A. G., L. T. Peltenburg, M. F. te Pas, C. M. de Wit, J. L. Bos, and A. J. van der Eb.** 1987. Activation of adenovirus 5 E1A transcription by region E1B in transformed primary rat cells. *EMBO J.* **6**:3399-3405.
97. **Vaessen, R. T., A. Houweling, and A. J. van der Eb.** 1987. Post-transcriptional control of class I MHC mRNA expression in adenovirus 12-transformed cells. *Science* **235**:1486-1488.
98. **Vaessen, R. T., A. Houweling, and A. J. van der Eb.** 1987. Different adenovirus E1A-controlled properties of transformed cells require different levels of E1A expression. *Gene* **54**:247-254.

99. **Abrahams, P. J., A. A. van der Kleij, R. Schouten, and A. J. van der Eb.** 1988. Absence of induction of enhanced reactivation of herpes simplex virus in cells from xeroderma pigmentosum patients without skin cancer. *Cancer Res.* **48**:6054-6057.
100. **Berkvens, T. M., F. Schoute, H. van Ormondt, P. Meera Khan, and A. J. van der Eb.** 1988. Adenosine deaminase gene expression is regulated posttranscriptionally in the nucleus. *Nucleic Acids Res.* **16**:3255-3268.
101. **Hilgers, G., J. J. Cornelis, P. J. Abrahams, R. Schouten, van der Eb A.J., and J. Rommelaere.** 1988. Differential reactivation and mutagenesis of single- and doublestranded DNA viruses in irradiated cells from Ataxia telangiectasia patients, p. 233-240. *In* R. H. Douglas, J. Moan, and F. Dall'Acqua (eds.), *Light in Biology and Medicine*. Plenum.
102. Hoeijmakers, J. H., van Duin, M., Weeda, G., van der Eb A.J., Troelstra, C., Eker, A. P., Jaspers, N. G., Westerveld, A., and Bootsma, D. Analysis of mammalian excision repair: from mutants to genes and gene products. Friedberg, E. C. and Hanawalt, P. C. 83[UCLA symposium on Molecular and Cellular Biology, New Series], 281-287. 1988. New York, Alan R. Liss Inc. Mechanisms and consequences of DNA damage processing.
Ref Type: Conference Proceeding
103. **Offringa, R., A. M. Smits, A. Houweling, J. L. Bos, and A. J. van der Eb.** 1988. Similar effects of adenovirus E1A and glucocorticoid hormones on the expression of the metalloprotease stromelysin. *Nucleic Acids Res.* **16**:10973-10984.
104. **Timmers, H. T., E. J. van Zoelen, J. L. Bos, and A. J. van der Eb.** 1988. Cells transformed by adenovirus type 12 but not by type 5 are dependent on insulin or insulin-like growth factor I for their proliferation. *J. Biol. Chem.* **263**:1329-1335.
105. **Timmers, H. T., D. De Wit, J. L. Bos, and A. J. van der Eb.** 1988. E1A products of adenoviruses reduce the expression of cellular proliferation-associated genes. *Oncogene Res.* **3**:67-76.
106. van der Eb A.J. Het mechanisme van transformatie door adenovirussen. *Chemisch Magazine* [maart 1988], 199-202. 1988.
Ref Type: Magazine Article
107. **van der Lubbe, J. L., H. J. Rosdorff, J. L. Bos, and A. J. van der Eb.** 1988. Activation of N-ras induced by ultraviolet irradiation in vitro. *Oncogene Res.* **3**:9-20.
108. **van Ormondt, H. and A. J. van der Eb.** 1988. Dominant and recessive oncogenes in carcinogenesis, p. 1-9. *In* Schroder et al (ed.), *Progress and controversies in oncological urology II*. Alan R. Liss Inc., New York.
109. **Burgering, B. M., A. J. Snijders, J. A. Maassen, A. J. van der Eb, and J. L. Bos.** 1989. Possible involvement of normal p21 H-ras in the insulin/insulinlike growth factor 1 signal transduction pathway. *Mol. Cell Biol.* **9**:4312-4322.
110. **Hilgers, G., P. J. Abrahams, Y. Q. Chen, R. Schouten, J. J. Cornelis, J. E. Lowe, A. J. van der Eb, and J. Rommelaere.** 1989. Impaired recovery and mutagenic SOS-like responses in ataxia telangiectasia cells. *Mutagenesis* **4**:271-276.
111. **Hoeijmakers, J. H., G. Weeda, C. Troelstra, M. van Duin, A. Westerveld, van der Eb A.J., and D. Bootsma.** 1989. Molecular genetic dissection of mammalian excision repair, p. 563-574. *In* M. W. L. J. Lambert (ed.), *DNA repair mechanisms and their biological implications in mammalian cells*. Plenum Publishing Corp., New York.

112. **Jhanwar, S. C., T. M. Berkvens, C. Breukel, H. van Ormondt, A. J. van der Eb, and Meera Khan P.** 1989. Localization of human adenosine deaminase (ADA) gene sequences to the q12---q13.11 region of chromosome 20 by in situ hybridization. *Cytogenet. Cell Genet.* **50**:168-171.
113. **Kast, W. M., R. Offringa, P. J. Peters, A. C. Voordouw, R. H. Meloen, A. J. van der Eb, and C. J. Melief.** 1989. Eradication of adenovirus E1-induced tumors by E1A-specific cytotoxic T lymphocytes. *Cell* **59**:603-614.
114. **Laird-Offringa, I. A., P. Elfferich, H. J. Knaken, J. de Ruiter, and A. J. van der Eb.** 1989. Analysis of polyadenylation site usage of the c-myc oncogene. *Nucleic Acids Res.* **17**:6499-6514.
115. **Meijer, I., A. G. Jochemsen, C. M. de Wit, J. L. Bos, D. Morello, and A. J. van der Eb.** 1989. Adenovirus type 12 E1A down regulates expression of a transgene under control of a major histocompatibility complex class I promoter: evidence for transcriptional control. *J. Virol.* **63**:4039-4042.
116. **Melief, C. J., W. L. Vasmel, R. Offringa, E. J. Sijts, E. A. Matthews, P. J. Peters, R. H. Meloen, A. J. van der Eb, and W. M. Kast.** 1989. Immunosurveillance of virus-induced tumors. *Cold Spring Harb. Symp. Quant. Biol.* **54 Pt 1**:597-603.
117. **Timmers, H. T., H. van Dam, G. J. Pronk, J. L. Bos, and A. J. van der Eb.** 1989. Adenovirus E1A represses transcription of the cellular JE gene. *J. Virol.* **63**:1470-1473.
118. **van Dam, H., R. Offringa, A. M. Smits, J. L. Bos, N. C. Jones, and A. J. van der Eb.** 1989. The repression of the growth factor-inducible genes JE, c-myc and stromelysin by adenovirus E1A is mediated by conserved region 1. *Oncogene* **4**:1207-1212.
119. van der Eb A.J. Oncogenen bij het ontstaan van kanker. *Nederlandse Ver.voor Klinische Chemie* **14**, 66-68. 1989.
Ref Type: Magazine Article
120. **van der Eb A.J., H. T. Timmers, R. Offringa, H. van Dam, and J. L. Bos.** 1989. Suppression of cellular gene activity in adenovirus-transformed cells, p. 309-318. *In* H. Lothar and R. O. W. Dernick (eds.), *Vectors as tools for the study of normal and abnormal growth and differentiation.* Springer Verlag, Berlin.
121. van der Eb A.J. Het mechanisme van tumorvorming door adenovirussen. *Verslag Afd.Natuurkunde KNAW* **10**, 98. 1989.
Ref Type: Magazine Article
122. **van der Eb, A. J., H. T. Timmers, R. Offringa, A. Zantema, S. J. van den Heuvel, J. A. van Dam, and J. L. Bos.** 1989. Suppression of cellular gene activity in adenovirus-transformed cells. *Curr. Top. Microbiol. Immunol.* **144**:197-207.
123. **van der Lubbe, J. L., H. J. Rosdorff, and A. J. van der Eb.** 1989. Homologous recombination is not enhanced in UV-irradiated normal and repair-deficient human fibroblasts. *Mutat. Res.* **217**:153-161.
124. **Zantema, A., E. de Jong, R. Lardenoije, and A. J. van der Eb.** 1989. The expression of heat shock protein hsp27 and a complexed 22-kilodalton protein is inversely correlated with oncogenicity of adenovirus-transformed cells. *J. Virol.* **63**:3368-3375.

125. **Berkvens, T. M., H. van Ormondt, E. J. Gerritsen, P. Meera Khan, and A. J. van der Eb.** 1990. Identical 3250-bp deletion between two AluI repeats in the ADA genes of unrelated ADA-SCID patients. *Genomics* **7**:486-490.
126. **Hoeben, R. C., R. C. van der Jagt, F. Schoute, N. H. Van Tilburg, M. P. Verbeet, E. Briet, H. van Ormondt, and A. J. van der Eb.** 1990. Expression of functional factor VIII in primary human skin fibroblasts after retrovirus-mediated gene transfer. *J. Biol. Chem.* **265**:7318-7323.
127. **Hoeben, R. C., M. P. Einerhand, S. J. Cramer, E. Briet, H. van Ormondt, D. Valerio, and van der Eb A.J.** 1990. Towards gene therapy in hemophilia A: Introduction of factor VIII expression vectors into somatic cells, p. 373-378. *In* D. J. A. Crommelin and H. Schellekens (eds.), *From Clone to Clinic*. Kluwer Academic publisher.
128. **Klein, B., A. Pastink, H. Odijk, A. Westerveld, and A. J. van der Eb.** 1990. Transformation and immortalization of diploid xeroderma pigmentosum fibroblasts. *Exp. Cell Res.* **191**:256-262.
129. **Laird-Offringa, I. A., C. L. de Wit, P. Elfferich, and A. J. van der Eb.** 1990. Poly(A) tail shortening is the translation-dependent step in c-myc mRNA degradation. *Mol. Cell Biol.* **10**:6132-6140.
130. Lohman, P. H. and van der Eb A.J. Molecular alterations such as oncogene activation as a tool for the evaluation of risks in chemical carcinogenesis. 1990. Symposium on Risks assesment in Chemical Carcinogenesis.
Ref Type: Conference Proceeding
131. **Lucas, C. J., C. F. van Kreijl, and A. J. van der Eb.** 1990. How to deal with potential contaminations of monoclonal antibody preparations. *Dev. Biol. Stand.* **71**:201-205.
132. **Noteborn, M. H., G. F. de Boer, A. Kant, G. Koch, J. L. Bos, A. Zantema, and A. J. van der Eb.** 1990. Expression of avian leukaemia virus env-gp85 in *Spodoptera frugiperda* cells by use of a baculovirus expression vector. *J. Gen. Virol.* **71 (Pt 11)**:2641-2648.
133. **Offringa, R., S. Gebel, H. van Dam, M. Timmers, A. Smits, R. Zwart, B. Stein, J. L. Bos, van der Eb A.J., and P. Herrlich.** 1990. A novel function of the transforming domain of E1a: repression of AP-1 activity. *Cell* **62**:527-538.
134. **Timmers, H. T., G. J. Pronk, J. L. Bos, and A. J. van der Eb.** 1990. Analysis of the rat JE gene promoter identifies an AP-1 binding site essential for basal expression but not for TPA induction. *Nucleic Acids Res.* **18**:23-34.
135. **van Beusechem, V. W., A. Kukler, M. P. Einerhand, T. A. Bakx, A. J. van der Eb, D. W. van Bekkum, and D. Valerio .** 1990. Expression of human adenosine deaminase in mice transplanted with hemopoietic stem cells infected with amphotropic retroviruses. *J. Exp. Med.* **172**:729-736.
136. **van Dam, H., R. Offringa, I. Meijer, B. Stein, A. M. Smits, P. Herrlich, J. L. Bos, and A. J. van der Eb.** 1990. Differential effects of the adenovirus E1A oncogene on members of the AP-1 transcription factor family. *Mol. Cell Biol.* **10**:5857-5864.
137. **van den Heuvel, S. J., T. van Laar, W. M. Kast, C. J. Melief, A. Zantema, and A. J. van der Eb.** 1990. Association between the cellular p53 and the adenovirus 5 E1B-55kd proteins reduces the oncogenicity of Ad-transformed cells. *EMBO J.* **9**:2621-2629.
138. van der Eb A.J., Offringa, R., Timmers, H. T., van Dam, H., Meijer, I., van den Heuvel, S. J., Kast, W. M., Melief, C. J., Herrlich, P., Zantema, A., and Bos, J. L. Inhibition of cellular gene expression in adenovirus-transformed cells. 124, 425-444. 1990. UCLA symposium on Molecular and Cellular

Biology, New Series. Papilloma viruses.
Ref Type: Conference Proceeding

139. **Vanhaesebroeck, B., H. T. Timmers, G. J. Pronk, F. van Roy, A. J. van der Eb, and W. Fiers.** 1990. Modulation of cellular susceptibility to the cytotoxic/cytostatic action of tumor necrosis factor by adenovirus E1 gene expression is cell type-dependent. *Virology* **176**:362-368.
140. **Weeda, G., R. C. van Ham, W. Vermeulen, D. Bootsma, A. J. van der Eb, and J. H. Hoeijmakers.** 1990. A presumed DNA helicase encoded by ERCC-3 is involved in the human repair disorders xeroderma pigmentosum and Cockayne's syndrome. *Cell* **62**:777-791.
141. **Weeda, G., R. C. van Ham, R. Masurel, A. Westerveld, H. Odijk, J. de Wit, D. Bootsma, A. J. van der Eb, and J. H. Hoeijmakers.** 1990. Molecular cloning and biological characterization of the human excision repair gene ERCC-3. *Mol. Cell Biol.* **10**:2570-2581.
142. **Burgering, B. M., R. H. Medema, J. A. Maassen, M. L. van de Wetering, A. J. van der Eb, F. McCormick, and J. L. Bos.** 1991. Insulin stimulation of gene expression mediated by p21ras activation. *EMBO J.* **10**:1103-1109.
143. **Hoeben, R. C., A. A. Migchielsen, R. C. van der Jagt, H. van Ormondt, and A. J. van der Eb.** 1991. Inactivation of the Moloney murine leukemia virus long terminal repeat in murine fibroblast cell lines is associated with methylation and dependent on its chromosomal position. *J. Virol.* **65**:904-912.
144. **Laird-Offringa, I. A., P. Elfferich, and A. J. van der Eb.** 1991. Rapid c-myc mRNA degradation does not require (A + U)-rich sequences or complete translation of the mRNA. *Nucleic Acids Res.* **19**:2387-2394.
145. **Meijer, I., H. van Dam, A. J. Boot, J. L. Bos, A. Zantema, and A. J. van der Eb.** 1991. Co-regulated expression of junB and MHC class I genes in adenovirus-transformed cells. *Oncogene* **6**:911-916.
146. **Noteborn, M. H., G. F. de Boer, D. J. van Roozelaar, C. Karreman, O. Kranenburg, J. G. Vos, S. H. Jeurissen, R. C. Hoeben, A. Zantema, G. Koch, H. van Ormondt, and A. J. van der Eb.** 1991. Characterization of cloned chicken anemia virus DNA that contains all elements for the infectious replication cycle. *J. Virol.* **65**:3131-3139.
147. **Weeda, G., L. Ma, R. C. van Ham, A. J. van der Eb, and J. H. Hoeijmakers.** 1991. Structure and expression of the human XPBC/ERCC-3 gene involved in DNA repair disorders xeroderma pigmentosum and Cockayne's syndrome. *Nucleic Acids Res.* **19**:6301-6308.
148. **Weeda, G., L. Ma, R. C. van Ham, D. Bootsma, A. J. van der Eb, and J. H. Hoeijmakers.** 1991. Characterization of the mouse homolog of the XPBC/ERCC-3 gene implicated in xeroderma pigmentosum and Cockayne's syndrome. *Carcinogenesis* **12**:2361-2368.
149. **Weeda, G., J. Wiegant, van der Ploeg M., A. H. Geurts van Kessel, A. J. van der Eb, and J. H. Hoeijmakers.** 1991. Localization of the xeroderma pigmentosum group B-correcting gene ERCC3 to human chromosome 2q21. *Genomics* **10**:1035-1040.
150. **Abrahams, P. J., A. Houweling, and A. J. van der Eb.** 1992. High levels of enhanced reactivation of herpes simplex virus in skin fibroblasts from various hereditary cancer-prone syndromes. *Cancer Res.* **52**:53-57.
151. **Hoeben, R. C., D. Valerio, A. J. van der Eb, and H. van Ormondt.** 1992. Gene therapy for human inherited disorders: techniques and status. *Crit Rev. Oncol. Hematol.* **13**:33-54.

152. **Hoeben, R. C., M. P. Einerhand, E. Briet, H. van Ormondt, D. Valerio, and A. J. van der Eb.** 1992. Toward gene therapy in haemophilia A: retrovirus-mediated transfer of a factor VIII gene into murine haematopoietic progenitor cells. *Thromb. Haemost.* **67**:341-345.
153. **Jeurissen, S. H., F. Wagenaar, J. M. Pol, A. J. van der Eb, and M. H. Noteborn.** 1992. Chicken anemia virus causes apoptosis of thymocytes after in vivo infection and of cell lines after in vitro infection. *J. Virol.* **66**:7383-7388.
154. **Ma, L., G. Weeda, A. G. Jochemsen, D. Bootsma, J. H. Hoeijmakers, and A. J. van der Eb.** 1992. Molecular and functional analysis of the XPBC/ERCC-3 promoter: transcription activity is dependent on the integrity of an Sp1-binding site. *Nucleic Acids Res.* **20**:217-224.
155. **Meijer, I., A. J. Boot, G. Mahabir, A. Zantema, and A. J. van der Eb.** 1992. Reduced binding activity of transcription factor NF-kappa B accounts for MHC class I repression in adenovirus type 12 E 1-transformed cells. *Cell Immunol.* **145**:56-65.
156. Noteborn, H. M., Kant, A., Eijdens, E. W., de Boer, G. F., van der Eb A.J., and Koch, G. Immunogenic properties of avian leukosis virus env proteins synthesized with a baculovirus expression vector. Vlak, J. M., Schlaeger, E. J., and Bernards, A. R. [Baculovirus and recombinant protein production processes], 92-97. 1992. Workshop Interlaken. Ref Type: Conference Proceeding
157. **Noteborn, H. M., C. A. Verschueren, D. J. van Roozelaar, S. Veldkamp, van der Eb A.J., and G. F. de Boer.** 1992. Detection of chicken anaemia virus by DNA hybridization and polymerase chain reaction. *Avian Path.* **21**:107-118.
158. **Noteborn, M. H., O. Kranenburg, A. Zantema, G. Koch, G. F. de Boer, and A. J. van der Eb.** 1992. Transcription of the chicken anemia virus (CAV) genome and synthesis of its 52-kDa protein. *Gene* **118**:267-271.
159. **Peeper, D. S., A. Zantema, S. F. Dowdy, and A. J. van der Eb.** 1992. Expression, purification, and functional characterization of adenovirus 5 and 12 E1A proteins produced in insect cells. *Virology* **190**:733-745.
160. **Stein, B., P. Angel, H. van Dam, H. Ponta, P. Herrlich, van der Eb A.J., and H. J. Rahmsdorf.** 1992. Ultraviolet-radiation induced c-jun gene transcription: two AP-1 like binding sites mediate the response. *Photochem. Photobiol.* **55**:409-415.
161. **van den Heuvel, S. J., S. I. The, B. Klein, A. G. Jochemsen, A. Zantema, and A. J. van der Eb.** 1992. p53 shares an antigenic determinant with proteins of 92 and 150 kilodaltons that may be involved in senescence of human cells. *J. Virol.* **66**:591-595.
162. **van der Eb A.J. and A. Zantema.** 1992. Adenovirus oncogenesis, p. 115-140. *In* W. Doerfler and P. Bohm (eds.), *Malignant transformation by DNA viruses; molecular mechanisms.* VCH Verlagsgesellschaft.
163. **Zantema, A., M. Verlaan-de Vries, D. Maasdam, S. Bol, and van der Eb A.J.** 1992. Heat shock protein 27 and alpha B-crystallin can form a complex, which dissociates by heat shock. *J. Biol. Chem.* **267**:12936-12941.
164. **Buchou, T., O. Kranenburg, H. van Dam, D. Roelen, A. Zantema, F. L. Hall, and van der Eb A.J.** 1993. Increased cyclin A and decreased cyclin D levels in adenovirus 5 E1A-transformed rodent cell lines. *Oncogene* **8**:1765-1773.

165. **Hagmeyer, B. M., H. Konig, I. Herr, R. Offringa, A. Zantema, van der Eb A.J., P. Herrlich, and P. Angel.** 1993. Adenovirus E1A negatively and positively modulates transcription of AP-1 dependent genes by dimer-specific regulation of the DNA binding and transactivation activities of Jun. *EMBO J.* **12**:3559-3572.
166. **Hoeben, R. C., F. J. Fallaux, N. H. Van Tilburg, S. J. Cramer, H. van Ormondt, E. Briet, and A. J. van der Eb.** 1993. Toward gene therapy for hemophilia A: long-term persistence of factor VIII-secreting fibroblasts after transplantation into immunodeficient mice. *Hum. Gene Ther.* **4**:179-186.
167. **Peeper, D. S., L. L. Parker, M. E. Ewen, M. Toebes, F. L. Hall, M. Xu, A. Zantema, A. J. van der Eb, and H. Piwnica-Worms.** 1993. A- and B-type cyclins differentially modulate substrate specificity of cyclin-cdk complexes. *EMBO J.* **12**:1947-1954.
168. **van Dam, H., M. Duyndam, R. Rottier, A. Bosch, L. Vries-Smits, P. Herrlich, A. Zantema, P. Angel, and A. J. van der Eb.** 1993. Heterodimer formation of cJun and ATF-2 is responsible for induction of c-jun by the 243 amino acid adenovirus E1A protein. *EMBO J.* **12**:479-487.
169. **van den Heuvel, S. J., T. van Laar, I. The, and A. J. van der Eb.** 1993. Large E1B proteins of adenovirus types 5 and 12 have different effects on p53 and distinct roles in cell transformation. *J. Virol.* **67**:5226-5234.
170. **van der Eb, A. J.** 1993. Unusual interactions of adenovirus 5 and 12 E1B proteins with p53. *Jpn. J. Cancer Res.* **84**:818-820.
171. **Klein, B., A. R. Filon, A. A. Van Zeeland, and A. J. van der Eb.** 1994. Survival of UV-irradiated vaccinia virus in normal and xeroderma pigmentosum fibroblasts; evidence for repair of UV-damaged viral DNA. *Mutat. Res.* **307**:25-32.
172. **Ma, L., A. Westbroek, A. G. Jochemsen, G. Weeda, A. Bosch, D. Bootsma, J. H. Hoeijmakers, and A. J. van der Eb.** 1994. Mutational analysis of ERCC3, which is involved in DNA repair and transcription initiation: identification of domains essential for the DNA repair function. *Mol. Cell Biol.* **14**:4126-4134.
173. **Ma, L., E. D. Siemssen, H. M. Noteborn, and A. J. van der Eb.** 1994. The xeroderma pigmentosum group B protein ERCC3 produced in the baculovirus system exhibits DNA helicase activity. *Nucleic Acids Res.* **22**:4095-4102.
174. **Noteborn, M. H., C. A. Verschueren, A. Zantema, G. Koch, and A. J. van der Eb.** 1994. Identification of the promoter region of chicken anemia virus (CAV) containing a novel enhancer-like element. *Gene* **150**:313-318.
175. **Noteborn, M. H., D. Todd, C. A. Verschueren, H. W. de Gauw, W. L. Curran, S. Veldkamp, A. J. Douglas, M. S. McNulty, A. J. van der Eb, and G. Koch.** 1994. A single chicken anemia virus protein induces apoptosis. *J. Virol.* **68**:346-351.
176. **Peeper, D. S., A. J. van der Eb, and A. Zantema.** 1994. The G1/S cell-cycle checkpoint in eukaryotic cells. *Biochim. Biophys. Acta* **1198**:215-230.
177. **van den Wollenberg, D. J., R. C. Hoeben, H. van Ormondt, and A. J. van der Eb.** 1994. Insertion of the human cytomegalovirus enhancer into a myeloproliferative sarcoma virus long terminal repeat creates a high-expression retroviral vector. *Gene* **144**:237-241.

178. **van Laar, T., W. T. Steegenga, A. G. Jochemsen, C. Terleth, and A. J. van der Eb.** 1994. Bloom's syndrome cells GM1492 lack detectable p53 protein but exhibit normal G1 cell-cycle arrest after UV irradiation. *Oncogene* **9**:981-983.
179. **van Vuuren, A. J., W. Vermeulen, L. Ma, G. Weeda, E. Appeldoorn, N. G. Jaspers, A. J. van der Eb, D. Bootsma, J. H. Hoeijmakers, S. Humbert, and J. M. Schaeffer L. and Egly.** 1994. Correction of xeroderma pigmentosum repair defect by basal transcription factor BTF2 (TFIIH). *EMBO J.* **13**:1645-1653.
180. **Abrahams, P. J., R. Schouten, T. van Laar, A. Houweling, C. Terleth, and A. J. van der Eb.** 1995. Different regulation of p53 stability in UV-irradiated normal and DNA repair deficient human cells. *Mutat. Res.* **336**:169-180.
181. **de Groot, R. P., G. J. Schouten, L. de Wit, L. M. Ballou, A. J. van der Eb, and A. Zantema.** 1995. Induction of the mitogen-activated p70 S6 kinase by adenovirus E1A. *Oncogene* **10**:543-548.
182. **de Groot, R. P., O. Kranenburg, L. de Wit, van den Eijnden-van Raaij, C. Mummery, A. J. van der Eb, and A. Zantema.** 1995. Adenovirus E1A antagonizes both negative and positive growth signals elicited by transforming growth factor beta 1. *Cell Growth Differ.* **6**:531-540.
183. **Dorsman, J. C., B. M. Hagmeyer, J. Veenstra, P. Elfferich, N. Nabben, A. Zantema, and A. J. van der Eb.** 1995. The N-terminal region of the adenovirus type 5 E1A proteins can repress expression of cellular genes via two distinct but overlapping domains. *J. Virol.* **69**:2962-2967.
184. **Hoeben, R. C., F. J. Fallaux, S. J. Cramer, D. J. van den Wollenberg, H. van Ormondt, E. Briet, and A. J. van der Eb.** 1995. Expression of the blood-clotting factor-VIII cDNA is repressed by a transcriptional silencer located in its coding region. *Blood* **85**:2447-2454.
185. **Koch, G., D. J. van Roozelaar, C. A. Verschueren, A. J. van der Eb, and M. H. Noteborn.** 1995. Immunogenic and protective properties of chicken anaemia virus proteins expressed by baculovirus. *Vaccine* **13**:763-770.
186. **Kranenburg, O., V. Scharnhorst, A. J. van der Eb, and A. Zantema.** 1995. Inhibition of cyclin-dependent kinase activity triggers neuronal differentiation of mouse neuroblastoma cells. *J. Cell Biol.* **131**:227-234.
187. **Kranenburg, O., R. P. de Groot, A. J. van der Eb, and A. Zantema.** 1995. Differentiation of P19 EC cells leads to differential modulation of cyclin-dependent kinase activities and to changes in the cell cycle profile. *Oncogene* **10**:87-95.
188. **Kranenburg, O., A. J. van der Eb, and A. Zantema.** 1995. Cyclin-dependent kinases and pRb: regulators of the proliferation-differentiation switch. *FEBS Lett.* **367**:103-106.
189. **Ma, L., J. H. Hoeijmakers, and A. J. van der Eb.** 1995. Mammalian nucleotide excision repair. *Biochim. Biophys. Acta* **1242**:137-163.
190. **Menke, A. L., R. C. van Ham, E. Sonneveld, A. Shvarts, E. J. Stanbridge, K. Miyagawa, A. J. van der Eb, and A. G. Jochemsen.** 1995. Human chromosome 11 suppresses the tumorigenicity of adenovirus transformed baby rat kidney cells: involvement of the Wilms' tumor 1 gene. *Int. J. Cancer* **63**:76-85.
191. **Peeper, D. S., G. J. Schouten, M. Toebes, D. Meijer, R. Zwart, I. van de Woude, H. van Schaik, A. J. van der Eb, and A. Zantema.** 1995. Induction of differentiation-regulated transcription factor Oct-6 specifically accompanies major histocompatibility complex class I down-regulation by E1A of oncogenic adenovirus type 12. *Cell Growth Differ.* **6**:977-984.

192. **Peeper, D. S., P. Keblusek, K. Helin, M. Toebes, A. J. van der Eb, and A. Zantema.** 1995. Phosphorylation of a specific cdk site in E2F-1 affects its electrophoretic mobility and promotes pRB-binding in vitro. *Oncogene* **10**:39-48.
193. **Schouten, G. J., A. J. van der Eb, and A. Zantema.** 1995. Downregulation of MHC class I expression due to interference with p105-NF kappa B1 processing by Ad12E1A. *EMBO J.* **14**:1498-1507.
194. **Steegenga, W. T., T. van Laar, A. Shvarts, C. Terleth, A. J. van der Eb, and A. G. Jochemsen.** 1995. Distinct modulation of p53 activity in transcription and cell-cycle regulation by the large (54 kDa) and small (21 kDa) adenovirus E1B proteins. *Virology* **212**:543-554.
195. **Steegenga, W. T., A. Shvarts, T. van Laar, A. J. van der Eb, and A. G. Jochemsen.** 1995. Altered phosphorylation and oligomerization of p53 in adenovirus type 12-transformed cells. *Oncogene* **11**:49-57.
196. **Toes, R. E., R. Offringa, R. J. Blom, R. M. Brandt, A. J. van der Eb, C. J. Melief, and W. M. Kast.** 1995. An adenovirus type 5 early region 1B-encoded CTL epitope-mediating tumor eradication by CTL clones is down-modulated by an activated ras oncogene. *J. Immunol.* **154**:3396-3405.
197. **van Laar, T., W. T. Steegenga, A. G. Jochemsen, C. Terleth, and A. J. van der Eb.** 1995. GM1492 human diploid skin fibroblasts lack the p53-dependent G1 cell-cycle checkpoint. *Biochem. Biophys. Res. Commun.* **217**:769-776.
198. **Zantema, A. and A. J. van der Eb .** 1995. Modulation of gene expression by adenovirus transformation. *Curr. Top. Microbiol. Immunol.* **199 (Pt 3)**:1-23.
199. **Zhuang, S. M., A. Shvarts, A. G. Jochemsen, A. A. van Oorschot, A. J. van der Eb, and M. H. Noteborn.** 1995. Differential sensitivity to Ad5 E1B-21kD and Bcl-2 proteins of apoptin-induced versus p53-induced apoptosis. *Carcinogenesis* **16**:2939-2944.
200. **Zhuang, S. M., A. Shvarts, H. van Ormondt, A. G. Jochemsen, A. J. van der Eb, and M. H. Noteborn.** 1995. Apoptin, a protein derived from chicken anemia virus, induces p53-independent apoptosis in human osteosarcoma cells. *Cancer Res.* **55**:486-489.
201. **Zhuang, S. M., J. E. Landegent, C. A. Verschueren, J. H. Falkenburg, H. van Ormondt, A. J. van der Eb, and M. H. Noteborn.** 1995. Apoptin, a protein encoded by chicken anemia virus, induces cell death in various human hematologic malignant cells in vitro. *Leukemia* **9 Suppl 1**:S118-S120.
202. **Abrahams, P. J., A. Houweling, D. M. Cornelissen-Steijger, F. Arwert, F. H. Menko, H. M. Pinedo, C. Terleth, and A. J. van der Eb.** 1996. Inheritance of abnormal expression of SOS-like response in xeroderma pigmentosum and hereditary cancer-prone syndromes. *Cancer Res.* **56**:2621-2625.
203. **Duyndam, M. C., H. van Dam, A. J. van der Eb, and A. Zantema.** 1996. The CR1 and CR3 domains of the adenovirus type 5 E1A proteins can independently mediate activation of ATF-2. *J. Virol.* **70**:5852-5859.
204. **Fallaux, F. J., O. Kranenburg, S. J. Cramer, A. Houweling, H. van Ormondt, R. C. Hoeben, and A. J. van der Eb.** 1996. Characterization of 911: a new helper cell line for the titration and propagation of early region 1-deleted adenoviral vectors. *Hum. Gene Ther.* **7**:215-222.

205. **Fallaux, F. J., R. C. Hoeben, S. J. Cramer, D. J. van den Wollenberg, E. Briet, H. van Ormondt, and van der Eb A.J.** 1996. The human clotting factor VIII cDNA contains an autonomously replicating sequence consensus- and matrix attachment region-like sequence that binds a nuclear factor, represses heterologous gene expression, and mediates the transcriptional effects of sodium butyrate. *Mol. Cell Biol.* **16** :4264-4272.
206. **Hagmeyer, B. M., M. C. Duyndam, P. Angel, R. P. de Groot, M. Verlaan, P. Elfferich, van der Eb A.J., and A. Zantema.** 1996. Altered AP-1/ATF complexes in adenovirus-E1-transformed cells due to E1A-dependent induction of ATF3. *Oncogene* **12**:1025-1032.
207. **Kranenburg, O., A. J. van der Eb, and A. Zantema.** 1996. Induction of polyploidy in adenovirus E1-transformed cells by the mitotic inhibitor colcemid. *Virus Res.* **40**:185-190.
208. **Kranenburg, O., P. Keblusek, A. J. van der Eb, and A. Zantema.** 1996. Repression of cyclin D1 expression does not contribute to initiation or maintenance of cell transformation by adenovirus type 5 E1. *J. Virol.* **70**:7804-7810.
209. **Kranenburg, O., A. J. van der Eb, and A. Zantema.** 1996. Cyclin D1 is an essential mediator of apoptotic neuronal cell death. *EMBO J.* **15**:46-54.
210. **Menke, A. L., N. Riteco, R. C. van Ham, C. de Bruyne, F. J. Rauscher, III, A. J. van der Eb, and A. G. Jochemsen .** 1996. Wilms' tumor 1 splice variants have opposite effects on the tumorigenicity of adenovirus-transformed baby-rat kidney cells. *Oncogene* **12**:537-546.
211. **Shvarts, A., W. T. Steegenga, N. Riteco, T. van Laar, P. Dekker, M. Bazuine, R. C. van Ham, van der Houven van Oordt, G. Hateboer, A. J. van der Eb, and A. G. Jochemsen.** 1996. MDMX: a novel p53-binding protein with some functional properties of MDM2. *EMBO J.* **15**:5349-5357.
212. **Smits, P. H., L. de Wit, A. J. van der Eb, and A. Zantema.** 1996. The adenovirus E1A-associated 300 kDa adaptor protein counteracts the inhibition of the collagenase promoter by E1A and represses transformation. *Oncogene* **12**:1529-1535.
213. **Steegenga, W. T., T. van Laar, N. Riteco, A. Mandarino, A. Shvarts, A. J. van der Eb, and A. G. Jochemsen.** 1996. Adenovirus E1A proteins inhibit activation of transcription by p53. *Mol. Cell Biol.* **16**:2101-2109.
214. **Steegenga, W. T., A. J. van der Eb, and A. G. Jochemsen.** 1996. How phosphorylation regulates the activity of p53. *J. Mol. Biol.* **263**:103-113.
215. **van der Eb A.J., R. C. Hoeben, F. J. Fallaux, and H. van Ormondt.** 1996. Liver-directed gene therapy for factor-VIII deficiency. *J. Clin. Biochem. Nutr.* **21**:78-80.
216. **van Laar, T., R. Schouten, A. G. Jochemsen, C. Terleth, and A. J. van der Eb.** 1996. Temperature-sensitive mutant p53 (ala143) interferes transiently with DNA-synthesis and cell-cycle progression in Saos-2 cells. *Cytometry* **25**:21-31.
217. **Danen-van Oorschot, A. A., A. I. den Hollander, S. Takayama, J. C. Reed, A. J. van der Eb, and M. H. Noteborn.** 1997. BAG-1 inhibits p53-induced but not apoptin-induced apoptosis. *Apoptosis.* **2**:395-402.
218. **Danen-van Oorschot, A. A., D. F. Fischer, J. M. Grimbergen, B. Klein, S. Zhuang, J. H. Falkenburg, C. Backendorf, P. H. Quax, A. J. van der Eb, and M. H. Noteborn.** 1997. Apoptin induces apoptosis in human transformed and malignant cells but not in normal cells. *Proc. Natl. Acad. Sci. U. S. A* **94**:5843-5847.

219. **Dorsman, J. C., A. F. Teunisse, A. Zantema, and A. J. van der Eb.** 1997. The adenovirus 12 E1A proteins can bind directly to proteins of the p300 transcription co-activator family, including the CREB-binding protein CBP and p300. *J. Gen. Virol.* **78 (Pt 2)**:423-426.
220. **Hoeben, R. C., F. J. Fallaux, F. H. Schagen, M. M. van der Eb, H. van Ormondt, and van der Eb A.J.** 1997. Factors impeding efficient expression of factor VIII complementary DNA minigenes. *Blood Coagul. Fibrinolysis* **8 Suppl 2**:S15-S21.
221. **Menke, A. L., A. Shvarts, N. Riteco, R. C. van Ham, A. J. van der Eb, and A. G. Jochemsen.** 1997. Wilms' tumor 1-KTS isoforms induce p53-independent apoptosis that can be partially rescued by expression of the epidermal growth factor receptor or the insulin receptor. *Cancer Res.* **57**:1353-1363.
222. **Scharnhorst, V., O. Kranenburg, A. J. van der Eb, and A. G. Jochemsen.** 1997. Differential regulation of the Wilms' tumor gene, WT1, during differentiation of embryonal carcinoma and embryonic stem cells. *Cell Growth Differ.* **8**:133-143.
223. **Schouten, G. J., A. C. Vertegaal, S. T. Whiteside, A. Israel, M. Toebes, J. C. Dorsman, A. J. van der Eb, and A. Zantema.** 1997. I κ B alpha is a target for the mitogen-activated 90 kDa ribosomal S6 kinase. *EMBO J.* **16**:3133-3144.
224. **Shvarts, A., M. Bazuine, P. Dekker, Y. F. Ramos, W. T. Steegenga, G. Merckx, R. C. van Ham, van der Houven van Oordt, A. J. van der Eb, and A. G. Jochemsen.** 1997. Isolation and identification of the human homolog of a new p53-binding protein, Mdmx. *Genomics* **43**:34-42.
225. **Terleth, C., T. van Laar, R. Schouten, H. van Steeg, H. Hodemaekers, T. Wormhoudt, P. D. Cornelissen-Steijger, P. J. Abrahams, and A. J. van der Eb.** 1997. A lack of radiation-induced ornithine decarboxylase activity prevents enhanced reactivation of herpes simplex virus and is linked to non-cancer proneness in xeroderma pigmentosum patients. *Cancer Res.* **57**:4384-4392.
226. **Toes, R. E., R. C. Hoeben, E. I. van der Voort, M. E. Rensing, A. J. van der Eb, C. J. Melief, and R. Offringa.** 1997. Protective anti-tumor immunity induced by vaccination with recombinant adenoviruses encoding multiple tumor-associated cytotoxic T lymphocyte epitopes in a string-of-beads fashion. *Proc. Natl. Acad. Sci. U. S. A* **94**:14660-14665.
227. van der Eb A.J. Virussen: van onderzoeksobject tot werktuig. *Mediator* , 17-19. 1997.
Ref Type: Magazine Article
228. **van der Houven van Oordt CW, R. Smits, S. L. Williamson, A. Luz, Meera Khan P., R. Fodde, A. J. van der Eb, and M. L. Breuer.** 1997. Intestinal and extra-intestinal tumor multiplicities in the Apc1638N mouse model after exposure to X-rays. *Carcinogenesis* **18**:2197-2203.
229. **Abrahams, P. J., A. Houweling, P. D. Cornelissen-Steijger, N. G. Jaspers, F. Darroudi, C. M. Meijers, L. H. Mullenders, R. Filon, F. Arwert, H. M. Pinedo, A. P. Natarajan, C. Terleth, A. A. Van Zeeland, and A. J. van der Eb.** 1998. Impaired DNA repair capacity in skin fibroblasts from various hereditary cancer-prone syndromes. *Mutat. Res.* **407**:189-201.
230. Danen-van Oorschot, A. A., van der Eb A.J., and Noteborn, H. M. Apoptin induced apoptosis: antitumor potential? *Proceed. Royal Netherlands academy of Arts and Sciences* , 199-212. 1998.
Pharmaceutical intervention in apoptic pathways.
Ref Type: Conference Proceeding
231. **Fallaux, F. J., A. Bout, I. van der Velde, D. J. van den Wollenberg, K. M. Hehir, J. Keegan, C. Auger, S. J. Cramer, H. van Ormondt, A. J. van der Eb, D. Valerio, and R. C. Hoeben.** 1998.

New helper cells and matched early region 1-deleted adenovirus vectors prevent generation of replication-competent adenoviruses. *Hum. Gene Ther.* **9**:1909-1917.

232. **Menke, A. L., A. J. van der Eb, and A. G. Jochemsen.** 1998. The Wilms' tumor 1 gene: oncogene or tumor suppressor gene? *Int. Rev. Cytol.* **181**:151-212.
233. **Noteborn, H. M., A. A. Danen-van Oorschot, and van der Eb A.J.** 1998. Chicken anemia virus: induction of apoptosis by a single protein of single-stranded DNA virus. *Seminars in Virology* **8**:497-504.
234. **Noteborn, H. M., A. A. Danen-van Oorschot, and van der Eb A.J.** 1998. The apoptin gene of chicken anemia virus in the induction of apoptosis in human tumorigenic cells and in gene therapy for cancer. *Gene Therapy and Molecular Biology* **1**:399-406.
235. **Noteborn, H. M., A. A. Danen-van Oorschot, S. Zhuang, Y. Zhang, A. M. Pietersen, M. M. van der Eb, S. J. Olijslagers, R. C. Hoeben, B. Klein, P. J. Abrahams, A. G. Jochemsen, H. van Ormondt, and van der Eb A.J.** 1998. The viral protein apoptin specifically induces apoptosis in human transformed and tumor cells, p. 36-42. *In* C. M. e. al. Croce (ed.), *Cancer Genomics*. Tokyo Japan.
236. **Noteborn, H. M. and van der Eb A.J.** 1998. Apoptin-induced apoptosis: potential for antitumor therapy. *Drug Resistance Update* **1**:99-103.
237. **Noteborn, M. H., C. A. Verschueren, H. van Ormondt, and A. J. van der Eb.** 1998. Chicken anemia virus strains with a mutated enhancer/promoter region share reduced virus spread and cytopathogenicity. *Gene* **223**:165-172.
238. **Noteborn, M. H., Y. H. Zhang, and A. J. van der Eb.** 1998. Apoptin specifically causes apoptosis in tumor cells and after UV-treatment in untransformed cells from cancer-prone individuals: a review. *Mutat. Res.* **400**:447-455.
239. **Noteborn, M. H., C. A. Verschueren, G. Koch, and A. J. van der Eb.** 1998. Simultaneous expression of recombinant baculovirus-encoded chicken anaemia virus (CAV) proteins VP1 and VP2 is required for formation of the CAV-specific neutralizing epitope. *J. Gen. Virol.* **79 (Pt 12)**:3073-3077.
240. **van Dam, H., S. Huguier, K. Kooistra, J. Baguet, E. Vial, A. J. van der Eb, P. Herrlich, P. Angel, and M. Castellazzi.** 1998. Autocrine growth and anchorage independence: two complementing Jun-controlled genetic programs of cellular transformation. *Genes Dev.* **12**:1227-1239.
241. **van der Eb, M. M., S. J. Cramer, Y. Vergouwe, F. H. Schagen, J. H. van Krieken, A. J. van der Eb, I. H. Rinkes, C. J. van de Velde, and R. C. Hoeben.** 1998. Severe hepatic dysfunction after adenovirus-mediated transfer of the herpes simplex virus thymidine kinase gene and ganciclovir administration. *Gene Ther.* **5**:451-458.
242. **van der Houven van Oordt CW, T. G. Schouten, J. H. van Krieken, J. H. van Dierendonck, A. J. van der Eb, and M. L. Breuer.** 1998. X-ray-induced lymphomagenesis in E mu-pim-1 transgenic mice: an investigation of the co-operating molecular events. *Carcinogenesis* **19**:847-853.
243. **Bottger, V., A. Bottger, C. Garcia-Echeverria, Y. F. Ramos, A. J. van der Eb, A. G. Jochemsen, and D. P. Lane.** 1999. Comparative study of the p53-mdm2 and p53-MDMX interfaces. *Oncogene* **18**:189-199.

244. **Danen-van Oorschot, A. A., Y. Zhang, S. J. Erkeland, D. F. Fischer, A. J. van der Eb, and M. H. Noteborn.** 1999. The effect of Bcl-2 on Apoptin in 'normal' vs transformed human cells. *Leukemia* **13 Suppl 1**:S75-S77.
245. **Danen-van Oorschot, A. A., A. J. van der Eb, and M. H. Noteborn.** 1999. BCL-2 stimulates Apoptin-induced apoptosis. *Adv. Exp. Med. Biol.* **457**:245-249.
246. **Duyndam, M. C., H. van Dam, P. H. Smits, M. Verlaan, A. J. van der Eb, and A. Zantema.** 1999. The N-terminal transactivation domain of ATF2 is a target for the co-operative activation of the c-jun promoter by p300 and 12S E1A. *Oncogene* **18**:2311-2321.
247. **Fallaux, F. J., A. J. van der Eb, and R. C. Hoeben.** 1999. Who's afraid of replication-competent adenoviruses? *Gene Ther.* **6**:709-712.
248. **Keblusek, P., J. C. Dorsman, A. F. Teunisse, H. Teunissen, A. J. van der Eb, and A. Zantema.** 1999. The adenoviral E1A oncoproteins interfere with the growth-inhibiting effect of the cdk-inhibitor p21(CIP1/WAF1). *J. Gen. Virol.* **80 (Pt 2)**:381-390.
249. **Pietersen, A. M., M. M. van der Eb, H. J. Rademaker, D. J. van den Wollenberg, M. J. Rabelink, P. J. Kuppen, J. H. van Dierendonck, H. van Ormondt, D. Masman, C. J. van de Velde, A. J. van der Eb, R. C. Hoeben, and M. H. Noteborn.** 1999. Specific tumor-cell killing with adenovirus vectors containing the apoptin gene. *Gene Ther.* **6**:882-892.
250. **Pospelov, V. A., T. V. Pospelova, S. B. Svetlikova, A. N. Kukushkin, and van der Eb A.J.** 1999. [Changes in the composition of transcription factor AP-1 in rat embryonal fibroblast cells, transformed by E1A and Ha-Ras oncogenes]. *Mol. Biol. (Mosk)* **33**:261-267.
251. **Pospelova, T. V., A. V. Medvedev, A. N. Kukushkin, S. B. Svetlikova, A. J. van der Eb, J. C. Dorsman, and V. A. Pospelov.** 1999. E1A + cHa-ras transformed rat embryo fibroblast cells are characterized by high and constitutive DNA binding activities of AP-1 dimers with significantly altered composition. *Gene Expr.* **8**:19-32.
252. **Schagen, F. H., A. C. Moor, S. C. Cheong, S. J. Cramer, H. van Ormondt, A. J. van der Eb, T. M. Dubbelman, and R. C. Hoeben.** 1999. Photodynamic treatment of adenoviral vectors with visible light: an easy and convenient method for viral inactivation. *Gene Ther.* **6**:873-881.
253. **Scharnhorst, V., P. Dekker, A. J. van der Eb, and A. G. Jochemsen.** 1999. Internal translation initiation generates novel WT1 protein isoforms with distinct biological properties. *J. Biol. Chem.* **274**:23456-23462.
254. van der Eb A.J. Mogelijkheden en beperkingen van de genterapie. *Pharmaceutisch Weekblad* **87**, 897-901. 1999.
Ref Type: Magazine Article
255. **van der Houven van Oordt CW, T. G. Schouten, A. J. van der Eb, and M. L. Breuer.** 1999. Differentially expressed transcripts in X-ray-induced lymphomas identified by dioxygenin-labeled differential display. *Mol. Carcinog.* **24**:29-35.
256. **van der Houven van Oordt CW, R. Smits, T. G. Schouten, J. J. Houwing-Duistermaat, S. L. Williamson, A. Luz, Meera Khan P., A. J. van der Eb, M. L. Breuer, and R. Fodde.** 1999. The genetic background modifies the spontaneous and X-ray-induced tumor spectrum in the Apc1638N mouse model. *Genes Chromosomes. Cancer* **24**:191-198.

257. **Zhang, Y. H., P. J. Abrahams, A. J. van der Eb, and M. H. Noteborn.** 1999. The viral protein Apoptin induces apoptosis in UV-C-irradiated cells from individuals with various hereditary cancer-prone syndromes. *Cancer Res.* **59**:3010-3015.
258. **Danen-van Oorschot, A. A., van der Eb A.J., and M. H. Noteborn.** 2000. The chicken anemia virus-derived protein apoptin requires activation of caspases for induction of apoptosis in human tumor cells. *J. Virol.* **74**:7072-7078.
259. **Schagen, F. H., H. J. Rademaker, M. J. Rabelink, H. van Ormondt, F. J. Fallaux, A. J. van der Eb, and R. C. Hoeben.** 2000. Ammonium sulphate precipitation of recombinant adenovirus from culture medium: an easy method to increase the total virus yield. *Gene Ther.* **7**:1570-1574.
260. **Schagen, F. H., H. J. Rademaker, S. J. Cramer, H. van Ormondt, A. J. van der Eb, P. van de Putte, and R. C. Hoeben.** 2000. Towards integrating vectors for gene therapy: expression of functional bacteriophage MuA and MuB proteins in mammalian cells. *Nucleic Acids Res.* **28**:E104.
261. **Scharnhorst, V., P. Dekker, A. J. van der Eb, and A. G. Jochemsen.** 2000. Physical interaction between Wilms tumor 1 and p73 proteins modulates their functions. *J. Biol. Chem.* **275**:10202-10211.
262. **Scharnhorst, V., A. L. Menke, J. Attema, J. K. Haneveld, N. Riteco, G. J. van Steenbrugge, A. J. van der Eb, and A. G. Jochemsen.** 2000. EGR-1 enhances tumor growth and modulates the effect of the Wilms' tumor 1 gene products on tumorigenicity. *Oncogene* **19**:791-800.
263. **Stad, R., Y. F. Ramos, N. Little, S. Grivell, J. Attema, van der Eb A.J., and A. G. Jochemsen.** 2000. Hdmx stabilizes Mdm2 and p53. *J. Biol. Chem.* **275**:28039-28044.
264. **van Laar, T., T. Schouten, E. Hoogervorst, M. van Eck, A. J. van der Eb, and C. Terleth.** 2000. The novel MMS-inducible gene Mif1/KIAA0025 is a target of the unfolded protein response pathway. *FEBS Lett.* **469**:123-131.
265. **Vertegaal, A. C., H. B. Kuiperij, S. Yamaoka, G. Courtois, A. J. van der Eb, and A. Zantema.** 2000. Protein kinase C-alpha is an upstream activator of the IkkappaB kinase complex in the TPA signal transduction pathway to NF-kappaB in U2OS cells. *Cell Signal.* **12**:759-768.
266. **Vertegaal, A. C., H. B. Kuiperij, T. van Laar, V. Scharnhorst, A. J. van der Eb, and A. Zantema.** 2000. cDNA micro array identification of a gene differentially expressed in adenovirus type 5- versus type 12-transformed cells. *FEBS Lett.* **487**:151-155.
267. **Zantema, A. and van der Eb A.J.** 2000. Control of transcription by adenovirus E1A proteins *In* Alan J.Cann. (ed.), *Frontiers in Molecular Biology; DNA virus replication.* Oxford University Press.
268. **Kool, J., W. van Zaane, A. J. van der Eb, and C. Terleth.** 2001. Down-regulation of T-STAR, a growth inhibitory protein, after SV40-mediated immortalization. *Cell Growth Differ.* **12**:535-541.
269. **Ramos, Y. F., R. Stad, J. Attema, L. T. Peltenburg, A. J. van der Eb, and A. G. Jochemsen.** 2001. Aberrant expression of HDMX proteins in tumor cells correlates with wild-type p53. *Cancer Res.* **61**:1839-1842.
270. **Scharnhorst, V., A. J. van der Eb, and A. G. Jochemsen.** 2001. WT1 proteins: functions in growth and differentiation. *Gene* **273**:141-161.
271. **Stad, R., N. A. Little, D. P. Xirodimas, R. Frenk, A. J. van der Eb, D. P. Lane, M. K. Saville, and A. G. Jochemsen.** 2001. Mdmx stabilizes p53 and Mdm2 via two distinct mechanisms. *EMBO Rep.* **2**:1029-1034.

272. van der Eb A.J. Evolving Scientific and Regulatory Perspectives on Cell Substrates for Vaccine Development. Brown, F. Lewis Jr. A. M. Peden K. and Krause P. 106[Developments in Biologicals], 69-76. 2001. Basel, Karger. IABs Symposia Series. 7-10-1999.
Ref Type: Conference Proceeding
273. **van der Eb, A. J.** 2001. Transformation by DNA viral oncogenes. *Dev. Biol. (Basel)* **106**:69-75.
274. **van Laar, T., A. J. van der Eb, and C. Terleth.** 2001. Mif1: a missing link between the unfolded protein response pathway and ER-associated protein degradation? *Curr. Protein Pept. Sci.* **2**:169-190.
275. **van Laar, T., T. Schouten, A. J. van der Eb, and C. Terleth.** 2001. Induction of the SAPK activator MIG-6 by the alkylating agent methyl methanesulfonate. *Mol. Carcinog.* **31**:63-67.
276. Zhang, Y. H., Abrahams, P. J., van der Eb A.J., and Noteborn, H. M. Evolving Scientific and Regulatory Perspectives on Cell Substrates for Vaccine Development. Brown, F. Lewis Jr. A. M. Peden K. and Krause P. 106[Developments in Biologicals], 359-366. 2001. Basel, Karger. IABs Symposia Series.
Ref Type: Conference Proceeding
277. **Zhang, Y. H., P. J. Abrahams, A. J. van der Eb, and M. H. Noteborn.** 2001. Response to apoptin of diploid fibroblasts from cancer-prone syndromes. *Dev. Biol. (Basel)* **106** :359-365.
278. **van Laar, T., A. J. van der Eb, and C. Terleth.** 2002. A role for Rad23 proteins in 26S proteasome-dependent protein degradation? *Mutat. Res.* **499**:53-61.
279. **Abrahams, P. J., A. Houweling, R. Schouten, A. J. van der Eb, and C. Terleth.** 2003. Abnormal kinetics of induction of UV-stimulated recombination in human DNA repair disorders. *DNA Repair (Amst)* **2**:1211-1225.
280. Kool, J., Hamdi, M., Cornelissen-Steijger, D. M., Terleth, C., van der Eb A.J., and van Dam, H. Ionizing radiation-induced activation of ATF-2 phosphorylation and atf3 expression is dependent on aTM and NBS kinase. Yoshisada Shibata, Shunichi Yamashita Masami Watanabe Masao Tomonaga. [International Congress Series 1258], 187-197. 2003. Amsterdam, Elsevier. Radiation and human kind.
Ref Type: Conference Proceeding
281. **Kool, J., M. Hamdi, P. Cornelissen-Steijger, A. J. van der Eb, C. Terleth, and H. van Dam.** 2003. Induction of ATF3 by ionizing radiation is mediated via a signaling pathway that includes ATM, Nibrin1, stress-induced MAPkinases and ATF-2. *Oncogene* **22**:4235-4242.
282. **Vertegaal, A. C., H. B. Kuiperij, A. Houweling, M. Verlaan, A. J. van der Eb, and A. Zantema.** 2003. Differential expression of tapasin and immunoproteasome subunits in adenovirus type 5-versus type 12-transformed cells. *J. Biol. Chem.* **278**:139-146.
283. **van der Eb, M. M., B. de Leeuw, A. J. van der Eb, and R. C. Hoeben.** 2004. Side effects of suicide gene therapy. *Methods Mol. Med.* **90**:479-490.
- 284 **Klein, B., enz** Princess Takamatsu symp 2009