

Publications of Carlos M. Herrera (as of November 2013)

Most of these may be downloaded as pdf files from

<http://www.plant-animal.es/personal/cmh/cmh.Publs.todas.html>

Scientific publications

(a) Books and monographs

- a1. **Herrera, C. M.** 1980. *Composición y estructura de dos comunidades mediterráneas de Passeriformes*. Doñana Acta Vertebrata, Special Monograph, 340 p.
- a2. Amat, J. A., Díaz, C., **Herrera, C. M.**, Jordano, P., Obeso, J. R. and Soriguer, R. C. 1985. *Criterios de valoración de zonas húmedas de importancia nacional y regional en función de las aves acuáticas*. Monografías ICONA, Minist. Agricult., Madrid. 78 p.
- a3. **Herrera, C. M.**, Araque, E. and Sánchez, J. D. 1992. *Bibliografía sobre historia natural y geoeconómica del Parque Natural de las Sierras de Cazorla, Segura y Las Villas*. Agencia de Medio Ambiente, Junta de Andalucía, Jaén. 83 p.
- a4. Blanca, G., B. Cabezudo, J. E. Hernández-Bermejo, **C. M. Herrera**, J. Molero Mesa, J. Muñoz and B. Valdés. 1999. *Libro rojo de la flora silvestre amenazada de Andalucía. I. Especies en peligro de extinción*. Consejería de Medio Ambiente, Junta de Andalucía, Sevilla, Spain. 302 p.
- a5. Blanca, G., B. Cabezudo, J. E. Hernández-Bermejo, **C. M. Herrera**, J. Muñoz and B. Valdés. 2000. *Libro rojo de la flora silvestre amenazada de Andalucía. II. Especies vulnerables*. Consejería de Medio Ambiente, Junta de Andalucía, Sevilla, Spain. 375 p.
- a6. **Herrera, C. M.**, and O. Pellmyr, editors. 2002. *Plant-animal interactions: an evolutionary approach*. Blackwell Scientific Publications, Oxford, England.
- a7. **Herrera, C. M.**, editor. 2004. *El monte mediterráneo en Andalucía*. Consejería de Medio Ambiente, Junta de Andalucía, Sevilla.
- a8. Alonso, C., J. L. Garrido, and **C. M. Herrera**. 2004. *Investigaciones sobre plantas y animales en las Sierras de Cazorla, Segura y Las Villas. 25 años de estudios por el CSIC*. Consejería de Medio Ambiente, Junta de Andalucía, Sevilla, 133 p.
- a9. Cabezudo, B., S. Talavera, G. Blanca, C. Salazar, M. Cueto, B. Valdés, J. E. Hernández Bermejo, **C. M. Herrera**, C. Rodríguez Hidalgo, and D. Navas. 2005. *Lista roja de la flora vascular de Andalucía*. Consejería de Medio Ambiente, Junta de Andalucía, Sevilla, 126 p.
- a10. **Herrera, C. M.** 2009. *Multiplicity in unity. Plant subindividual variation and interactions with animals*. University of Chicago Press, Chicago, 448 p.

(b) Book chapters

- b1. **Herrera, C. M.** 1980. Seasonal patterns in bird community organization. Local and global approaches. Pages 1082-1087 in R. Nöhring (Ed.), *Acta XVII Congressus Internationalis Ornithologici*. Deutschen Ornithologen-Gesellschaft, Berlin.
- b2. **Herrera, C. M.** 1985. Habitat-consumer interaction in frugivorous birds. Pages 341-365 in M. L. Cody (Ed.), *Habitat selection in birds*. Academic Press, New York.
- b3. **Herrera, C. M.** 1986. Vertebrate-dispersed plants: Why they don't behave the way they should. In A. Estrada and T. H. Fleming (Eds.), *Frugivores and seed dispersal*, pp. 5-18. Junk, Dordrecht, The Netherlands.

- b4. **Herrera, C. M.** 1988. La invernada de aves en la Península Ibérica: cifras, biología y conservación. Pages 201-206 in J. L. Tellería and T. Santos (Eds.), *Invernada de aves en la Península Ibérica*. Sociedad Española de Ornitología, Madrid.
- b5. **Herrera, C. M.** 1988. Avian frugivory and seed dispersal in Mediterranean habitats: regional variation in plant-animal interaction. Pages 509-517 in H. Ouellet (Ed.), *Acta XIX Congressus Internationalis Ornithologici*, Vol. 1. Nat. Museum Nat. Sciences, Univ. Ottawa Press, Ottawa, Canada.
- b6. **Herrera, C. M.** 1992. Mediterranean plant-bird seed dispersal systems: the roles of history and adaptation. Pages 241-250 in C. A. Thanos (Ed.), *Plant-animal interactions in Mediterranean-type ecosystems*. Proceedings of the 6th International Conference on Mediterranean Climate Ecosystems. University of Athens, Athens, Greece.
- b7. **Herrera, C. M.** 1989. Dinàmica i funcionalitat dels ecosistemes terrestres: les relacions de mutualisme. Pages 197-203 in J. Terradas, N. Prat, A. Escarré and R. Margalef (Eds.), *Història Natural dels Països Catalans*. Vol. 14. Sistemes Naturals. Encyclopèdia Catalana, Barcelona, Spain.
- b8. **Herrera, C. M.** 1993. La gestión de la diversidad biológica. Pages 255-279 in J. M. Naredo and F. Parra (Eds.), *Hacia una ciencia de los recursos naturales*. Siglo Veintiuno Editores, Madrid.
- b9. **Herrera, C. M.** 1996. Floral traits and plant adaptation to insect pollinators: a devil's advocate approach. Pages 65-87 in D. G. Lloyd and S. C. H. Barrett (Eds.), *Floral Biology. Studies on floral evolution in animal-pollinated plants*. Chapman & Hall, New York.
- b10. **Herrera, C. M.** 1996. El papel de los carnívoros en la dispersión de semillas. Pages 201-216 in R. García-Perea, R. A. Baquero, R. Fernández-Salvador and J. Gisbert (Eds.), *Carnívoros. Evolución, ecología y conservación*. Museo Nacional Ciencias Naturales, Consejo Superior de Investigaciones Científicas, Madrid.
- b11. **Herrera, C. M.** 2001. Dispersión de semillas por animales en el Mediterráneo: ecología y evolución. In R. Zamora and F. I. Pugnaire (Eds.), *Ecosistemas Mediterráneos. Análisis Funcional*, pp. 125-152. Colección Textos Universitarios nº 32, Servicio de Publicaciones, Consejo Superior de Investigaciones Científica, Madrid.
- b12. **Herrera, C. M.** 2002. Seed dispersal by vertebrates. Pages 185-208 in C. M. Herrera and O. Pellmyr (Eds.), *Plant-animal interactions: an evolutionary approach*. Blackwell Scientific Publications, Oxford, England.
- b13. **Herrera, C. M.** 2002. Cincuenta años de ecología evolutiva. Crónica y logros de una reconciliación intelectual. Pages 83-95 in R. Hernández Tristán, L. Corral Mora and F. Infante García-Pantaleón (Eds.), *50 años de Biología en España*. Publ. Obra Social Cultural Cajasur, Córdoba, Spain.
- b14. **Herrera, C. M.** 2004. Ecología de los pájaros frugívoros ibéricos. Pages 127-153 in J. L. Tellería (Ed.), *La ornitología hoy. Homenaje al Profesor Francisco Bernis Madrazo*. Editorial Complutense, Universidad Complutense, Madrid.
- b15. **Herrera, C. M.**, M. C. Castellanos, and M. Medrano. 2006. Geographical context of floral evolution: towards an improved research program in floral diversification. Pages 278-294 in L. D. Harder and S. C. H. Barrett (Eds.), *The ecology and evolution of flowers*. Oxford University Press, Oxford, England.
- b16. **Herrera, C. M.** 2012. Genomic scan as a tool for assessing the genetic component of phenotypic variance in wild populations. Pages 315-329 in F. Pompanon and A. Bonin (Eds.), *Population genomics: methods and protocols. Methods in Molecular Biology Series*, Vol. 888. Humana Press, New York, USA.

(c) Journal papers

- c1. **Herrera, C. M.** 1974. El paso otoñal de *Sylvia borin* y *Sylvia communis* en la Reserva de Doñana. *Doñana Acta Vertebrata* 1: 83-119.

- c2. **Herrera, C. M.** 1974. Biometría y sistemática de *Pitymys duodecimcostatus* de Sélys-Longchamps 1839 (Mammalia, Rodentia) en el sur de España. *Arquivos Museu Bocage, Lisboa* **4**: 261-276.
- c3. **Herrera, C. M.** 1974. Trophic diversity of the Barn Owl *Tyto alba* in continental western Europe. *Ornis Scandinavica* **5**: 181-191.
- c4. **Herrera, C. M.** 1974. Régimen alimenticio de *Tyto alba* Scop. en España suroccidental. *Ardeola* **19**: 359-394.
- c5. **Herrera, C. M.** 1974. La captura de carnívoros por las Strigiformes. *Ardeola* **19**: 439-444.
- c6. **Herrera, C. M.** 1974. Observaciones sobre una colonia de Garcillas Bueyeras (*Bubulcus ibis*) en Andalucía. *Ardeola* **20**: 287-306.
- c7. **Herrera, C. M.** and Ramírez, A. 1974. Food of bee-eaters in southern Spain. *British Birds* **67**: 158-164.
- c8. **Herrera, C. M.** and Soriguer, R. C. 1974. Morfología y dimorfismo sexual de la pelvis de *Pitymys duodecimcostatus*. *Doñana Acta Vertebrata* **1**: 245-254.
- c9. Hiraldo, F. and **Herrera, C. M.** 1974. Dimorfismo sexual y diferenciación de edades en *Sturnus unicolor* Temm. *Doñana Acta Vertebrata* **1**: 149-170.
- c10. **Herrera, C. M.** and Hidalgo, J. 1974. Sobre la presencia invernal de *Clamator glandarius* en Andalucía. *Ardeola* **20**: 307-311.
- c11. **Herrera, C. M.** 1975. A note on the emetic technique for obtaining food samples from passerine birds. *Doñana Acta Vertebrata* **2**: 77-82.
- c12. **Herrera, C. M.** 1976. A trophic diversity index for presence-absence food data. *Oecologia (Berlin)* **25**: 187-191.
- c13. **Herrera, C. M.** and Hiraldo, F. 1976. Food-niche and trophic relationships among European owls. *Ornis Scandinavica* **7**: 29-41.
- c14. **Herrera, C. M.** 1977. Ecología alimenticia del Petirrojo (*Erythacus rubecula*) durante su invernada en encinares del sur de España. *Doñana Acta Vertebrata* **4**: 35-59.
- c15. **Herrera, C. M.** and Soriguer, R. C. 1977. Composición de las comunidades de passeriformes en dos biotopos de Sierra Morena occidental. *Doñana Acta Vertebrata* **4**: 127-138.
- c16. Amat, J. A. and **Herrera, C. M.** 1977. Alimentación de la Garza Imperial (*Ardea purpurea*) en las Marismas del Guadalquivir durante el período de nidificación. *Ardeola* **24**: 95-104.
- c17. **Herrera, C. M.** 1978. Datos sobre la dieta invernal del Colirrojo Tizón (*Phoenicurus ochruros*) en encinares de Andalucía occidental. *Doñana Acta Vertebrata* **5**: 61-71.
- c18. **Herrera, C. M.** 1978. Evolución estacional de las comunidades de passeriformes en dos encinares de Andalucía occidental. *Ardeola* **25**: 143-180.
- c19. **Herrera, C. M.** 1978. Niche-shift in the genus *Parus* in southern Spain. *Ibis* **120**: 236-240.
- c20. **Herrera, C. M.** 1978. On the breeding distribution pattern of European migrant birds: MacArthur's theme re-examined. *Auk* **95**: 496-509.
- c21. **Herrera, C. M.** 1978. Individual dietary differences associated with morphological variation in Robins *Erythacus rubecula*. *Ibis* **120**: 542-545.
- c22. **Herrera, C. M.** 1978. Ecological correlates of residence and non-residence in a Mediterranean passerine bird community. *Journal of Animal Ecology* **47**: 871-890.
- c23. **Herrera, C. M.** 1979. Ecological aspects of heterospecific flocks formation in a Mediterranean passerine bird community. *Oikos* **33**: 85-96.
- c24. **Herrera, C. M.**, and F. M. Jaksic. 1980. Feeding ecology of the Barn Owl in central Chile and southern Spain: a comparative study. *Auk* **97**: 760-767.
- c25. **Herrera, C. M.** 1981. Fruit variation and competition for dispersers in natural populations of *Smilax aspera*. *Oikos* **36**: 51-58.

- c26. **Herrera, C. M.** 1981. Fruit food of Robins wintering in southern Spanish Mediterranean scrubland. *Bird Study* **28**: 115-122.
- c27. **Herrera, C. M.** 1981. Are tropical fruits more rewarding to dispersers than temperate ones ? *American Naturalist* **118**: 896-907.
- c28. **Herrera, C. M.** 1981. Combination rules among western European *Parus* species. *Ornis Scandinavica* **12**: 140-147.
- c29. **Herrera, C. M.** 1981. Organización temporal en las comunidades de aves. *Doñana Acta Vertebrata* **8**: 79-101.
- c30. **Herrera, C. M.** 1981. Datos sobre la dieta frugívora del Mirlo (*Turdus merula*) en dos localidades del sur de España. *Doñana Acta Vertebrata* **8**: 306-310.
- c31. **Herrera, C. M.**, and P. Jordano. 1981. *Prunus mahaleb* and birds: the high-efficiency seed dispersal system of a temperate fruiting tree. *Ecological Monographs* **51**: 203-218.
- c32. Jordano, P., and **C. M. Herrera**. 1981. The frugivorous diet of Blackcap populations *Sylvia atricapilla* wintering in southern Spain. *Ibis* **123**: 502-507.
- c33. **Herrera, C. M.** 1982. Defense of ripe fruits from pests: its significance in relation to plant-disperser interactions. *American Naturalist* **120**: 218-241.
- c34. **Herrera, C. M.** 1982. Some comments on Stiles' paper on bird-disseminated fruits. *American Naturalist* **120**: 819-822.
- c35. **Herrera, C. M.** 1982. Breeding systems and dispersal-related maternal reproductive effort of southern Spanish bird-dispersed plants. *Evolution* **36**: 1299-1314.
- c36. **Herrera, C. M.** 1982. Reply to Bawa. *Evolution* **36**: 1325-1326.
- c37. **Herrera, C. M.** 1982. Grasses, grazers, mutualism, and coevolution: a comment. *Oikos* **38**: 254-258.
- c38. **Herrera, C. M.** 1982. Seasonal variation in the quality of fruits and diffuse coevolution between plants and avian dispersers. *Ecology* **63**: 773-785.
- c39. Jaksic, F. M., R. L. Seib, and **C. M. Herrera**. 1982. Predation by the Barn Owl (*Tyto alba*) in Mediterranean habitats of Chile, Spain and California: a comparative approach. *American Midland Naturalist* **107**: 151-162.
- c40. **Herrera, C. M.**, and R. C. Soriguer. 1983. Intra- and inter-floral heterogeneity of nectar production in *Helleborus foetidus* L. (Ranunculaceae). *Botanical Journal of the Linnean Society* **86**: 253-260.
- c41. **Herrera, C. M.** 1984. Selective pressures on fruit seediness: differential predation of fly larvae on the fruits of *Berberis hispanica*. *Oikos* **42**: 166-170.
- c42. **Herrera, C. M.** 1984. Avian interference of insect frugivory: an exploration into the plant-bird-fruit pest evolutionary triad. *Oikos* **42**: 203-210.
- c43. **Herrera, C. M.** 1984. Coevolución de plantas y frugívoros: la invernada mediterránea de algunos passeriformes. *Alytes* **1**: 177-190.
- c44. **Herrera, C. M.** 1984. A study of avian frugivores, bird-dispersed plants, and their interaction in Mediterranean scrublands. *Ecological Monographs* **54**: 1-23.
- c45. **Herrera, C. M.** 1984. Adaptation to frugivory of Mediterranean avian seed dispersers. *Ecology* **65**: 609-617.
- c46. **Herrera, C. M.** 1984. Significance of ants in the diet of insectivorous birds in southern Spanish Mediterranean habitats. *Ardeola* **30**: 77-81.
- c47. **Herrera, C. M.** 1984. Seed dispersal and fitness determinants in wild rose: combined effects of hawthorn, birds, mice, and browsing ungulates. *Oecologia (Berlin)* **63**: 386-393.
- c48. **Herrera, C. M.** 1984. The annual cycle of *Osyris quadripartita*, a hemiparasitic dioecious shrub of Mediterranean scrublands. *Journal of Ecology* **72**: 1065-1078.

- c49. **Herrera, C. M.**, J. Herrera, and X. Espadaler. 1984 Nectar thievery by ants from southern Spanish insect-pollinated flowers. *Insectes Sociaux* **31**: 142-154.
- c50. **Herrera, C. M.** 1985. Determinants of plant-animal coevolution: the case of mutualistic dispersal of seeds by vertebrates. *Oikos* **44**: 132-141.
- c51. **Herrera, C. M.** 1985. Predispersal reproductive biology of female *Osyris quadripartita* (Santalaceae), a hemiparasitic dioecious shrub of Mediterranean scrublands. *Botanical Journal of the Linnean Society* **90**: 113-127.
- c52. **Herrera, C. M.** 1985. Aposematic insects as six-legged fruits: incidental short-circuiting of their defense by frugivorous birds. *American Naturalist* **126**: 286-293.
- c53. **Herrera, C. M.** 1985. Tipos morfológicos y funcionales en plantas leñosas del matorral mediterráneo del sur de España. *Studia Oecologica* **5**: 7-34.
- c54. **Herrera, C. M.** 1985. Grass/grazer radiations: an interpretation of silica-body diversity. *Oikos* **45**: 446-447.
- c55. **Herrera, C. M.** 1986. On the scaling of intestine length to body size in interspecific comparisons. *Ornis Fennica* **63**: 50-51.
- c56. **Herrera, C. M.** 1987. Distribución, ecología y conservación de *Atropa baetica* Willk. (Solanaceae) en la Sierra de Cazorla. *Anales del Jardín Botánico de Madrid* **43**: 387-398.
- c57. **Herrera, C. M.** 1987. Components of pollinator "quality": comparative analysis of a diverse insect assemblage. *Oikos* **50**: 79-90.
- c58. **Herrera, C. M.** 1987. Componentes del flujo génico en *Lavandula latifolia* Medicus: polinización y dispersión de semillas. *Anales del Jardín Botánico de Madrid* **44**: 49-61.
- c59. **Herrera, C. M.** 1987. Vertebrate-dispersed plants of the Iberian Peninsula: a study of fruit characteristics. *Ecological Monographs* **57**: 305-331.
- c60. **Herrera, C. M.** 1988. The fruiting ecology of *Osyris quadripartita*: individual variation and evolutionary potential. *Ecology* **69**: 233-249.
- c61. **Herrera, C. M.** 1988. Habitat-shaping, host-plant use by a hemiparasitic shrub, and the importance of gut fellows. *Oikos* **51**: 383-386.
- c62. **Herrera, C. M.** 1988. Variation in mutualisms: the spatio-temporal mosaic of an insect pollinator assemblage. *Biological Journal of the Linnean Society* **35**: 95-125.
- c63. **Herrera, C. M.** 1988. Biología y ecología de *Viola cazorlensis*. I. Variabilidad en caracteres florales. *Anales del Jardín Botánico de Madrid* **45**: 233-246.
- c64. **Herrera, C. M.** 1988. Plant size, spacing patterns, and host plant selection in *Osyris quadripartita*, a hemiparasitic dioecious shrub. *Journal of Ecology* **76**: 995-1006.
- c65. **Herrera, C. M.** 1988. Variaciones anuales en las poblaciones de pájaros frugívoros y su relación con la abundancia de frutos. *Ardeola* **35**: 135-142.
- c66. **Herrera, C. M.** 1989. Vertebrate frugivores and their interaction with invertebrate fruit predators: supporting evidence from a Costa Rican dry forest. *Oikos* **54**: 185-188.
- c67. **Herrera, C. M.** 1989. Seed dispersal by animals: a role in angiosperm diversification? *American Naturalist* **133**: 309-322.
- c68. **Herrera, C. M.** 1989. Temperate frugivory and seed dispersal. *Trends in Ecology and Evolution* **4**: 90-91. (Book review)
- c69. **Herrera, C. M.** 1989. Frugivory and seed dispersal by carnivorous mammals, and associated fruit characteristics, in undisturbed Mediterranean habitats. *Oikos* **55**: 250-262.
- c70. **Herrera, C. M.** 1989. Pollinator abundance, morphology, and flower visitation rate: analysis of the "quantity" component in a plant-pollinator system. *Oecologia (Berlin)* **80**: 241-248.
- c71. **Herrera, C. M.** 1990. Biología y ecología de *Viola cazorlensis*. II. Uso de sustratos, reproducción y consumo por los herbívoros. *Anales del Jardín Botánico de Madrid* **47**: 125-128.

- c72. **Herrera, C. M.** 1990. The adaptedness of the floral phenotype in a relict endemic, hawkmoth-pollinated violet. 1. Reproductive correlates of floral variation. *Biological Journal of the Linnean Society* **40**: 263-274.
- c73. **Herrera, C. M.** 1990. The adaptedness of the floral phenotype in a relict endemic, hawkmoth-pollinated violet. 2. Patterns of variation among disjunct populations. *Biological Journal of the Linnean Society* **40**: 275-291.
- c74. **Herrera, C. M.** 1990. Bumblebees feeding on non-plant food sources. *Bee World* **71**: 67-69.
- c75. **Herrera, C. M.** 1990. Daily patterns of pollinator activity, differential pollinating effectiveness, and floral resource availability, in a summer-flowering Mediterranean shrub. *Oikos* **58**: 277-288.
- c76. **Herrera, C. M.** 1990. Brood size reduction in *Lavandula latifolia*: a test of alternative hypotheses. *Evolutionary Trends in Plants* **4**: 99-105.
- c77. **Herrera, C. M.** 1991. Dissecting factors responsible for individual variation in plant fecundity. *Ecology* **72**: 1439-1448.
- c78. **Herrera, C. M.** 1992. Activity pattern and thermal biology of a day-flying hawkmoth (*Macroglossum stellatarum*) under Mediterranean summer conditions. *Ecological Entomology* **17**: 52-56.
- c79. **Herrera, C. M.** 1992. Individual flowering time and maternal fecundity in a summer-flowering Mediterranean shrub: making the right prediction for the wrong reason. *Acta Oecologica* **13**: 13-24.
- c80. **Herrera, C. M.** 1992. Historical effects and sorting processes as explanations of contemporary ecological patterns: character syndromes in Mediterranean woody plants. *American Naturalist* **140**: 421-446.
- c81. **Herrera, C. M.** 1992. Interspecific variation in fruit shape: allometry, phylogeny, and adaptation to dispersal agents. *Ecology* **73**: 1832-1841.
- c82. **Herrera, C. M.** 1993. Selection on floral morphology and environmental determinants of fecundity in a hawkmoth-pollinated violet. *Ecological Monographs* **63**: 251-275.
- c83. **Herrera, C. M.** 1993. Selection on complexity of corolla outline in a hawkmoth-pollinated violet. *Evolutionary Trends in Plants* **7**: 9-13.
- c84. Yela, J. L., and **C. M. Herrera**. 1993. Seasonality and life cycles of woody plant-feeding noctuid moths (Lepidoptera: Noctuidae) in Mediterranean habitats. *Ecological Entomology* **18**: 259-269.
- c85. **Herrera, C. M.**, P. Jordano, L. López-Soria, and J. A. Amat. 1994. Recruitment of a mast-fruiting, bird-dispersed tree: bridging frugivore activity and seedling establishment. *Ecological Monographs* **64**: 315-344.
- c86. Obeso, J. R., and **C. M. Herrera**. 1994. Inter- and intraspecific variation in fruit traits in co-occurring vertebrate-dispersed plants. *International Journal of Plant Sciences* **155**: 382-387.
- c87. **Herrera, C. M.** 1995. Floral biology, microclimate, and pollination by ectothermic bees in an early-blooming herb. *Ecology* **76**: 218-228.
- c88. **Herrera, C. M.** 1995. Microclimate and individual variation in pollinators: flowering plants are more than their flowers. *Ecology* **76**: 1516-1524.
- c89. **Herrera, C. M.** 1995. Plant-vertebrate seed dispersal systems in the Mediterranean: ecological, evolutionary and historical determinants. *Annual Review of Ecology and Systematics* **26**: 705-727.
- c90. Jordano, P., and **C. M. Herrera**. 1995. Shuffling the offspring: uncoupling and spatial discordance of multiple stages in vertebrate seed dispersal. *Écoscience* **2**: 230-237.
- c91. Alonso, C., and **C. M. Herrera**. 1996. Variation in herbivory within and among plants of *Daphne laureola* (Thymelaeaceae): correlation with plant size and architecture. *Journal of Ecology* **84**: 495-502.
- c92. **Herrera, C. M.** 1997. Thermal biology and foraging responses of insect pollinators to the forest floor irradiance mosaic. *Oikos* **78**: 601-611.

- c93. **Herrera, C. M.** 1998. Long-term dynamics of Mediterranean frugivorous birds and fleshy fruits: a 12-yr study. *Ecological Monographs* **68**: 511-538.
- c94. **Herrera, C. M.**, P. Jordano, J. Guitián, and A. Traveset. 1998. Annual variability in seed production by woody plants and the masting concept: reassessment of principles and relationship to pollination and seed dispersal. *American Naturalist* **152**: 576-594.
- c95. **Herrera, C. M.** 1998. Population-level estimates of interannual variability in seed production: What do they actually tell us ? *Oikos* **82**: 612-616.
- c96. **Herrera, C. M.** 2000. Flower-to-seedling consequences of different pollination regimes in an insect-pollinated shrub. *Ecology* **81**: 15-29.
- c97. **Herrera, C. M.** 2000. Measuring the effects of pollinators and herbivores: evidence for non-additivity in a perennial herb. *Ecology* **81**: 2170-2176.
- c98. **Herrera, C. M.** 2000. Individual differences in progeny viability in *Lavandula latifolia*: a long-term field study. *Ecology* **81**: 3036-3047.
- c99. Alonso, C., and **C. M. Herrera**. 2000. Seasonal variation in leaf characteristics and food selection by larval noctuids on an evergreen Mediterranean shrub. *Acta Oecologica* **21**: 257-265.
- c100. Alonso, C., and **C. M. Herrera**. 2001. Neither vegetative nor reproductive advantages account for high frequency of male-steriles in Southern Spanish gynodioecious *Daphne laureola* (Thymelaeaceae). *American Journal of Botany* **88**: 1016-1024.
- c101. **Herrera, C. M.**, A. Sánchez-Lafuente, M. Medrano, J. Guitián, X. Cerdá, and P. Rey. 2001. Geographical variation in autonomous self-pollination levels unrelated to pollinator service in *Helleborus foetidus* (Ranunculaceae). *American Journal of Botany* **88**: 1025-1032.
- c102. Alonso, C., and **C. M. Herrera**. 2001. Patterns made of patterns: variation and covariation of leaf nutrient concentrations within and between populations of *Prunus mahaleb*. *New Phytologist* **150**: 629-640.
- c103. **Herrera, C. M.** 2001. Deconstructing a floral phenotype: do pollinators select for corolla integration in *Lavandula latifolia* ? *Journal of Evolutionary Biology* **14**: 574-584.
- c104. **Herrera, C. M.**, X. Cerdá, M. B. García, J. Guitián, M. Medrano, P. Rey, and A. M. Sánchez-Lafuente. 2002. Floral integration, phenotypic covariance structure and pollinator variation in bumblebee-pollinated *Helleborus foetidus*. *Journal of Evolutionary Biology* **15**: 108-121.
- c105. **Herrera, C. M.** 2002. What Darwin forgot to mention about orchids. *Evolution*, **56**: 856-858. [Invited book review].
- c106. **Herrera, C. M.** 2002. Topsoil properties and seedling recruitment in *Lavandula latifolia*: stage-dependence and spatial decoupling of influential parameters. *Oikos* **97**: 260-270.
- c107. Garrido, J. L., P. J. Rey, X. Cerdá, and **C. M. Herrera**. 2002. Geographical variation in diaspore traits of an ant-dispersed plant (*Helleborus foetidus*): Are ant community composition and diaspore traits correlated ? *Journal of Ecology* **90**: 446-455.
- c108. **Herrera, C. M.** 2002. Correlated evolution of fruit and leaf size in bird-dispersed plants: species-level variance in fruit traits explained a bit further ? *Oikos* **97**: 426-432.
- c109. **Herrera, C. M.** 2002. Censusing natural microgametophyte populations: variable spatial mosaics and extreme fine-graininess in winter-flowering *Helleborus foetidus* (Ranunculaceae). *American Journal of Botany* **89**: 1570-1578.
- c110. **Herrera, C. M.**, Medrano, M., Rey, P. J., Sánchez-Lafuente, A. M., García, M. B., Guitián, J. and Manzaneda, A. J. 2002. Interaction of pollinators and herbivores on plant fitness suggests a pathway for correlated evolution of mutualism- and antagonism-related traits. *Proceedings of the National Academy of Sciences USA* **99**: 16823-16828.
- c111. Guitián, J., M. Medrano, **C. M. Herrera**, and A. M. Sánchez-Lafuente. 2003. Variation in the structural gender in the hermaphrodite *Helleborus foetidus* (Ranunculaceae): within- and among-population patterns. *Plant Systematics and Evolution* **241**: 139-151.

- c112. Alonso, C., and **C. M. Herrera**. 2003. Developmental and spatial covariation of nutrients in growing leaves of *Daphne laureola* and their relationships with herbivory. *New Phytologist* **159**: 645–656.
- c113. **Herrera, C. M.** 2004. Distribution ecology of pollen tubes: fine-grained, labile spatial mosaics in southern Spanish Lamiaceae. *New Phytologist* **161**: 473-484.
- c114. Fedriani, J. M., P. J. Rey, J. L. Garrido, J. Guitián, **C. M. Herrera**, M. Medrano, A. M. Sánchez-Lafuente, and X. Cerdá. 2004. Geographical variation in the potential of mice to constrain an ant-seed dispersal mutualism. *Oikos* **105**: 181-191.
- c115. Barrett, S. C. H., W. W. Cole and **C. M. Herrera**. 2004. Mating patterns and genetic diversity in the wild daffodil *Narcissus longispathus* (Amaryllidaceae). *Heredity* **92**: 459-465.
- c116. Medrano, M., C. Alonso, and C. M. Herrera. 2005. Mating system, sex ratio, and persistence of females in the gynodioecious shrub *Daphne laureola* L. (Thymelaeaceae). *Heredity* **94**: 37-43.
- c117. Garrido, J. L., P. Rey, and **C. M. Herrera**. 2005. Pre- and post-germination determinants of the spatial variation in recruitment in the perennial herb *Helleborus foetidus* L. (Ranunculaceae). *Journal of Ecology* **93**: 60-66.
- c118. **Herrera, C. M.** 2005. Plant generalization on pollinators: species property or local phenomenon ? *American Journal of Botany* **92**: 13-20.
- c119. **Herrera, C. M.** 2005. Resolution of respect. Ramón Margalef (1919-2004). *Bulletin of the Ecological Society of America* **86**: 8-11. [Invited biographical item].
- c120. Medrano, M., **C. M. Herrera**, and S. C. H. Barrett. 2005. Herkogamy and mating patterns in the self-compatible daffodil *Narcissus longispathus*. *Annals of Botany* **95**: 1105-1111.
- c121. **Herrera, C. M.** 2005. Post-floral perianth functionality: contribution of persistent sepals to seed development in *Helleborus foetidus* (Ranunculaceae). *American Journal of Botany* **92**: 1486-1491.
- c122. Sánchez-Lafuente, A. M., J. Guitián, M. Medrano, **C. M. Herrera**, P. J. Rey, and X. Cerdá. 2005. Plant traits, environmental factors, and pollinator visitation in winter flowering *Helleborus foetidus* L. (Ranunculaceae). *Annals of Botany* **96**: 845-852.
- c123. Garrido, J. L., P. J. Rey, and **C. M. Herrera**. 2005. Fuentes de variación en el tamaño de semilla de la herbácea perenne *Helleborus foetidus* L. (Ranunculaceae). *Anales del Jardín Botánico de Madrid* **62**: 115-125
- c124. Rey, P. J., **C. M. Herrera**, J. Guitián, X. Cerdá, A. M. Sánchez-Lafuente, M. Medrano, and J. L. Garrido. 2006. The geographic mosaic in pre-dispersal interactions and selection on *Helleborus foetidus* (Ranunculaceae). *Journal of Evolutionary Biology* **19**: 21-34.
- c125. **Herrera, C. M.**, R. Pérez, and C. Alonso. 2006. Extreme intraplant variation in nectar sugar composition in an insect-pollinated perennial herb. *American Journal of Botany* **93**: 575-581.
- c126. Medrano, M., M. C. Castellanos, and **C. M. Herrera**. 2006. Comparative floral and vegetative differentiation between two *Aquilegia* taxa along a narrow contact zone. *Plant Systematics and Evolution* **262**: 209-224.
- c127. Canto, M. A., R. Pérez, M. Medrano, M. C. Castellanos, and **C. M. Herrera**. 2007. Intraplant variation in nectar sugar composition in two *Aquilegia* species (Ranunculaceae): contrasting patterns under field and greenhouse conditions. *Annals of Botany* **99**: 653-660.
- c128. Garrido, J. L., P. J. Rey, and **C. M. Herrera**. 2007. Regional and local variation in seedling emergence, mortality and recruitment of a perennial herb in Mediterranean mountain habitats. *Plant Ecology* **190**: 109-121.
- c129. Alonso, C., P. Mutikainen, and **C. M. Herrera**. 2007. Ecological context of breeding system variation: sex, size and pollination in a (predominantly) gynodioecious shrub. *Annals of Botany* **100**: 1547-1556.

- c130. Alonso, C., and **C. M. Herrera**. 2008. Site-specific features affect pollination success of a gynodioecious understory shrub in a gender-specific mode. *Écoscience* **15**: 358-365.
- c131. Canto, A., **C. M. Herrera**, M. Medrano, R. Pérez, and I. M. García. 2008. Pollinator foraging modifies nectar sugar composition in *Helleborus foetidus* L. (Ranunculaceae): an experimental test. *American Journal of Botany* **95**: 315-320.
- c132. Castellanos, M. C., M. Medrano, and **C. M. Herrera**. 2008. Genetic and environmental effects on subindividual variation in seed traits in a European *Aquilegia*. *Botany (formerly Canadian Journal of Botany)* **86**: 1125-1132.
- c133. **Herrera, C. M.**, and P. Bazaga. 2008. Adding a third dimension to the edge of a species' range: altitude and genetic structuring in mountainous landscapes. *Heredity* **100**: 275-285.
- c134. **Herrera, C. M.**, and P. Bazaga. 2008. Population-genomic approach reveals adaptive floral divergence in discrete populations of a hawk moth-pollinated violet. *Molecular Ecology* **17**: 5378-5390.
- c135. **Herrera, C. M.**, I. M. García, and R. Pérez. 2008. Invisible floral larcenies: microbial communities degrade floral nectar of bumble bee-pollinated plants. *Ecology* **89**: 2369-2376.
- c136. Medrano, M., and **C. M. Herrera**. 2008. Geographical structuring of genetic diversity across the whole distribution range of *Narcissus longispathus*, a habitat-specialist, Mediterranean narrow endemic. *Annals of Botany* **102**: 183-194.
- c137. Abdala-Roberts, L., V. Parra-Tabla, L. Salinas-Peba, and **C. M. Herrera**. 2009. Noncorrelated effects of seed predation and pollination on the perennial herb *Ruellia nudiflora* remain spatially consistent. *Biological Journal of the Linnean Society* **96**: 800-807.
- c138. Garrido, J. L., P. J. Rey, and **C. M. Herrera**. 2009. Influence of elaiosome on post-dispersal dynamics of an ant-dispersed plant. *Acta Oecologica* **35**: 393-399.
- c139. de Vega, C., M. Arista, P. L. Ortiz, **C. M. Herrera**, and S. Talavera. 2009. The ant-pollination system of *Cytinus hypocistis* (Cytinaceae), a Mediterranean root holoparasite. *Annals of Botany* **103**: 1065-1075.
- c140. **Herrera, C. M.** 2009. Evolución de las relaciones entre plantas y polinizadores: logros y deficiencias de la agenda darwiniana. *Memorias de la Real Academia de Ciencias de Sevilla* **9**: 159-174.
- c141. **Herrera, C. M.**, and P. Bazaga. 2009. Quantifying the genetic component of phenotypic variation in unpedigreed wild plants: tailoring genomic scan for within-population use. *Molecular Ecology* **18**: 2602-2614.
- c142. **Herrera, C. M.**, C. de Vega, A. Canto, and M. I. Pozo. 2009. Yeasts in floral nectar: a quantitative survey. *Annals of Botany* **103**: 1415-1423.
- c143. **Herrera, C. M.** 2009. A comment on García et al. (2005, 2007) and related papers on mating patterns and gene dispersal in *Prunus mahaleb*. *Molecular Ecology* **18**: 4533-4535.
- c144. de Vega, C., **C. M. Herrera**, and S. D. Johnson. 2009. Yeasts in floral nectar of some South African plants: quantification and associations with pollinator type. *South African Journal of Botany* **75**: 798-806.
- c145. Pozo, M. I., C. de Vega, A. Canto, and **C. M. Herrera**. 2009. Presence of yeasts in floral nectar is consistent with the hypothesis of microbial-mediated signaling in plant-pollinator interactions. *Plant Signaling and Behavior* **4**: 1102-1104.
- c146. Ortegón-Campos, I., V. Parra-Tabla, L. Abdala-Roberts, and **C. M. Herrera**. 2009. Local adaptation in *Ruellia nudiflora* (Acanthaceae): complex scenarios revealed when two herbivore guilds are considered. *Journal of Evolutionary Biology* **22**: 2288-2297.
- c147. Bastida, J. M., J. M. Alcántara, P. J. Rey, P. Vargas, and **C. M. Herrera**. 2010. Extended phylogeny of *Aquilegia*: biogeographical and ecological patterns of two simultaneous, but contrasting radiations. *Plant Systematics and Evolution* **284**: 171-185.

- c148. **Herrera, C. M.** 2010. Marcescent corollas as functional structures: effects on the fecundity of two insect-pollinated plants. *Annals of Botany* **106**: 659-662.
- c149. **Herrera, C. M.**, A. Canto, M. I. Pozo, and P. Bazaga. 2010. Inhospitable sweetness: nectar filtering of pollinator-borne inocula leads to impoverished, phylogenetically clustered yeast communities. *Proceedings of the Royal Society B* **277**: 747-754.
- c150. **Herrera, C. M.**, and R. Jovani. 2010. Log-normal distribution of individual lifetime fecundity: insights from a 23-yr study. *Ecology* **91**: 422-430.
- c151. **Herrera, C. M.**, and M. I. Pozo. 2010. Nectar yeasts warm the flowers of a winter-blooming plant. *Proceedings of the Royal Society B* **277**: 1827-1834.
- c152. **Herrera, C. M.**, and P. Bazaga. 2010. Epigenetic differentiation and relationship to adaptive genetic divergence in discrete populations of the violet *Viola cazorlensis*. *New Phytologist* **187**: 867-876.
- c153. Parra-Tabla, V., and **C. M. Herrera**. 2010. Spatially inconsistent direct and indirect effects of herbivory on floral traits and pollination success in a tropical shrub. *Oikos* **119**: 1344-1354.
- c154. Alonso, C., and **C. M. Herrera**. 2011. Back-and-forth hermaphroditism: phylogenetic context of reproductive system evolution in subdioecious *Daphne laureola*. *Evolution* **65**: 1680-1692.
- c155. Canto, A., **C. M. Herrera**, I. M. García, R. Pérez, and M. Vaz. 2011. Intraplant variation in nectar traits in *Helleborus foetidus* (Ranunculaceae) as related to floral phase, environmental conditions and pollinator exposure. *Flora* **206**: 668-675.
- c156. Castilla, A. R., C. Alonso, and **C. M. Herrera**. 2011. Exploring local borders of distribution in the shrub *Daphne laureola*: individual and populations traits. *Acta Oecologica* **37**: 269-276.
- c157. **Herrera, C. M.** 2011. Complex implications around a simple trait: ecological context determines the fecundity effects of corolla marcescence. *American Journal of Botany* **98**: 812-818.
- c158. **Herrera, C. M.**, and P. Bazaga. 2011. Untangling individual variation in natural populations: ecological, genetic and epigenetic correlates of long-term inequality in herbivory. *Molecular Ecology* **20**: 1675-1688.
- c159. **Herrera, C. M.**, M. I. Pozo, and P. Bazaga. 2011. Genetic diversity, clonality, and support for the diversifying selection hypothesis, in natural populations of a flower-living yeast. *Molecular Ecology* **20**: 4395-4407.
- c160. Pozo, M. I., **C. M. Herrera**, and P. Bazaga. 2011. Species richness of yeast communities in floral nectar of southern Spanish plants. *Microbial Ecology* **61**: 82-91.
- c161. Alonso, C., **C. M. Herrera**, and T.-L. Ashman. 2012. A piece of the puzzle: a method for comparing pollination quality and quantity across multiple species and reproductive events. *New Phytologist* **193**: 532-542.
- c162. Álvarez-Pérez, S., **C. M. Herrera**, and C. de Vega. 2012. Zooming-in on floral nectar: a first exploration of nectar-associated bacteria in wild plant communities. *FEMS Microbiology Ecology* **80**: 591-602.
- c163. Canto, A., and **C. M. Herrera**. 2012. Micro-organisms behind the pollination scenes: microbial imprint on floral nectar sugar variation in a tropical plant community. *Annals of Botany* **110**: 1173-1183.
- c164. Castilla, A. R., C. Alonso, and **C. M. Herrera**. 2012. Genetic structure of the shrub *Daphne laureola* across the Baetic Ranges, a Mediterranean glacial refugium and biodiversity hotspot. *Plant Biology* **14**: 515-524.
- c165. Castilla, A. R., T. Wiegand, C. Alonso, and **C. M. Herrera**. 2012. Disturbance-dependent spatial distribution of sexes in a gynodioecious understory shrub. *Basic and Applied Ecology* **13**: 405-413.
- c166. de Vega, C., and **C. M. Herrera**. 2012. Relationships among nectar-dwelling yeasts, flowers and ants: patterns and incidence on nectar traits. *Oikos* **121**: 1878-1888.

- c167. de Vega, C., B. Guzmán, M. A. Lachance, S. L. Steenhuisen, S. D. Johnson, and **C. M. Herrera**. 2012. *Metschnikowia proteae* sp. nov., a nectarivorous insect-associated yeast species from Africa. *International Journal of Systematic and Evolutionary Microbiology* **62**: 2538-2545.
- c168. Garrido, J. L., P. J. Rey, **C. M. Herrera**, and J. M. Ramírez. 2012. Negative evidence of local adaptation to the establishment conditions in a perennial herb. *Plant Ecology* **213**: 1555-1569.
- c169. **Herrera, C. M.**, M. I. Pozo, and P. Bazaga. 2012. Jack of all nectars, master of most: DNA methylation and the epigenetic basis of niche width in a flower-living yeast. *Molecular Ecology* **21**: 2602-2626.
- c170. Medrano, M., R. Requerrey, J. D. Karron, and **C. M. Herrera**. 2012. Herkogamy and mate diversity in the wild daffodil *Narcissus longispathus*: beyond the selfing-outcrossing paradigm in the evolution of mixed mating. *Plant Biology* **14**: 801-810.
- c171. Ortegón-Campos, I., L. Abdala-Roberts, V. Parra-Tabla, J. C. Cervera, D. Marrufo-Zapata, and **C. M. Herrera**. 2012. Influence of multiple factors on plant local adaptation: soil type and folivore effects in *Ruellia nudiflora* (Acanthaceae). *Evolutionary Ecology* **26**: 545-558.
- c172. Pozo, M. I., M. A. Lachance, and **C. M. Herrera**. 2012. Nectar yeasts of two southern Spanish plants: the roles of immigration and physiological traits in community assembly. *FEMS Microbiology Ecology* **80**: 281-293.
- c173. **Herrera, C. M.**, and P. Bazaga. 2013. Epigenetic correlates of plant phenotypic plasticity: DNA methylation differs between prickly and nonprickly leaves in heterophyllous *Ilex aquifolium* (Aquifoliaceae) trees. *Botanical Journal of the Linnean Society* **171**: 441–452
- c174. Álvarez-Pérez, S., and **C. M. Herrera**. 2013. Composition, richness and non-random assembly of culturable bacterial-microfungal communities in floral nectar of Mediterranean plants. *FEMS Microbiology Ecology* **83**: 685–699.
- c175. **Herrera, C. M.**, M. I. Pozo, and M. Medrano. 2013. Yeasts in nectar of an early-blooming herb: sought by bumble bees, detrimental to plant fecundity. *Ecology* **94**: 273–279.
- c176. de Vega, C., and C. M. Herrera. 2013. Microorganisms transported by ants induce changes in floral nectar composition of an ant-pollinated plant. *American Journal of Botany* **100**: 792–800.
- c177. Álvarez-Pérez, S., B. Lievens, H. Jacquemyn, and **C. M. Herrera**. 2013. *Acinetobacter nectaris* sp. nov. and *Acinetobacter boissieri* sp. nov., isolated from floral nectar of wild Mediterranean insect-pollinated plants. *International Journal of Systematic and Evolutionary Microbiology* : 1532–1539.
- c178. Castilla, A. R., C. Alonso, and **C. M. Herrera**. 2013. Herbivory at marginal populations: consequences for maternal fitness and vegetative differentiation. *Acta Oecologica* **49**: 32–38.
- c179. Seino, M. M., C. de Vega, P. Bazaga, M. Medrano, and **C. M. Herrera**, in *Molecular Ecology Resources Primer Development Consortium et al.* 2013. Development and characterization of microsatellite loci for the perennial herb *Helleborus foetidus* (Ranunculaceae). *Molecular Ecology Resources* **13**: 341–343.
- c180. Guzmán, B., M. A. Lachance, and **C. M. Herrera**. 2013. Phylogenetic analysis of the angiosperm-floricolous insect-yeast association: have yeast and angiosperm lineages co-diversified? *Molecular Phylogenetics and Evolution* **68**: 161–175.
- c181. **Herrera, C. M.**, M. Medrano, and P. Bazaga. 2013. Epigenetic differentiation persists after male gametogenesis in natural populations of the perennial herb *Helleborus foetidus* (Ranunculaceae). *PLOS ONE* **8**: e70730. doi:10.1371/journal.pone.0070730
- c182. Álvarez-Pérez, S., C. de Vega, and **C. M. Herrera**. 2013. Multilocus sequence analysis of nectar pseudomonads reveals high genetic diversity and contrasting recombination patterns. *PLOS ONE* **8**: e75797. doi:10.1371/journal.pone.0075797

- c183. Seino, M. M., C. de Vega, P. Bazaga, M. I. Pozo, and **C. M. Herrera**, in Molecular Ecology Resources Primer Development Consortium et al. (2013) Development and characterization of microsatellite loci for the nectar-living yeast *Metschnikowia reukaufii*. *Molecular Ecology Resources* **13**: 760–762.
- c184. Parejo-Farnés, C., R. G. Albaladejo, **C. M. Herrera**, and A. Aparicio, in Molecular Ecology Resources Primer Development Consortium et al. (2013) Isolation and characterization of microsatellite markers for *Helianthemum cinereum* subsp. *rotundifolium* (Cistaceae) using next-generation sequencing. *Molecular Ecology Resources* **13**: 966–968.
- c185. **Herrera, C. M.**, M. I. Pozo, and P. Bazaga (in press) Non-random genotype distribution among floral hosts contributes to local and regional genetic diversity in the nectar living yeast *Metschnikowia reukaufii*. *FEMS Microbiology Ecology*. doi:10.1111/1574-6941.12245
- c186. de Vega, C., **C. M. Herrera**, and S. Dötterl (in press) Floral volatiles play a key role in specialized ant pollination. *Perspectives in Plant Ecology, Evolution and Systematics*. doi:10.1016/j.ppees.2013.11.002

Other publications:

short contributions and popular science writings

- d1. **Herrera, C. M.**, and J. Hidalgo, J. 1971. Sobre un antiguo ejemplar de *Aquila pomarina* en Andalucía. *Ardeola* **15**: 133-135.
- d2. **Herrera, C. M.** 1971. Nota sobre la observación de un posible *Ficedula parva* en Sevilla. *Ardeola* **15**: 153-154.
- d3. **Herrera, C. M.** 1973. *Neomys anomalus* au sud de l'Espagne: nouvelle donnée pour la répartition de cette espèce. *Mammalia* **37**: 514-515.
- d4. Hidalgo, F., **Herrera, C. M.** and Hidalgo, J. 1973. Sobre *Larus minutus* en Andalucía. *Ardeola* **19**: 97-100.
- d5. **Herrera, C. M.** and Hidalgo, F. 1973. Sobre un híbrido de *Anas crecca* y *Anas penelope*. *Ardeola* **19**: 16-17.
- d6. **Herrera, C. M.** 1973. *Hirundo rupestris* nidificando en edificios. *Ardeola* **19**: 27-28.
- d7. **Herrera, C. M.** 1973. Un par de observaciones invernales sobre *Sylvia hortensis* y *Sylvia communis*. *Ardeola* **19**: 32.
- d8. **Herrera, C. M.** 1974. Nuevos datos sobre la nidificación del Avión Roquero (*Hirundo rupestris*) en construcciones humanas. *Ardeola* **20**: 368-369.
- d9. **Herrera, C. M.** and Hidalgo, F. 1974. Observaciones invernales de Avión Común (*Delichon urbica*) en Andalucía. *Ardeola* **20**: 369-370.
- d10. **Herrera, C. M.** 1974. Una localidad de cría de Mosquitero Silbador (*Phylloscopus sibilatrix*) en el Pirineo. *Ardeola* **20**: 374-375.
- d11. **Herrera, C. M.** and Ramírez, A. 1975. El Vencejo Común nidificando en árboles. *Ardeola* **22**: 146.
- d12. **Herrera, C. M.** and Alcaide, J. L. 1975. Probable nidificación de *Jynx torquilla* en Sierra Morena occidental. *Ardeola* **22**: 148-149.
- d13. Alcaide, J. L. and **Herrera, C. M.** 1976. Nidificación del Zorzal Común *Turdus philomelos* en Sierra Morena. *Ardeola* **23**: 230-231.
- d14. **Herrera, C. M.** 1976. Las Rapaces Nocturnas. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), No. 15.
- d15. **Herrera, C. M.** 1976. Los Aláudidos, cantores del firmamento. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), Nos. 23-24.
- d16. **Herrera, C. M.** 1976. Golondrinas, aviones y vencejos. Enciclopedia Salvat de la Fauna Ibérica y

- Europea (Salvat Editores, Barcelona), Nos. 29-30.
- d17. **Herrera, C. M.** 1976. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), No. 33.
- d18. **Herrera, C. M.** 1976. Los pájaros del carrizal. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), Nos. 40-41.
- d19. **Herrera, C. M.** 1976. Gaviota Reidora y Pagaza Piconegra. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), No. 53.
- d20. Soriguer, R. C. and **Herrera, C. M.** 1977. Análisis de dos contenidos estomacales de Grulla Común *Grus grus*. *Ardeola* **24**: 217-219.
- d21. **Herrera, C. M.** 1977. Aves de Ribera. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), No. 60.
- d22. **Herrera, C. M.** 1977. Aves de los sotos. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), No. 61.
- d23. **Herrera, C. M.** 1977. Los Picos. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), No. 76.
- d24. **Herrera, C. M.** 1977. Rapaces diurnas. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), No. 81.
- d25. **Herrera, C. M.** 1977. Pájaros de los espacios abiertos. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), Nos. 84-85.
- d26. **Herrera, C. M.** 1977. Aves granívoras de la taiga. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), Nos. 87-88.
- d27. **Herrera, C. M.** 1977. Rapaces nocturnas de la taiga. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), No. 92.
- d28. **Herrera, C. M.** 1977. Aves de los riscos y cortados. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), Nos. 95-96.
- d29. **Herrera, C. M.** 1977. El paraíso de los limícolos. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), Nos. 106-107.
- d30. **Herrera, C. M.** 1977. Los ánsares. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), Nos. 108-109.
- d31. **Herrera, C. M.** 1978. Aves de la costa. Enciclopedia Salvat de la Fauna Ibérica y Europea (Salvat Editores, Barcelona), Nos. 114-115.
- d32. **Herrera, C. M.** and Rodríguez, M. 1979. Year-to-year site constancy among three passerine species wintering at a southern Spanish locality. *Ringing and Migration* **2**: 160.
- d33. **Herrera, C. M.**, Soriguer, R. C. and Amat, J. A. 1986. Alimentación recíproca entre investigación y gestión en Cazorla: ejemplos y propuestas. Actas I Congreso Parques Naturales, Sevilla, págs. 161-165.
- d34. **Herrera, C. M.** 1988. Los herbívoros condicionan la distribución de la violeta de Cazorla. *Quercus* **29**: 12-14.
- d35. **Herrera, C. M.** 1988. Sobre las existencias sin lucha. *Quercus* **31**: 36-42.
- d36. **Herrera, C. M.** 1988. Aves invernantes en el matorral mediterráneo. *Quercus* **33**: 23-28.
- d37. **Herrera, C. M.** 1989. Papel de los carnívoros en el bosque mediterráneo. *Quercus* **37**: 20-28.
- d38. **Herrera, C. M.** 1989. Sobre el vicio del tamaño y la práctica de la conservación. *Quercus* **35**: 43-48.
- d39. **Herrera, C. M.** 1989. Fauna y flora del Parque Natural de Cazorla, Segura y Las Villas: presente y futuro de un patrimonio excepcional. *Anuario del Adelantamiento de Cazorla (Jaén)* **30**: 78-86.

- d40. **Herrera, C. M.** 1989. Las portadas de *Quercus*. *Quercus* **39**: 35-38.
- d41. **Herrera, C. M.** 1990. Enseñanzas de un iceberg. *Quercus* **50**: 16-21.
- d42. **Herrera, C. M.** 1991. Sierra de Cazorla: problemas de conservación en un espacio natural bien conservado. *Panda* **8**: 4-10.
- d43. **Herrera, C. M.** 1991. Consumo de alimento de origen animal por abejorros (Hymenoptera: Apidae). *Boletín Asociación Española Entomología* **14**: 41-44.
- d44. **Herrera, C. M.** 1994. Cazorla, Segura y Las Villas. Flora y fauna: un patrimonio biológico excepcional. Pp. 19-35 in J. Gómez Mena (Ed.), *Parques y Parajes Naturales de Jaén*. Diario Jaén, Jaén, Spain.
- d45. **Herrera, C. M.** 1999. Elaboración de planes de conservación de especies amenazadas de la flora andaluza: Parque Natural de las Sierras de Cazorla, Segura y Las Villas. Pp. 29-33 in Consejería de Medio Ambiente (Ed.), *Investigación y Desarrollo Medioambiental en Andalucía*. Consejería de Medio Ambiente, Junta de Andalucía, Sevilla, Spain.
- d46. **Herrera, C. M.** 2003. José Antonio Valverde marcó un antes y un después en las ciencias naturales españolas. *Quercus* **210**: 64-66.
- d47. **Herrera, C. M.** 2004. El monte mediterráneo y los pájaros frugívoros invernantes. Pp. 142-143 in C. M. Herrera (Editor), *El Monte Mediterráneo en Andalucía*. Consejería de Medio Ambiente, Junta de Andalucía, Sevilla.
- d48. **Herrera, C. M.** 2006. No hay otro enigma que el tiempo. *Quercus* **250**: 12-13
- d49. **Herrera, C. M.** 2007. Cada problema complejo tiene siempre una solución sencilla, que generalmente es errónea. *Quercus* **251**: 10-11.
- d50. **Herrera, C. M.** 2007. Cuidado con las palabras. *Quercus* **252**: 6-7.
- d51. **Herrera, C. M.** 2007. Azar, naturaleza y naturalidad. *Quercus* **253**: 6-7.
- d52. **Herrera, C. M.** 2007. Triángulos naturales. *Quercus* **254**: 8-9.
- d53. **Herrera, C. M.** 2007. Contaminación, despilfarro y futuro. *Quercus* **255**: 6-7.
- d54. **Herrera, C. M.** 2007. Los gorriones de Hermon Bumpus. *Quercus* **256**: 6-7.
- d55. **Herrera, C. M.** 2007. Small is beautiful. *Quercus* **257**: 6-7.
- d56. **Herrera, C. M.** 2007. La mayoría de las abejas no son como las ovejas. *Quercus* **258**: 8-10.
- d57. **Herrera, C. M.** 2007. Historia natural, marañas y metáforas. *Quercus* **259**: 10-11.
- d58. **Herrera, C. M.** 2007. Yin y Yang. *Quercus* **260**: 6-7.
- d59. **Herrera, C. M.** 2007. Esquías, espinas y el futuro de la diversidad. *Quercus* **261**: 6-7.
- d60. **Herrera, C. M.** 2007. Los rasgos de identidad y sus paradojas. *Quercus* **262**: 6-7.
- d61. **Herrera, C. M.** 2008. Las flores del frío. *Quercus* **263**: 6-7.
- d62. **Herrera, C. M.** 2008. Tanto quiere la loca a sus hijos que los mata a cariños. *Quercus* **265**: 6-7.
- d63. **Herrera, C. M.** 2008. La única certeza es la incertidumbre. *Quercus* **267**: 6-7.
- d64. **Herrera, C. M.** 2008. Ladrones florales invisibles (un homenaje a Leeuwenhoek). *Quercus* **269**: 6-7.
- d65. **Herrera, C. M.** 2008. Glosario irónico de eufemismos que empiezan por "re". *Quercus* **271**: 6-7.
- d66. **Herrera, C. M.** 2008. Historias de aparecidos. *Quercus* **273**: 6-7.
- d67. **Herrera, C. M.** 2009. Superabundancia y lucha por la existencia. *Quercus* **275**: 6-7.
- d68. **Herrera, C. M.** 2009. Flores para Darwin. *Quercus* **276**: 12-17.
- d69. **Herrera, C. M.** 2009. El factor humano. *Quercus* **277**: 6-7.
- d70. **Herrera, C. M.** 2009. Inhóspita dulzura. *Quercus* **279**: 6-7.

- d71. **Herrera, C. M.** 2009. ¿Cómo se describe una planta? *Quercus* **281**: 6-7.
- d72. **Herrera, C. M.** 2009. ¿En qué se parecen un árbol y un hormiguero? *Quercus* **283**: 6-7.
- d73. **Herrera, C. M.** 2009. La conjetura de Haldane y la desigualdad de Jensen se encuentran. *Quercus* **285**: 6-7.
- d74. **Herrera, C. M.** 2010. Dilemas y moralidad en la gestión de la naturaleza. *Quercus* **287**: 6-7.
- d75. **Herrera, C. M.** 2010. Aprender a leer. *Quercus* **289**: 6-7.
- d76. **Herrera, C. M.** 2010. Desconfianza positiva hacia la simplicidad. *Quercus* **291**: 6-8.
- d77. **Herrera, C. M.** 2010. Novedades, flores y MacGyver. *Quercus* **293**: 6-7.
- d78. **Herrera, C. M.** 2010. ¿Bosques? Los justos, gracias. *Quercus* **295**: 6-8.
- d79. **Herrera, C. M.** 2010. Fronteras entre lo grande y lo pequeño. *Quercus* **297**: 6-9.
- d80. **Herrera, C. M.** 2011. ¿De dónde salieron todas esas "malas hierbas"? *Quercus* **299**: 6-7.
- d81. **Herrera, C. M.** 2011. A vueltas con los vestigios: recuerdos que se heredan. *Quercus* **301**: 6-8.
- d82. **Herrera, C. M.** 2011. Sesgos biológicos, incertidumbres y oportunidades. *Quercus* **303**: 6-8.
- d83. **Herrera, C. M.** 2011. Introducción biológica a los verbos "ser" y "estar". *Quercus* **305**: 6-8.
- d84. **Herrera, C. M.** 2011. Fracasos clamorosos. *Quercus* **307**: 6-7.
- d85. **Herrera, C. M.** 2011. Un jardín de cascadas que se bifurcan. *Quercus* **307**: 6-7.