

## BIBLIOGRAPHY\*

Mary Osborn

1. Person, S. and Osborn, M.  
DNA segregation in *E. coli*, Observations by means of tritiated thymidine decay.  
*Science* 143, 44-46 (1963)
2. Osborn, M. and Person, S.  
Characterization of revertants of *E. coli* WU36-10 and WP2 using amber mutants and an ochre mutant of bacteriophage T4.  
*Mutation Research* 4, 504-507 (1967)
3. Osborn, M., Person, S., Phillips, S. and Funk, F.  
A determination of mutagen specificity in bacteria using nonsense mutants of bacteriophage T4.  
*J. Mol. Biol.* 26, 437-447 (1967)
4. Bockrath Jr., R.C., Osborn, M. and Person, S.  
Nonsense suppressors in a multiauxotrophic derivative of *E. coli* 15 T-identification and consequences of an amber triplet in the deoxyribomutase gene.  
*J. Bacteriol.* 96, 146-153 (1968)
5. Person, S. and Osborn, M.  
The conversion of amber suppressors to ochre suppressors.  
*Proc. Natl. Acad. Sci. USA* 60, 1030-1037 (1968)
6. Weber, K. and Osborn, M.  
The reliability of molecular weight determination by dodecylsulfate polyacrylamide gel electrophoresis.  
*J. Biol. Chem.* 244, 4406-4412 (1969)
7. Osborn, M., Weber, K. and Lodish, H.F.  
Amino terminal peptides of RNA phage proteins synthesized in the cell-free system.  
*Biochem. Biophys. Res. Comm.* 41, 748-756 (1970)
8. Osborn, M., Weiner, A. and Weber, K.  
Large scale purification of the A-protein of bacteriophage R17.  
*Eur. J. Biochem.* 17, 63-67 (1970)
9. Mathews, M.B., Osborn, M. and Lingrel, J.B.  
Translation of globin messenger RNA in a heterologous cell-free system.  
*Nature New Biol.* 233, 206-209 (1971)
10. Mathews, M.B., Osborn, M., Berns, A.J.M. and Bloemendal, H.  
Translation of two messenger RNAs from lens in a cell-free system from Krebs II ascites cells.  
*Nature New Biol.* 236, 5-7 (1972)
11. Mathews, M.B., Pragnell, I.B., Osborn, M. and Arnstein, H.V.  
Stimulation by reticulocyte initiation factors of protein synthesis in a cell-free system from Krebs II ascites cells.  
*Biochem. Biophys. Acta* 287, 113-123 (1972)
12. Sampson, J., Mathews, M.B., Osborn, M. and Borghetti, A.F.

---

\* Abstracts are not included

- Hemoglobin messenger ribonucleic acid translation in cell-free systems from rat and mouse liver and Landschutz ascites cells.  
*Biochemistry* 11, 3636-3640 (1972)
13. Weber, K., Pringle, J.R. and Osborn, M.  
Measurements of molecular weights by electrophoresis on SDS acrylamide gels.  
*Methods Enzymol.* 26, part C, p. 3-42 (1972)
  14. Mathews, M.B. and Osborn, M.  
The rate of polypeptide chain elongation in a cell-free system from Krebs II ascites cells.  
*Biochem. Biophys. Acta* 340, 147-152 (1974)
  15. Osborn, M. and Weber, K.  
SV40 T antigen, the A function and transformation.  
*Cold Spring Harbor Symp. Quant. Biol.* 39, 267-276 (1974)
  16. Osborn, M. and Weber, K.  
SV40 gene A function and maintenance of transformation.  
*J. Virol.* 15, 636-644 (1975)
  17. Pollack, R., Osborn, M. and Weber, K.  
Patterns of organization of actin and myosin in normal and transformed cultured cells.  
*Proc. Natl. Acad. Sci. USA* 72, 994-998 (1975)
  18. Weber, K. and Osborn, M.  
Proteins and sodium dodecylsulfate, Molecular weight determinations on polyacrylamide gels and other procedures.  
*In The Proteins* (H. Neurath and R. Hill, eds.), 3rd ed., Vol. I, p. 179-223. Academic Press (1975)
  19. Weber, K., Bibring, T. and Osborn, M.  
Specific visualization of tubulin-containing structures in tissue culture cells by immunofluorescence, cytoplasmic microtubules, vinblastine-induced paracrystals and mitotic figures.  
*Exp. Cell Res.* 95, 111-120 (1975)
  20. Franke, W.W., Rathke, P.C., Seib, E., Trendelenburg, M.F., Osborn, M. and Weber, K.  
Distribution and mode of arrangement of microfilamentous structures and actin in the cortex of the amphibian oocyte.  
*Cytobiologie* 14, 111-130 (1976)
  21. Levinson, A., Levine, A.J., Anderson, S., Osborn, M., Rosenwirth, B. and Weber, K.  
The relationship between the group C adenovirus tumor antigen and the adenovirus single strand DNA-binding protein.  
*Cell* 7, 575-584 (1976)
  22. Osborn, M. and Weber, K.  
Cytoplasmic microtubules in tissue culture cells appear to grow from an organizing structure towards the plasma membrane.  
*Proc. Natl. Acad. Sci. USA* 73, 867-870 (1976)
  23. Osborn, M. and Weber, K.  
Tubulin-specific antibody and the expression of microtubules in 3T3 cells after attachment to a substratum.  
*Exp. Cell Res.* 103, 331-340 (1976)
  24. Weber, K., Rathke, P.C., Osborn, M. and Franke, W.W.

- Distribution of actin and tubulin in cells and in glycerinated cell models after treatment with cytochalasin B.  
Exp. Cell Res. 102, 285-297 (1976)
25. Franke, W.W., Seib, E., Herth, W., Osborn, M. and Weber, K.  
Reaction of the anastral mitotic apparatus of endosperm cells of the plant *Leucojum aestivum* with antibodies from porcine brain as revealed by immunofluorescence microscopy.  
Cell Biol. Internat. Rep. 1, 75-83 (1977)
26. Franke, W.W., Seib, E., Osborn, M., Weber, K., Herth, W. and Falk, H.  
Tubulin-containing structures in the anastral mitotic apparatus of endospermal cells of the plant *Leucojum aestivum* as revealed by immunofluorescence microscopy.  
Cytobiologie 15, 24-48 (1977)
27. Osborn, M. and Weber, K.  
The detergent-resistant cytoskeleton of tissue culture cells includes the nucleus and the microfilament bundles.  
Exp. Cell Res. 106, 339-349 (1977)
28. Osborn, M. and Weber, K.  
The display of microtubules in transformed cells.  
Cell 12, 561-571 (1977)
29. Osborn, M., Franke, W.W. and Weber, K.  
Visualization of a system of filaments 7-10 nm thick in cultured cells of an epithelioid line (PtK2) by immunofluorescence microscopy.  
Proc. Natl. Acad. Sci. USA 74, 2490-2494 (1977)
30. Rathke, P.C., Seib, E., Weber, K., Osborn, M. and Franke, W.W.  
Rod-like elements from actin-containing microfilament bundles observed in cultured cells after treatment with cytochalasin A.  
Exp. Cell Res. 105, 253-262 (1977)
31. Weber, K., Osborn, M., Franke, W.W., Seib, E., Schleier, U. and Herth, W.  
Identification of microtubular structures in diverse plant and animal cells by immunological cross-reaction revealed in immunofluorescence microscopy using antibody against tubulin from porcine brain.  
Cytobiologie 15, 285-302 (1977)
32. Wehland, J., Osborn, M. and Weber, K.  
Phalloidin-induced actin polymerization in the cytoplasm of cultured cells interferes with cell locomotion and growth.  
Proc. Natl. Acad. Sci. USA 74, 5613-5617 (1977)
33. Andersen, B., Osborn, M. and Weber, K.  
Specific visualization of the distribution of the calcium-dependent regulatory protein of cyclic phosphodiesterase (modulator protein) in tissue culture cells by immunofluorescence microscopy, mitosis and the intercellular bridge.  
Cytobiologie 17, 354-364 (1978)
34. Bussolati, G., Bonfanti, S., Weber, K. and Osborn, M.  
Staining of myoepithelial cells in fixed and embedded tissues by immunocytochemical techniques using antibodies to actin.  
Riv. Istoch. Norm. Pat., Vol. 22, 387-390 (1978)
35. Franke, W.W., Grund, C., Fink, A., Weber, K., Jockusch, B.M., Zentgraf, H. and Osborn, M.

- Location of actin in the microfilament bundles associated with the junctional specializations between Sertoli cells and spermatids.  
Biol. Cellul. 31, 7-14 (1978)
36. Franke, W.W., Grund, C., Osborn, M. and Weber, K.  
The intermediate-sized filaments in rat kangaroo PtK2 cells. I. Morphology *in situ*.  
Cytobiologie 17, 365-391 (1978)
37. Franke, W.W., Schmid, E., Osborn, M. and Weber, K.  
Different intermediate filaments distinguished by immunofluorescence microscopy.  
Proc. Natl. Acad. Sci. USA 75, 5034-5038 (1978)
38. Franke, W.W., Schmid, E., Osborn, M. and Weber, K.  
The intermediate-sized filaments in rat kangaroo PtK2 cells. II. Structure and composition of isolated filaments.  
Cytobiologie 17, 392-411 (1978)
39. Franke, W.W., Weber, K., Osborn, M., Schmid, E. and Freudenstein, C.  
Antibody to prekeratin.  
Exp. Cell Res. 116, 429-446 (1978)
40. Freudenstein, C., Franke, W.W., Osborn, M. and Weber, K.  
Reaction of tonofilament-like intermediate-sized filaments with antibodies raised against isolated defined polypeptides of bovine hoof prekeratin.  
Cell Biol. Internat. Rep. 2, 591-600 (1978)
41. Marchisio, P.C., Osborn, M. and Weber, K.  
Changes in intracellular organization of tubulin and actin in N-18 neuroblastoma cells during the process of axon extension induced by serum deprivation.  
Brain Res. 155, 229-237 (1978)
42. Marchisio, P.C., Osborn, M. and Weber, K.  
The intracellular organization of actin and tubulin in cultured C-1300 mouse neuroblastoma cells (clone NB41A3)  
J. Neurocytol. 7, 571-582 (1978)
43. Osborn, M., Born, T., Koitzsch, H.J. and Weber, K.  
Stereo immunofluorescence microscopy. I. Three-dimensional arrangement of microfilaments, microtubules and tonofilaments.  
Cell 14, 477-488 (1978)
44. Osborn, M., Webster, R.E. and Weber, K.  
Individual microtubules viewed by immunofluorescence and electron microscopy in the same PtK2 cell.  
J. Cell Biol. 77, R27-R34 (1978)
45. Paulin, D., Nicolas, J.F., Yaniv, M., Jacob, J., Weber, K. and Osborn, M.  
Actin and tubulin in teratocarcinoma cells, amount and intercellular organization upon cytodifferentiation.  
Developm. Biol. 66, 488-499 (1978)
46. Rungger-Brändle, E., Franke, W.W., Osborn, M. and Weber, K.  
Indirect immunofluorescence microscopy of microtubular structures in male germ cells of wild type and 1(3)pl (lethal polyploid) *Drosophila hydei*.  
Differentiation 10, 187-191 (1978)

47. Schliwa, M., Osborn, M. and Weber, K.  
Microtubule system of isolated fish melanophores as revealed by immunofluorescence microscopy.  
J. Cell Biol. 76, 229-239 (1978)
48. Watt, F.M., Harris, H., Weber, K. and Osborn, M.  
The distribution of actin cables and microtubules in hybrids between malignant and non-malignant cells and in tumors derived from them.  
J. Cell Sci. 32, 419-432 (1978)
49. Weber, K., Rathke, P.C. and Osborn, M.  
Cytoplasmic microtubular images in glutaraldehyde-fixed tissue culture cells by electron microscopy and by immunofluorescence microscopy.  
Proc. Natl. Acad. Sci. USA 75, 1820-1824 (1978)
50. Webster, R.E., Henderson, D., Osborn, M. and Weber, K.  
Three-dimensional electron microscopical visualization of the cytoskeleton of animal cells, immunoferritin identification of actin- and tubulin-containing structures.  
Proc. Natl. Acad. Sci. USA 75, 5511-5515 (1978)
51. Webster, R.E., Osborn, M. and Weber, K.  
Visualization of the same PtK2 cytoskeletons by both immunofluorescence and low power electron microscopy.  
Exp. Cell Res. 117, 47-61 (1978)
52. Aubin, J.E., Weber, K. and Osborn, M.  
Analysis of actin and microfilament-associated proteins in the mitotic spindle and cleavage furrow of PtK2 cells by immunofluorescence microscopy, a critical note.  
Exp. Cell Res. 124, 93-109 (1979)
53. Bereiter-Hahn, J., Osborn, M., Weber, K. and Vöth, M.  
Filament organization and formation of microridges at the surface of fish epidermis.  
J. Ultrastruct. Res. 69, 316-330 (1979)
54. Franke, W.W., Denk, H., Schmid, E., Osborn, M. and Weber, K.  
Ultrastructural, biochemical and immunological characterization of Mallory bodies in livers of griseofulvin-treated mice, fimbriated rods of 14-20 nm containing prekeratin-like polypeptides.  
Lab. Invest. 40, 207-220 (1979)
55. Franke, W.W., Schmid, E., Weber, K. and Osborn, M.  
HeLa cells contain intermediate-sized filaments of the prekeratin type.  
Exp. Cell Res. 118, 95-109 (1979)
56. Franke, W.W., Schmid, E., Kartenbeck, J., Mayer, D., Hacker, H.-J., Bannasch, P., Osborn, M., Weber, K., Denk, H., Wanson, J.-C. and Drochmans, P.  
Characterization of the intermediate-sized filaments in liver cells by immunofluorescence and electron microscopy.  
Biol. Cellul. 34, 99-110 (1979)
57. Franke, W.W., Schmid, E., Breitreutz, D., Lüder, M., Boukamp, P., Fusenig, N.E., Osborn, M. and Weber, K.  
Simultaneous expression of two different types of intermediate-sized filaments in mouse keratinocytes proliferating *in vitro*.  
Differentiation 14, 35-50 (1979)
58. Franke, W.W., Schmid, E., Osborn, M. and Weber, K.

- Intermediate-sized filaments of human endothelial cells.  
*J. Cell Biol.* 81, 570-580 (1979)
59. Franke, W.W., Schmid, E., Winter, S., Osborn, M. and Weber, K.  
Widespread occurrence of intermediate-sized filaments of the vimentin-type in cultured cells from diverse vertebrates.  
*Exp. Cell Res.* 123, 25-46 (1979)
60. Franke, W.W., Appelhans, B., Schmid, E., Freudenstein, C., Osborn, M. and Weber, K.  
Identification and characterization of epithelial cells in mammalian tissues by immunofluorescence microscopy using antibodies to prekeratin.  
*Differentiation* 15, 7-25 (1979)
61. Franke, W.W., Appelhans, B., Schmid, E., Freudenstein, C., Osborn, M. and Weber, K.  
The organization of cytokeratin filaments in the intestinal epithelium.  
*Eur. J. Cell Biol.* 19, 255-268 (1979)
62. Marchisio, P.C., Weber, K. and Osborn, M.  
Identification of multiple microtubule initiating sites in mouse neuroblastoma cells.  
*Eur. J. Cell Biol.* 20, 45-50 (1979)
63. Osborn, M. and Weber, K.  
Microfilament-associated proteins in tissue culture cells viewed by stereo immunofluorescence microscopy.  
*Eur. J. Cell Biol.* 20, 28-36 (1979)
64. Rathke, P.C., Osborn, M. and Weber, K.  
Immunological and ultrastructural characterization of microfilament bundles, polygonal nets and stress fibers in an established cell line.  
*Eur. J. Cell Biol.* 19, 40-48 (1979)
65. Weber, K. and Osborn, M.  
Microfilaments and microtubules studied by indirect immunofluorescence microscopy in tissue culture cells.  
*In The Fourth Neurosciences Study Program*, p. 723-734. MIT Press (1979)
66. Weber, K. and Osborn, M.  
Intracellular display of microtubular structures revealed by indirect immunofluorescence microscopy.  
*In Microtubules* (K. Roberts and L.S. Hyams, eds.), p. 279-313 (1979)
67. Weber, K. and Osborn, M.  
The cytoskeleton in immunofluorescence microscopy, microfilaments, microtubules and intermediate-sized filaments.  
*In Hormones and Cell Regulation* (J. Dumont and J. Nunez, eds.), Vol. 3, p. 1-6. Elsevier/North Holland Biomedical Press, Amsterdam (1979)
68. Weber, K. and Osborn, M.  
Microfilaments, microtubules and intermediate filaments in immunofluorescence microscopy.  
*In Cell Motility. Molecules and Organization* (S. Hatano, H. Ishikawa and H. Sato, eds.), p. 483-490. University of Tokyo Press (1979)
69. Wehland, J., Osborn, M. and Weber, K.  
Cell-to-substratum contacts in living cells, a direct correlation between interference reflexion and indirect immunofluorescence microscopy using antibodies against actin and  $\alpha$ -actinin.  
*J. Cell Sci.* 37, 257-273 (1979)

70. Aubin, J.E., Osborn, M. and Weber, K.  
Variations in the distribution and migration of centriole duplexes in mitotic PtK2 cells studied by immunofluorescence microscopy.  
J. Cell Sci. 43, 177-194 (1980)
71. Aubin, J.E., Osborn, M., Franke, W.W. and Weber, K.  
Intermediate filaments of the vimentin-type and the cytokeratin-type are distributed differently during mitosis.  
Exp. Cell Res. 129, 149-165 (1980)
72. Bussolati, G., Weber, K. and Osborn, M.  
Immunocytochemical detection of actin on fixed and embedded tissues, its potential use in routine pathology.  
J. Histochem. Cytochem. 28, 169-173 (1980)
73. Franke, W.W., Schmid, E., Freudenstein, C., Appelhans, B., Osborn, M., Weber, K. and Keenan, T.W.  
Intermediate-sized filaments of the prekeratin type in myoepithelial cells.  
J. Cell Biol. 84, 633-654 (1980)
74. Harris, P., Osborn, M. and Weber, K.  
Distribution of tubulin-containing structures in the egg of the sea urchin *Strongylocentrotus purpuratus* from fertilization through first cleavage.  
J. Cell Biol. 84, 668-679 (1980)
75. Harris, P., Osborn, M. and Weber, K.  
A spiral array of microtubules in the fertilized sea urchin egg cortex examined by indirect immunofluorescence and electron microscopy.  
Exp. Cell Res. 126, 227-236 (1980)
76. Marchisio, P.C., Weber, K. and Osborn, M.  
The morphogenesis of mouse neuroblastoma cells *in vitro* involves changes in intracellular organization of tubulin and actin.  
*In* Tissue Culture in Neurobiology (E. Giacobini et al., eds.), p. 99-109. Raven Press, New York (1980)
77. Osborn, M.  
SDS gels, antibodies, and their uses in studying the cytoskeleton of animal cells.  
Electrophoresis Congress, Biophysical reprint 24, 35-56 (1980) (special contribution).
78. Osborn, M. and Weber, K.  
Damage of cellular functions by trifluoperazine, a calmodulin-specific drug.  
Exp. Cell Res. 130, 484-488 (1980)
79. Osborn, M. and Weber, K.  
Dimethylsulfoxide and the ionophore A23187 affect the arrangement of actin and induce nuclear paracrystals in PtK2 cells.  
Exp. Cell Res. 129, 103-114 (1980)
80. Osborn, M., Franke, W.W. and Weber, K.  
Direct demonstration of the presence of two immunologically distinct intermediate -sized filament systems in the same cell by double immunofluorescence microscopy, vimentin and cytokeratin fibers in cultured epithelial cells.  
Exp. Cell Res. 125, 37-46 (1980)
81. Paulin, D., Babinet, C., Weber, K. and Osborn, M.

- Antibodies as probes of cellular differentiation and cytoskeletal organization in the mouse blastocyst.  
Exp. Cell Res. 130, 297-304 (1980)
82. Ramaekers, F.C.S., Osborn, M., Schmid, E., Weber, K. and Franke, W.W.  
Identification of the cytoskeletal proteins in lens-forming cells, a special epithelioid cell type.  
Exp. Cell Res. 127, 309-327 (1980)
83. Weber, K., Osborn, M. and Franke, W.W.  
Antibodies against merokeratin from sheep wool decorate cytokeratin filaments in non-keratinizing epithelial cells.  
Eur. J. Cell Biol. 23, 110-114 (1980)
84. Wehland, J., Osborn, M. and Weber, K.  
Phalloidin associates with microfilaments after microinjection into tissue culture cells.  
Eur. J. Cell Biol. 21, 188-194 (1980)
85. Wehland, J., Weber, K. and Osborn, M.  
Translocation of actin from the cytoplasm into the nucleus in mammalian cells exposed to dimethylsulfoxide.  
Biol. Cellul. 39, 109-111 (1980)
86. Altmannsberger, M., Osborn, M., Schauer, A. and Weber, K.  
Antibodies to different intermediate filament proteins, cell type-specific markers on paraffin-embedded human tissues.  
Lab. Invest. 45, 427-434 (1981)
87. Altmannsberger, M., Osborn, M., Hölscher, A., Schauer, A. and Weber, K.  
The distribution of keratin type intermediate filaments in human breast cancer, an immunohistological study.  
Virch. Arch. B 37, 277-284 (1981)
88. Aubin, J.E., Osborn, M. and Weber, K.  
Inhibition of cytokinesis and altered contractile ring morphology induced by cytochalasins in synchronized PtK2 cells.  
Exp. Cell Res. 136, 63-79 (1981)
89. Bretscher, A., Osborn, M., Wehland, J. and Weber, K.  
Villin associates with specific microfilamentous structures as seen by immunofluorescence microscopy on tissue sections and cells microinjected with villin.  
Exp. Cell Res. 135, 213-219 (1981)
90. Cain, H., Kraus, B., Fringes, B., Osborn, M. and Weber, K.  
Centrioles, microtubules and microfilaments in activated mononuclear and multinucleate macrophages from rat peritoneum, electron-microscopic and immunofluorescence microscopic studies.  
J. Pathol. 133, 301-323 (1981)
91. Caselitz, J., Osborn, M., Seifert, G. and Weber, K.  
Intermediate-sized filament proteins (prekeratin, vimentin, desmin) in the normal parotid gland and parotid gland tumours.  
Virch. Arch. A 393, 273-286 (1981)
92. Dahl, D., Bignami, A., Weber, K. and Osborn, M.  
Filament proteins in rat optic nerves undergoing wallerian degeneration. II. Localization of vimentin, the fibroblastic 100 A filament protein, in normal and reactive astrocytes.



- Exp. Neurol. 73, 496-506 (1981)
93. Dahl, D., Rueger, D.C., Bignami, A., Weber, K. and Osborn, M.  
Vimentin, the 57,000 molecular weight protein of fibroblastic filaments, is the major cytoskeletal component in immature glia.  
Eur. J. Cell Biol. 24, 191-196 (1981)
  94. Debus, E., Weber, K. and Osborn, M.  
The cytoskeleton of blood platelets viewed by immunofluorescence microscopy.  
Eur. J. Cell Biol. 24, 45-52 (1981)
  95. Gawlitta, W., Osborn, M. and Weber, K.  
Coiling of intermediate filaments induced by microinjection of a vimentin-specific antibody does not interfere with locomotion and mitosis.  
Eur. J. Cell Biol. 26, 83-90 (1981)
  96. Osborn, M.  
Localization of proteins by immunofluorescence techniques.  
*In* Techniques in Cellular Physiology (Series, Techniques in the Life Sciences) (P.F. Baker, ed.), p. 1-28. Elsevier/North Holland Biomedical Press (1981)
  97. Osborn, M., Caselitz, J. and Weber, K.  
Heterogeneity of intermediate filament expression in vascular smooth muscle, a gradient in desmin positive cells from the rat aortic arch to the level of the arteria iliaca communis.  
Differentiation 20, 196-202 (1981)
  98. Osborn, M., Ludwig-Festl, M., Weber, K., Bignami, A., Dahl, D. and Bayreuther, K.  
Expression of glial and vimentin type intermediate filaments in cultures derived from human glial material.  
Differentiation 19, 161-167 (1981)
  99. Sharp, G.A., Osborn, M. and Weber, K.  
Ultrastructure of multiple microtubule initiation sites in mouse neuroblastoma cells.  
J. Cell Sci. 47, 1-24 (1981)
  100. Shaw, G., Osborn, M. and Weber, K.  
Arrangement of neurofilaments, microtubules and microfilament-associated proteins in cultured dorsal root ganglia cells.  
Eur. J. Cell Biol. 24, 20-27 (1981)
  101. Shaw, G., Osborn, M. and Weber, K.  
An immunofluorescence microscopical study of the neurofilament triplet proteins, vimentin and glial fibrillary acidic protein within the adult brain.  
Eur. J. Cell Biol. 26, 68-82 (1981)
  102. Stoeckel, M.-E., Osborn, M., Porte, A., Sacrez, A., Batzenschlager, A. and Weber, K.  
An unusual familial cardiomyopathy characterized by aberrant accumulations of desmin-type intermediate filaments.  
Virch. Arch. A 393, 53-60 (1981)
  103. Weber, K. and Osborn, M.  
Microtubule and intermediate filament networks in cells viewed by immunofluorescence microscopy.  
*In* Cell Surface Reviews. Cytoskeletal Elements and Plasma Membrane Organization (G. Poste and G.L. Nicolson, eds.), Vol. 7, p. 1-53. Elsevier/North Holland Biomedical Press, Amsterdam (1981)

104. Weber, K. and Osborn, M.  
Aspects of the cytoskeleton of mammalian cells.  
*In Cellular Controls in Differentiation* (D.A. Rees, ed.), p. 11-28. Academic Press (1981)
105. Wick, S.M., Seagull, R.W., Osborn, M., Weber, K. and Gunning, B.E.S.  
Immunofluorescence microscopy of organized microtubule arrays in structurally stabilized meristematic plant cells.  
*J. Cell Biol.* 89, 685-690 (1981)
106. Altmannsberger, M., Osborn, M., Treuner, J., Hölscher, A., Weber, K. and Schauer, A.  
Diagnosis of human childhood rhabdomyosarcoma by antibodies to desmin the structural protein of muscle specific intermediate filaments.  
*Virch. Arch. B* 39, 203-215 (1982)
107. Altmannsberger, M., Osborn, M., Weber, K. and Schauer, A.  
Expression of intermediate filaments in different human epithelial and mesenchymal tumors.  
*Path. Res. Pract.* 175, 227-237 (1982)
108. Altmannsberger, M., Weber, K., Hölscher, A., Schauer, A. and Osborn, M.  
Antibodies to intermediate filaments as diagnostic tools, human gastrointestinal carcinomas express prekeratin.  
*Lab. Invest.* 46, 520-526 (1982)
109. Caselitz, J., Osborn, M., Wustrow, J., Seifert, G. and Weber, K.  
The expression of different intermediate-sized filaments in human salivary glands and their tumors.  
*Path. Res. Pract.* 175, 266-278 (1982)
110. Debus, E., Flügge, G., Weber, K. and Osborn, M.  
A monoclonal antibody specific for the 200K polypeptide of the neurofilament triplet.  
*EMBO J.* 1, 41-45 (1982)
111. Debus, E., Weber, K. and Osborn, M.  
Monoclonal cyokeratin antibodies that distinguish simple from stratified squamous epithelia, characterization on human tissues.  
*EMBO J.* 1, 1641-1647 (1982)
112. Glenney Jr., J.R., Glenney, P., Osborn, M. and Weber, K.  
An F-actin- and calmodulin-binding protein from isolated intestinal brush borders has a morphology related to spectrin.  
*Cell* 28, 843-854 (1982)
113. Glenney Jr., J.R., Osborn, M. and Weber, K.  
The intracellular localization of the microvillus 110K protein, a component considered to be involved in side-on membrane attachment of F-actin.  
*Exp. Cell Res.* 138, 199-205 (1982)
114. Kunzenbacher, I., Bereiter-Hahn, J., Osborn, M. and Weber, K.  
Dynamics of the cytoskeleton of epidermal cells *in situ* and in culture.  
*Cell Tiss. Res.* 222, 445-457 (1982)
115. Lesot, H., Meyer, J.M., Ruch, J.V., Weber, K. and Osborn, M.  
Immunofluorescent localization of vimentin, prekeratin and actin during odontoblast and ameloblast differentiation.  
*Differentiation* 21, 133-137 (1982)

116. Löning, T., Caselitz, J., Seifert, G., Weber, K. and Osborn, M.  
Identification of Langerhans cells. Simultaneous use of sera to intermediate filaments, T6 and HLA-DR antigens on oral mucosa, human epidermis and their tumors.  
Virch. Arch. A 398, 119-128 (1982)
117. Naib-Majani, W., Stockem, W., Wohlfarth-Bottermann, K.-E., Osborn, M. and Weber, K.  
Immunocytochemistry of the acellular slime mold *Physarum polycephalum*.  
II. Spatial organization of cytoplasmic actin.  
Eur. J. Cell Biol. 28, 103-114 (1982)
118. Osborn, M. and Weber, K.  
Immunofluorescence and immunochemical procedures with affinity purified antibodies, tubulin-containing structures.  
*In* The Cytoskeleton. Methods in Cell Biology (L. Wilson, ed.), 24, p. 97-132. Academic Press, New York (1982)
119. Osborn, M. and Weber, K.  
Intermediate filaments, cell-type-specific markers in differentiation and pathology.  
Cell 31, 303-306 (1982) (minireview)
120. Osborn, M., Altmannsberger, M., Shaw, G., Schauer, A. and Weber, K.  
Various sympathetic derived human tumors differ in neurofilament expression, use in diagnosis of neuroblastoma, ganglioneuroblastoma and pheochromocytoma.  
Virch. Arch. B 40, 141-156 (1982)
121. Osborn, M., Geisler, N., Shaw, G., Sharp, G. and Weber, K.  
Intermediate filaments.  
Cold Spring Harbor Symp. Quant. Biol. 46, 413-429 (1982)
122. Paulin, D., Jakob, H., Jacob, F., Weber, K. and Osborn, M.  
*In vitro* differentiation of mouse teratocarcinoma cells monitored by intermediate filament expression.  
Differentiation 22, 90-99 (1982)
123. Schmid, E., Osborn, M., Rungger-Brändle, E., Gabbiani, G., Weber, K. and Franke, W.W.  
Distribution of vimentin and desmin filaments in smooth muscle tissues of mammalian and avian aorta.  
Exp. Cell Res. 137, 329-33 (1982)
124. Sharp, G., Osborn, M. and Weber, K.  
Occurrence of two different intermediate filament proteins in the same filament *in situ* within a human glioma cell line.  
Exp. Cell Res. 141, 385-395 (1982)
125. Sharp, G., Weber, K. and Osborn, M.  
Centriole number and process formation in established neuroblastoma cells and primary dorsal root ganglion neurones.  
Eur. J. Cell Biol. 29, 97-103 (1982)
126. Travo, P., Weber, K. and Osborn, M.  
Co-existence of vimentin and desmin type intermediate filaments in a subpopulation of adult rat vascular smooth muscle cells growing in primary culture.  
Exp. Cell Res. 139, 87-94 (1982)
127. Weber, K. and Osborn, M.

The cytoskeleton. Research frontiers in aging and cancer.  
Int. Symp. for the 1980s; Natl. Cancer Inst. Monogr. 60, 31-46 (1982)

128. Weber, K. and Osborn, M.  
Cytoskeleton, definition, structure and gene regulation.  
Path. Res. Pract. 175, 128-145 (1982)
129. Cain, H., Kraus, B., Krauspe, R., Osborn, M. and Weber, K.  
Vimentin filaments in peritoneal macrophages at various stages of differentiation and with altered function.  
Virch. Arch. B 42, 65-81 (1983)
130. Caselitz, J., Jänner, M., Breitbart, E., Weber, K. and Osborn, M.  
Malignant melanomas contain only the vimentin type IFs.  
Virch. Arch. A 400, 43-51 (1983)
131. Debus, E., Weber, K. and Osborn, M.  
Monoclonal antibodies to desmin, the muscle-specific intermediate filament protein.  
EMBO J. 2, 2305-2312 (1983)
132. Debus, E., Weber, K. and Osborn, M.  
Monoclonal antibodies specific for glial fibrillary acidic (GFA) protein and for each of the neurofilament triplet polypeptides.  
Differentiation 25, 193-203 (1983)
133. Fidzianska, A., Goebel, H.H., Osborn, M., Lenard, H.G., Osse, G. and Langenbeck, U.  
Mallory body-like inclusions in a hereditary congenital neuromuscular disease.  
Muscle and Nerve 6, 195-200 (1983)
134. Naib-Majani, W., Osborn, M., Weber, K., Wohlfarth-Bottermann, K.-E., Hinssen, H. and Stockem, W.  
Immunocytochemistry of the acellular slime mold *Physarum polycephalum*. I. Preparation, morphology, and reliability of results concerning cytoplasmic actomyosin patterns in sandwiched plasmodia.  
J. Cell Sci. 60, 13-28 (1983)
135. Osborn, M.  
Intermediate filaments as histologic markers, an overview.  
J. Invest. Dermatol. 81, 104s-107s (1983)
136. Osborn, M. and Goebel, H.H.  
The cytoplasmic bodies in a congenital myopathy can be stained with antibodies to desmin, the muscle-specific intermediate filament protein.  
Acta Neuropath. 62, 149-152 (1983)
137. Osborn, M. and Weber, K.  
Tumor diagnosis by intermediate filament typing, a novel tool for surgical pathology.  
Lab. Invest. 48, 372-394 (1983)
138. Osborn, M., Debus, E., Altmannsberger, M. and Weber, K.  
Uses of conventional and monoclonal antibodies to intermediate filament proteins in the diagnosis of human tumors. Proc. 4th Internat. Expert Meeting Deutsche Stiftung f. Krebsforschung.  
*In* Genes and Antigens in Cancer Cells - The Monoclonal Antibody Approach. Contributions to Oncology 19, p. 148-159 (1983)
139. Osborn, M., Weber, K., Naib-Majani, W., Hinssen, H., Stockem, W. and Wohlfarth- Bottermann, K.-E.  
Immunocytochemistry of the acellular slime mold *Physarum polycephalum*. III. Distribution of

- myosin and the actin-modulating protein (fragmin) in sandwiched plasmodia.  
Eur. J. Cell Biol. 29, 179-186 (1983)
140. Stockem, W., Naib-Majani, W., Wohlfarth-Bottermann, K.-E., Osborn, M. and Weber, K.  
Pinocytosis and locomotion of amoebae. XIX. Immunocytochemical demonstration of actin and myosin in *Amoeba proteus*.  
Eur. J. Cell Biol. 29, 171-178 (1983)
141. Weber, K., Shaw, G., Osborn, M., Debus, E. and Geisler, N.  
Neurofilaments, a subclass of intermediate filaments, structure and expression.  
Cold Spring Harbor Symp. Quant. Biol. 47, 717-729 (1983)
142. Altmannsberger, M., Osborn, M., Droese, M., Weber, K. and Schauer, A.  
Diagnostic value of intermediate filament antibodies in clinical cytology.  
Klin. Wochenschr. 62, 114-123 (1984)
143. Altmannsberger, M., Osborn, M., Schäfer, H., Schauer, A. and Weber, K.  
Distinction of neuroblastomas from other childhood tumors using antibodies to intermediate filaments.  
Virch. Arch. B 45, 113-124 (1984)
144. Altmannsberger, M., Droese, M., Osborn, M. and Weber, K.  
Immunzytologische Klassifizierung von Metastasen bei unbekanntem Primärtumor.  
Der Pathologe 5, 269-274 (1984)
145. Bader, H., Altmannsberger, M. and Osborn, M.  
Typing of intermediate filaments in malignant fibrous pleural tumors.  
J. Cancer Res. Clin. Oncol. 107, 42-47 (1984)
146. Debus, E., Moll, R., Franke, W.W., Weber, K. and Osborn, M.  
Immunohistochemical distinction of human carcinomas by cytokeratin typing with monoclonal antibodies.  
Am. J. Pathol. 114, 121-130 (1984)
147. Debus, E., Weber, K., and Osborn, M.  
Monoclonal antibodies specific for different intermediate filament proteins.  
J. Submicrosc. Cytol. 16, 161-162 (1984)
148. Droese, M., Altmannsberger, M., Kehl, A., Lankisch, P.G., Weiss, R., Weber, K. and Osborn, M.  
Ultrasound-guided percutaneous fine needle aspiration biopsy of abdominal and retroperitoneal masses, accuracy of cytology in the diagnosis of malignancy, cytologic tumor typing and use of antibodies to intermediate filaments in selected cases.  
Acta Cytol. 28, 368-384 (1984)
149. Krohne, G., Debus, E., Osborn, M., Weber, K. and Franke, W.W.  
A monoclonal antibody against nuclear lamina proteins reveals cell type-specificity in *Xenopus laevis*.  
Exp. Cell Res. 150, 47-59 (1984)
150. Osborn, M.  
Components of the normal cellular cytoskeleton used to determine histogenetic origin, a new generation of tumor markers?  
J. Invest. Dermatol. 82, 443-445 (1984)
151. Osborn, M., Altmannsberger, M., Debus, E., and Weber, K.  
Intermediate filaments as markers for determining the histogenetic origin of human tumors.

- J. Submicrosc. Cytol. 16, 149-150 (1984)
152. Osborn, M. and Weber, K.  
Actin paracrystal induction by forskolin and by db-cAMP in CHO cells.  
Exp. Cell Res. 150, 408-418 (1984)
153. Osborn, M., Debus, E. and Weber, K.  
Monoclonal antibodies specific for vimentin.  
Eur. J. Cell Biol. 34, 137-143 (1984)
154. Osborn, M., Altmannsberger, M., Debus, E. and Weber, K.  
Conventional and monoclonal antibodies to intermediate filament proteins in human tumor diagnosis.  
*In* Cancer Cells 1, The Transformed Phenotype. p. 191-200. Cold Spring Harbor Laboratory (1984)
155. Tönsing, E.M., Steyn, P.S., Osborn, M. and Weber, K.  
Phomopsin A, the causative agent of lupinosis, interacts with microtubules *in vivo* and *in vitro*.  
Eur. J. Cell Biol. 35, 156-164 (1984)
156. Vollrath, M., Altmannsberger, M., Debus, E. and Osborn, M.  
Differentialdiagnose von Tumoren des Kopf-Hals-Bereichs mit Hilfe immunhistologischer und elektronenoptischer Untersuchungen.  
Laryng. Rhinol. Otol. 63, 475-482 (1984)
157. Vollrath, M., Altmannsberger, M., Hunneman, D.H., Goebel, H.H. and Osborn, M.  
Esthesioneuroblastoma, ultrastructural, immunohistological and biochemical investigation of one case.  
Arch. Otorhinolaryng. 239, 133-144 (1984)
158. Weber, K., Osborn, M., Moll, R., Wiklund, B. and Lünig, B.  
Tissue polypeptide antigen (TPA) is related to the non-epidermal keratins 8, 18 and 19 typical of simple and non-squamous epithelia, reevaluation of a human tumor marker.  
EMBO J. 3, 2707-2714 (1984)
159. Altmannsberger, M., Weber, K., Droste, B. and Osborn, M.  
Desmin is a specific marker for rhabdomyosarcomas of human and rat origin.  
Am. J. Pathol. 118, 85-95 (1985)
160. Bartnik, E., Osborn, M. and Weber, K.  
IFs in non-neuronal cells of invertebrates, isolation and biochemical characterization of keratin-like intermediate filaments from the esophageal epithelium of the mollusc *Helix pomatia*.  
J. Cell Biol. 101, 427-440 (1985)
161. Caselitz, J., Becker, J., Seifert, G., Weber, K. and Osborn, M.  
Coexpression of keratin and vimentin filaments in adenoid cystic carcinomas of salivary glands.  
Virch. Arch. A 403, 337-344 (1985)
162. Ghosh, A.K., Erber, W.N., Hatton, C.S.R., Falini, B., O'Connor, N., Osborn, M. and Mason, D.  
Detection of metastatic tumor cells in routine bone marrow smears by immunoalkaline phosphatase labelling with monoclonal antibodies.  
Br. J. Haematol. 61, 21-30 (1985)
163. Osborn, M., Altmannsberger, M., Debus, E. and Weber, K.  
Differentiation of the major human tumor groups using conventional and monoclonal antibodies specific for individual intermediate filament proteins.

New York Acad. Sci. USA 455, 649-668 (1985)

164. Osborn, M., et al.  
Intermediate filaments 1984, summary and outlook.  
New York Acad. Sci. USA 455, 669-681 (1985)
165. Osborn, M. and Weber, K.  
A monoclonal antibody recognizing desmosomes, use in human pathology  
J. Invest. Dermatol. 85, 385-388 (1985)
166. Tölle, H.G., Weber, K. and Osborn, M.  
Microinjection of monoclonal antibodies specific for one intermediate filament protein in cells containing multiple keratins allows insight into the composition of particular 10 nm filaments.  
Eur. J. Cell Biol. 38, 234-244 (1985)
167. Vollrath, M., Altmannsberger, M., Weber, K. and Osborn, M.  
An ultrastructural and immunohistological study of the rat olfactory epithelium, Unique properties of olfactory sensory cells.  
Differentiation 29, 243-253 (1985)
168. Walker, J.H., Boustead, C.M., Witzemann, V., Shaw, G., Weber, K. and Osborn, M.  
Cytoskeletal proteins at the cholinergic synapse, distribution of desmin, actin, fodrin, neurofilaments, and tubulin in Torpedo electric organ.  
Eur. J. Cell Biol. 38, 123-133 (1985)
169. Weber, K. and Osborn, M.  
The molecules of the cell matrix.  
Scientific American 253, 110-121 (1985)
170. Altmannsberger, M., Dirk, T., Droese, M., Weber, K. and Osborn, M.  
Keratin polypeptide distribution in benign and malignant breast tumors - subdivision of ductal carcinomas using monoclonal antibodies.  
Virch. Arch. B. 51, 265-275 (1986)
171. Altmannsberger, M., Dirk, T., Osborn, M. and Weber, K.  
Immunohistochemistry of cytoskeletal filaments in the diagnosis of soft-tissue tumors.  
Sem. Diagn. P. 3, 306-316 (1986)
172. Bartnik, E., Osborn, M. and Weber, K.  
Intermediate filaments in muscle and epithelial cells of nematodes.  
J. Cell Biol. 102, 2033-2041 (1986)
173. Caselitz, J., Walther, B., Wustrow, J., Seifert, G., Weber, K. and Osborn, M.  
A monoclonal antibody that detects myoepithelial cells in exocrine glands, basal cells in other epithelia and basal and suprabasal cells in certain hyperplastic tissues.  
Virch. Arch. A. 409, 725-738 (1986)
174. Caselitz, J., Osborn, M., Wustrow, J., Feller, A.C., Seifert, G. and Weber, K.  
Immunohistochemical investigations on the "epimyoeipithelial" islands in lymphoepithelial lesions. Use of monoclonal keratin antibodies.  
Lab. Invest. 55, 427-432 (1986)
175. Caselitz, J., Osborn, M., Hamper, K., Wustrow, J., Rauchfuß, A. and Weber, K.  
Pleomorphic adenomas, adenoidcystic carcinomas and adenolymphomas of salivary glands analysed by a monoclonal antibody against myoepithelial basal cells.  
Virch. Arch. A 409, 805-816 (1986)

176. Domagala, W., Weber, K. and Osborn, M.  
Differential diagnosis of lymph node aspirates by intermediate filament typing of tumor cells.  
*Acta Cytologica*, 30, 225-234 (1986)
177. Domagala, W., Lubinski, J., Weber, K. and Osborn, M.  
Intermediate filament typing of tumor cells in fine needle aspirates using monoclonal antibodies.  
*Acta Cytologica*, 30, 214-234 (1986)
178. Fringes, B., Thais, H. Böhm, N., Altmannsberger, M. and Osborn, M.  
Identification of actin microfilaments in the intracytoplasmic inclusions present in recurring infantile digital fibromatosis (Reye tumor)  
*Pediatric Pathol.* 6, 311-324 (1986)
179. Gröne, H. J., Weber, K., Helmchen, U. and Osborn, M.  
Villin, a marker of brush border differentiation and cellular origin in renal cell carcinoma.  
*Am. J. Pathol.* 125, 294-302 (1986)
180. Moll, R., Osborn, M., Hartschuh, W., Moll, I., Mahrle, G. and Weber, K.  
Variability of expression and arrangement of cytokeratin and neurofilaments in cutaneous neuroendocrine carcinomas (Merkel Cell tumors), Immunocytochemical and biochemical analysis of twelve cases.  
*J. Ultrastr. Pathol.* 10, 473-495 (1986)
181. Osborn, M.  
Book review. "Intermediate Filaments, by P. Traub".  
*Quarterly Rev. Biology* 61, 89-90 (1986)
182. Osborn, M., Hill, C., Altmannsberger, M. and Weber, K.  
Monoclonal antibodies to titin in conjunction with antibodies in desmin separate rhabdomyosarcomas from other tumor types.  
*Lab. Invest.* 55, 101-108 (1986)
183. Osborn, M., Dirk, T., Käaser, H., Weber, K. and Altmannsberger, M.  
Immunohistochemical localization of neurofilaments and neuron-specific enolase in 29 cases of neuroblastoma.  
*Am. J. Pathol.* 122, 433-442 (1986)
184. Osborn, M., Van Lessen, G., Weber, K., Klöppel, G. and Altmannsberger, M.  
Differential diagnosis of gastrointestinal tumors using monoclonal antibodies specific for individual keratin polypeptides.  
*Lab. Invest.* 55, 497-504 (1986)
185. Osborn, M. and Weber, K.  
Intermediate Filament Proteins, a multigene family distinguishing major cell lineages.  
*TIBS II*, 461-472 (1986)
186. Osborn, M. and Weber, K.  
The cytoskeleton in The Organization of Cell metabolism. NATO Workshop. Eds. Welch, G.R. and Clegg, J.S. p. 27-36 Plenum Press N.Y. (1986)
187. Shaw, G., Osborn, M. and Weber, K.  
Reactivity of a panel of neurofilament antibodies on phosphorylated and dephosphorylated neurofilaments.  
*Eur. J. Cell Biol.* 42, 1-9 (1986)



188. Tölle, H. G., Weber, K. and Osborn, M.  
Microinjection of monoclonal antibodies to vimentin, desmin and GFA in cells which contain more than one IF type.  
*Exp. Cell Res.* 162, 462-474 (1986)
189. Vollrath, M., Altmannsberger, M., Weber, K. and Osborn, M.  
Chemically induced tumors of the rat olfactory epithelium - a model of human esthesioneuroepithelioma.  
*J. Natl. Cancer Inst.* 76, 1205-1216 (1986)
190. Wustrow, J., Caselitz, J., Osborn, M. and Hamper, K.  
Role of intermediate filaments in differential diagnosis of tumors in the head and neck regions.  
*HNO* 34, 229-234 (1986)
191. Altmannsberger, M., Dralle, H., Weber, K., Osborn, M. and Droese, M.  
Intermediate filaments in cytological specimens of thyroid tumors.  
*Diagnostic Cytopathology* 3, 210-219 (1987)
192. Altmannsberger, M. and Osborn, M.  
Mesenchymal Tumor Markers, Intermediate filaments.  
*In Morphological Tumor Markers - General Aspects and Diagnostic Relevance.* Ed. G. Seifert. Current Topics in Pathology, 77, 155-178 (1987)
193. Bartnik, E., Kossmagk-Stephan, K., Osborn, M. and Weber, K.  
In gastropods intermediate filaments occur in epithelia, glia, connective tissue cells, and neurones but not in muscle.  
*Eur. J. Cell. Biol.* 43, 239-338 (1987)
194. Domagala, W., Lubinski, J., Weber, K. and Osborn, M.  
Neuroendocrine (Merkel Cell) carcinoma of the skin, Cytology, intermediate filament typing and ultrastructure of tumor cells in fine needle aspirates.  
*Acta Cytol.* 31, 267-275 (1987)
195. Domagala, W., Lubinski, J., Lasota, J., Woyke, S., Wozniak, L., Szadowska, A., Weber, K. and Osborn, M.  
Decisive role of intermediate filament typing of tumor cells in differential diagnosis of difficult fine needle aspirates.  
*Acta Cytol.* 31, 253-266 (1987)
196. Fischer, H.P., Altmannsberger, M., Weber, K. and Osborn, M.  
Keratin polypeptides in malignant epithelial liver tumors - Differential diagnostic and histogenetic aspects. *Am. J. Pathol.* 127, 530-537 (1987)
197. Fürst, D., Nave, R. Osborn, M., Weber, K., Bardosi, A., Archidiacono, N., Ferro, M., Romano, V. and Romeo, G.  
Nebulin and titin expression in Duchenne muscular dystrophy appears normal.  
*FEBS Lett.* 224, 49-53 (1987)
198. Gröne, H-J, Weber, K., Gröne, E., Helmchen, U. and Osborn, M.  
Coexpression of keratin and vimentin in damaged and regenerating tubular epithelia of the kidney.  
*Am. J. Pathol.* 129, 1-8 (1987)
199. Osborn, M.  
Intermediate filament typing of cells and tumors yields information useful in histology and cytology.

Progress in Zoology 34, 261-273 (1987)

200. Osborn, M., Caselitz, J., Püschel, K. and Weber, K.  
Intermediate filament expression in human vascular smooth muscle and in arteriosclerotic plaques.  
Virchows Arch A 411, 449-458 (1987)
201. Osborn, M. and Weber, K.  
Cytoplasmic intermediate filament proteins and the nuclear lamins A, B and C share the IFA epitope.  
Exp. Cell Res. 170, 195-203 (1987)
202. Schauer, A., Rothe, H., Balzer, I., Bergholz, M., Brehler, R., Fiebig, I., Rauschecker, H., Nagel, G., Blossey, H. Ch., Weber, K., Osborn, M., Gabius, H.J., Cramer, F., Aus, H.M., Harms, H., Sauer, R., Scheurlen, H. and Schumacher, M.  
Monoclonal antibodies for improved evaluation of breast cancer prognosis.  
*In* Breast Cancer, Scientific and Clinical Progress. Proc. Bic. Conf. for the Int. Assn. of Breast Cancer Res., March 1987. Ed. by Rich, M.A., Hager, J.C. and Lopez, D.M. Kluwer Acad. Publishers, Boston, pp. 300-320 (1987)
203. Tölle, H.G., Weber, K. and Osborn, M.  
Keratin filament disruption in interphase and mitotic cells - How is it induced?  
Eur. J. Cell Biol. 43, 35-47 (1987)
204. Vandekerckhove, J., Osborn, M., Altmannsberger, M. and Weber, K.  
Actin typing of rhabdomyosarcomas shows the presence of the fetal and adult forms of sarcomeric muscle actin.  
Differentiation 35, 126-131 (1987)
205. Vollrath, M., Osborn, M., Altmannsberger, M. and Weber, K.  
Immunohistologische Darstellung der Intermediärfilamente in einem Karzinosarkom des Larynx, Überlegungen zur Histogenese.  
Laryng. Rhinol. Otol. 66, 307-310 (1987)
206. Domagala, W., Halczy-Kowalik, L., Weber, K. and Osborn, M.  
Coexpression of glial fibrillary acid protein, keratin and vimentin - a unique feature useful in diagnosis of pleomorphic adenoma of the salivary gland in aspiration biopsy smears.  
Acta Cytol. 32, 403-408 (1988)
207. Domagala, W., Lasota, J., Wolska, H., Lubinski, J., Weber, K. and Osborn, M.  
Diagnosis of metastatic renal cell and thyroid carcinomas by intermediate filament typing and cytology of tumor cells in fine needle aspirates.  
Acta Cytol. 32, 415-421 (1988)
208. Domagala, W., Lubinski, J., Weber, K. and Osborn, M.  
Intermediate filament typing vs. electron microscopy in the diagnosis of major tumor types in fine needle aspirates.  
*In* New Frontiers in Cytology, K. Goertler, G.E. Feichter, S. Witte (eds.), Springer Verlag Berlin Heidelberg, 178-191 (1988)
209. Domagala, W., Weber, K. and Osborn, M.  
Diagnostic significance of coexpression of intermediate filaments in fine needle aspirates of human tumors.  
Acta Cytol. 32, 49-59 (1988)
210. Fürst, D., Osborn, M., Nave, R. and Weber, K.

The organization of titin filaments in the half-sarcomere revealed by monoclonal antibodies in immunoelectron microscopy; a map of ten nonrepetitive epitopes starting at the Z line extends close to the M line.

J. Cell Biol. 106, 1563-1572 (1988)

211. Osborn, M.  
Cytoskeletal proteins as differentiation markers in tumor diagnosis.  
*In* Structure and Functions of the Cytoskeleton, B.A.F. Rousset, ed., INSERM/John Libbey Eurotext, Paris. 171, p. 141-150 (1988)
212. Osborn, M., Johnsson, N., Wehland, J. and Weber, K.  
The submembraneous location of p11 and its interaction with the p36 substrate of pp60 src kinase *in situ*.  
Exp. Cell Res. 175, 81-96 (1988)
213. Osborn, M., Mazzoleni, G., Santini, D., Marrano, D., Martinelli, G. and Weber, K.  
Villin, intestinal brush border hydrolases and keratin polypeptides in intestinal metaplasia and gastric cancer; an immunohistologic study emphasizing the different degrees of intestinal and gastric differentiation in signet ring cell carcinomas.  
Virchow's Arch. A 413, 303-312 (1988)
214. Domagala, W., Lasota, J., Chosia, M., Szadowska, A., Weber, K. and Osborn, M.  
Diagnosis of major tumor categories in fine needle aspirates is more accurate when light microscopy is combined with intermediate filament typing, a study of 403 cases.  
Cancer 63, 504-517 (1989)
215. Domagala, W., Lasota, J., Weber, K. and Osborn, M.  
Endothelial cells help in the diagnosis of primary versus metastatic carcinoma of the liver in fine needle aspirates, an immunofluorescence study with vimentin and endothelial cell-specific antibodies.  
Analyt. Quant. Cytol. Histol. 11, 8-14 (1989)
216. Domagala, W., Lasota, J., Chosia, M., Weber, K. and Osborn, M.  
Leukocyte common antigen and vimentin are reliable adjuncts in the diagnosis of non-Hodgkin's lymphoma in fine needle aspirates.  
Analyt. Quant. Cytol. Histol. 11, 15-21 (1989)
217. Fischer, H.P., Wallner, F., Maier, H., Weber, K., Osborn, M. and Altmannsberger, M.  
Coexpression of intermediate filaments in squamous cell carcinomas of upper aerodigestive tract before and after radiation and chemotherapy.  
Lab. Invest. 61, 433-439 (1989)
218. Fürst, D., Osborn, M. and Weber, K.  
Myogenesis in the mouse embryo, differential onset of expression of myogenic proteins and the involvement of titin in myofibril assembly.  
J. Cell Biol. 109, 517-577 (1989)
219. Fürst, D., Nave, R., Osborn, M. and Weber, K.  
Repetitive titin epitopes with a 42 nm spacing coincide in relative position with known A band striations also identified by major myosin-associated proteins; an immunoelectron-microscopical study on myofibrils.  
J. Cell Sci. 94, 119-125 (1989)
220. Gröne, H.-J., Osborn, M. and Gross, W.L.  
Vasculitis affecting the kidney.  
Verh. Dtsch. Ges. Path. 73, 181-192 (1989)

221. Osborn, M.  
Book review. "Cytoskeletons. By A.D. Bershadsky and J.M. Vasiliev".  
Quarterly Rev. Biology 64, 339-339 (1989)
222. Osborn, M. and Weber, K.  
Keratins, transglutaminase, and mallory bodies - the really insoluble stuff.  
Lab. Invest. 61, 585-587 (1989)
223. Röber, R-A., Weber, K. and Osborn, M.  
Differential timing of nuclear lamin A/C expression in the various organs of the mouse embryo  
and the young animal; a developmental study.  
Development 105, 365-378 (1989)
224. Damjanov, I., Osborn, M. and Miettinen, M.  
Keratin 7 is a marker for a subset of trophoblastic cells in human germ cell tumors.  
Arch. Pathol. Lab. Med. 114, 81-83 (1990)
225. Domagala, W., Lasota, J., Bartkowiak, J., Weber, K. and Osborn, M.  
Vimentin is preferentially expressed in human breast carcinomas with low estrogen receptor and  
high Ki67 growth fraction.  
Am. J. Pathol. 136, 219-227 (1990)
226. Domagala, W., Lasota, J., Dukowicz, A., Markiewski, M., Weber, K. and Osborn, M.  
Vimentin expression appears to be associated with poor prognosis in node-negative ductal NOS  
breast carcinomas.  
Am. J. Pathol. 137, 1299-1304 (1990)
227. Domagala, W., Markiewski, M., Tuziak, T., Kram, A., Weber, K. and Osborn, M.  
Immunocytochemistry on fine needle aspirates in paraffin mini-blocks.  
Acta Cytol. 34, 291-296 (1990)
- 227a. Domagala, W. and Osborn, M.  
Immunological Markers in Aspiration Biopsy, 2nd Edition, Eds. L.G. Koss, S. Woyke and W.  
Olszewski. Igaku-Shoin, New York (1990)  
(Chapter in standard U.S. reference work)
228. Domagala, W., Wozniak, L., Lasota, J., Weber, K. and Osborn, M.  
Vimentin is preferentially expressed in high grade ductal and medullary, but not in lobular breast  
carcinomas.  
Am. J. Pathol. 137, 1059-1304 (1990)
229. Horvat, B., Osborn, M. and Damjanov, I.  
Expression of villin in the mouse oviduct and the seminiferous ducts.  
Histochemistry 93, 661-663 (1990)
230. Jähne, J., Osborn, M., Meyer, H.J., Weber, K. and Pichlmayr, R.  
Do immunological markers differentiate between different histologic types of gastric carcinoma?  
Langenbecks Arch. Chir. 375, 135-140 (1990)
231. Mellerick, D., Osborn, M. and Weber, K.  
On the nature of serological tissue polypeptide antigen (TPA); monoclonal keratin 8, 18, and 19  
antibodies react differently with TPA prepared from human cultured carcinoma cells and TPA in  
human serum.  
Oncogene 5, 1007-1017 (1990)

232. Osborn, M.  
Book review. "An Atlas of Antigens, Fluorescence Microscopic Localization Patterns in Cell and Tissues. By C.D. Ockleford".  
Nature 343, 31 (1990)
233. Osborn, M. (editor)  
Seminars in Cancer Biology, 3. "Antibodies in diagnosis, prognosis and therapy of oncological disease." W.B. Saunders Co., London (1990)
234. Osborn, M. and Domagala, W.  
Immunocytochemistry in Diagnostic Cytopathology.  
*In* Comprehensive Cytopathology, M. Bibbo (ed.). W.B. Saunders Co., Philadelphia (textbook), pp. 1011-1051 (1990)
235. Röber, R.-A., Sauter, H., Weber, K. and Osborn, M.  
Cells of the cellular immune and hemopoietic system of the mouse lack lamins A/C distinction versus other somatic cells.  
J. Cell Sci. 95, 587-598 (1990)
236. Röber, R.-A., Gieseler, R.K.H., Peters, J.H., Weber, K. and Osborn, M.  
Induction of nuclear lamins A/C in macrophages in *in vitro* cultures of rat bone marrow precursor cells and human blood monocytes, and in macrophages elicited *in vivo* by thioglycollate stimulation.  
Exp. Cell Res. 190, 185-194 (1990)
237. Franke, F.E., Schachenmayr, W., Osborn, M. and Altmannsberger, M.  
Unexpected immunoreactivities of intermediate filament antibodies in human brain and brain tumors.  
Am. J. Pathol. 139, 67-79 (1991)
238. Gieseler, R.K.H., Röber, R.-A., Kuhn, R., Weber, K., Osborn, M. and Peters, J.H.  
Dendritic accessory cells derived from rat bone marrow precursors under chemically defined conditions *in vitro* belong to the myeloid lineage.  
Eur. J. Cell Biol. 54, 171-181 (1991)
239. Gustmann, C., Altmannsberger, M., Osborn, M., Griesser, H. and Fuller, A.C.  
Cytokeratin expression and vimentin content in large cell anaplastic lymphomas and other non-Hodgkins lymphomas.  
Am. J. Pathol. 138, 1413-1422 (1991)
240. Kallajoki, M., Weber, K. and Osborn, M.  
A 210 kD nuclear matrix protein is a functional part of the mitotic spindle; a microinjection study using SPN monoclonal antibodies.  
EMBO J. 10, 3351-3362 (1991)
241. Osborn, M.  
Cytoskeletal proteins; their arrangement in cells and their uses in the differential diagnosis of human tumors.  
*In* The Physical Aspect of the Living Cell, J. Tigyí, M. Kellermayer, C. Hazlewood (eds), Akadémiai Kiadó, Budapest, pp. 47-77 (1991)
242. Domagala, W., Bedner, E., Chosia, M., Weber, K. and Osborn, M.  
Keratin positive reticulum cells in fine needle aspirates and touch imprints of hyperplastic lymph nodes - a possible pitfall in immunocytochemical diagnosis of metastatic carcinoma.  
Acta Cytol. 36, 241-245 (1992)

243. Domagala, W., Striker, G., Szadowska, A., Dukowicz, A., Weber, K. and Osborn, M.  
Cathepsin D in invasive ductal NOS breast carcinoma as defined by immunohistochemistry. No correlation with survival at 5 years.  
*Am. J. Pathol.* 141, 1003-1012 (1992)
244. Kallajoki, M., Weber, K., and Osborn, M.  
Ability to organize microtubules in taxol treated mitotic Ptk2 cells goes with the SPN antigen and not with the centrosome.  
*J. Cell Sci.* 102, 91-102 (1992)
245. Meyer, T., Weber, K., and Osborn, M.  
Microinjection of IFA antibody induces intermediate filament aggregates in epithelial cell lines but perinuclear coils in fibroblast-like lines.  
*Eur. J. Cell Biol.* 57, 75-87 (1992)
246. Osborn, M., Marx, A., Kirchner, T., Tzartos, S.T., Plessmann, U., and Weber, K..  
A shared epitope in the acetylcholine receptor  $\alpha$  subunit and fast troponin I of skeletal muscle, is it important for myasthenia gravis?  
*Am. J. Pathol.* 140, 1215-1223 (1992)
247. Thiel, C., Osborn, M. and Gerke, V.  
The tight association of the tyrosine kinase substrate annexin II with the submembranous cytoskeleton depends on intact p11 and  $Ca^{2+}$  binding sites.  
*J. Cell Sci.* 103, 733-742 (1992)
248. Domagala, W., Harezga, B., Szadowska, A., Markiewski, M., Weber, K. and Osborn, M.  
Nuclear p53 protein accumulates preferentially in medullary and high grade ductal, but rarely in lobular breast carcinomas.  
*Am. J. Pathol.* 142, 669-674 (1993)
249. Domagala, D., Marlicz, K., Bielicki, D., Weber, K., and Osborn, M.  
Increased PCNA/cyclin index correlates with severity of duodenitis defined by histologic criteria.  
*Virchow Arch. A.* 422, 345-349 (1993)
250. Kallajoki, M., Harborth, J., Weber, K., and Osborn, M.  
Microinjection of a monoclonal antibody against SPN antigen, now identified by peptide sequences as the NuMA protein, induces micronuclei in PtK2 cells.  
*J. Cell Sci.* 104 139-150 (1993)
251. Domagala, W., Markiewski, M., Kubiak, R., Bartkowiak, J., and Osborn, M.  
Immunohistochemical profile of invasive lobular carcinoma of the breast, predominantly vimentin and p53 protein negative, cathepsin D and oestrogen receptor positive.  
*Virchow Arch. A. Pathol. Anat.* 423, 497-502 (1993)
252. Osborn, M.  
Vimentin.  
*In* Guidebook to the Cytoskeletal and Motor Proteins (S.E. Kreis, and R. Vale, eds.), Oxford University Press, London, pp. 169-171(1993)
253. Domagala, W., Striker, G., Szadowska, A., Dukowicz, A., Harezga, B., and Osborn, M.  
p53 protein and vimentin in invasive ductal NOS breast carcinoma - relationship with survival and sites of metastases.  
*Eur. J. Cancer* 30A, 1527-1534 (1994)
254. Kallajoki, M., and Osborn, M.  
Gel electrophoretic analysis of nuclear matrix fractions isolated from different human cell lines.

- Electrophoresis 15, 520-528 (1994)
255. Osborn, M.  
Immunofluorescence microscopy of cultured cells.  
*In Cell Biology, A Laboratory Handbook.* (Celis, J. ed.), Academic Press, pp. 347-354 (1994)
256. Osborn, M., and Isenberg, S.  
Immunocytochemistry of frozen and of paraffin tissue sections.  
*In Cell Biology, A Laboratory Handbook.* (Celis, J. ed.), Academic Press, pp. 361-367 (1994)
257. Schumacher, A., Westermann, B., Osborn, M., and Nordheim, A.  
The N-terminal signal peptide of the murine cyclophilin mCyP-S1 is required *in vivo* for ER localization.  
*Eur. J. Cell. Biol.* 62, 182-191 (1994)
258. Butschak, G., Harborth, J., Osborn, M., and Karsten, U.  
New monoclonal antibodies recognizing phosphorylated proteins in mitotic cells.  
*Acta histochem.* 97, 19-31 (1995)
259. Harborth, J., Weber, K., and Osborn, M.  
Epitope mapping and direct visualization of the parallel, in-register arrangement of the double-stranded coiled-coil in the NuMA protein.  
*EMBO J.* 14, 2447-2460 (1995)
260. Domagala, W., Markiewski, M., Harezga, B., Dukowicz, A. and Osborn, M.  
Prognostic significance of tumor cell proliferation rate as determined by the MIB-1 antibody in breast carcinoma, its relationship with vimentin and p53 protein.  
*Clinical Cancer Res.* 2, 147-154 (1996)
261. Gueth-Hallonet, C., Weber, K., and Osborn, M.  
NuMA, A bipartite nuclear location signal and other functional properties of the tail domain.  
*Exp. Cell Res.* 225, 207-218 (1996)
262. Osborn, M. and Domagala, W.  
Immunocytochemistry in diagnostic cytopathy.  
*In Comprehensive Cytology* (textbook), Second Edition, Ed. M. Bibbo. W.B. Saunders Co., Philadelphia, 1033-1074, cf. 234 (1996)
263. Seemann, J., Weber, K., Osborn, M., Parton, R.G. and Gerke, V.  
The association of annexin I with early endosomes is regulated by Ca<sup>2+</sup> and requires an intact N-terminal domain.  
*Mol. Biol. Cell* 7, 1358-1374 (1996)
264. Gueth-Hallonet C, Weber K, Osborn M  
Cleavage of the nuclear matrix protein NuMA during apoptosis.  
*Exp Cell Res* 233, 21-24 (1997)
265. Osborn, M.  
Immunofluorescence microscopy of cultured cells.  
*In Cell Biology, A Laboratory Handbook,* Academic Press, 462-468, (1998)
266. Osborn, M. and Isenberg, S.  
Immunocytochemistry of frozen and of paraffin tissue sections.  
*In Cell Biology, A Laboratory Handbook,* Academic Press, 486-492, (1998)
267. Gueth-Hallonet, C., Wang, J., Harborth, J., Weber, K. and Osborn, M.

- Induction of a regular nuclear lattice by overexpression of NuMA.  
Exp Cell Res 243, 434-452 (1998)
268. Scherfeld, D., Schneider, G., Guttman, P. and Osborn, M.  
Visualization of Cytoskeletal Elements in the Transmission X-ray microscope.  
J. Struc. Biol 123, 72-82 (1998)
269. Gueth-Hallonet, C., Osborn, M. and Compton, D.A.  
NuMA.  
*In* Guidebook to the cytoskeletal and motor proteins, Eds. T. Kreis and R. Vale. OUP, Oxford, 265-268 (1999)
270. Harborth, J., Wang, J., Gueth-Hallonet, C., Weber, K. and Osborn, M.  
Self assembly of NuMA, multiarm oligomers as structural units of a nuclear lattice.  
EMBO J. 18, 1689-1700 (1999)
271. Harborth, J. and Osborn, M.  
Does NuMa have a scaffold function in the interphase nucleus?  
Crit. Rev. Eukaryot. Gene Expr. 9, 319-328 (1999)
272. Harborth, J., Weber, K. and Osborn, M.  
GAS41, a highly conserved protein in eukaryotic nuclei, binds to NuMA.  
J. Biol. Chem. 275, 31979-31985 (2000)
273. Domagala, W., Welcker, M., Chosia, M., Karbowniczek, M., Harezga, B., Bartkova, J., Bartek, J. and Osborn, M.  
p21/WAF1/Cip1 expression in invasive ductal breast carcinoma, relationship to p53, proliferation rate, vimentin, cathepsin D and survival at 5 years.  
Virchows Archiv 439, 132-140 (2001)
274. Quentmeier, H., Osborn, M., Reinhardt, J., Zabroski, M. and Drexler, H.G.  
Immunocytochemical analysis of cell lines derived from solid tumors.  
J. Histochem. Cytochem. 49, 1369-1378 (2001)
275. Prella, K., Holtz, W. and Osborn, M.  
Immunocytochemical analysis of vimentin expression patterns in porcine embryos suggests mesodermal differentiation from day 9 after conception.  
Anat. Histol. Embryol. 30, 339-344 (2001)  
*Katja Prella was awarded the Otto Zietschmann Prize given by Anatomia Histologia Embryologia for the best paper published in 2001 for this manuscript.*
276. Bechert, K., Lagos-Quintana, M., Harborth, J., Weber, K. and Osborn, M.  
Effects of expressing lamin A mutant protein causing Emery-Dreifuss muscular dystrophy and familial partial lipodystrophy in HeLa cells.  
Exp. Cell Res. 286, 75-86 (2003)
277. Gruber, J., Böse, G., Tuschl, T., Osborn, M. and Weber, K.  
RNA interference by osmotic lysis of pinosomes, liposome independent transfection of siRNAs into mammalian cells.  
Biotechniques 37, 96-102 (2004)
278. Taimen, P., Parvinen, M., Osborn, M. and Kallajoki, M.  
NuMA in rat testis – evidence for roles in proliferative activity and meiotic cell division.  
Exp. Cell Res. 298, 512-520 (2004)
279. Gruber, J., Lampe, T., Osborn, M. and Weber, K.



- RNAi of FACE1 protease results in growth inhibition of human cells expressing lamin A, implications for Hutchinson-Gilford progeria syndrome.  
*J. Cell Sci.* 118, 689-696 (2005)
280. Gruber, J., Manninga, H., Tuschl, T., Osborn, M. and Weber, K.  
Specific RNAi Mediated Gene Knockdown in Zebrafish Cell Lines.  
*RNA Biology* 2, 101-105 (2005)
281. Osborn, M.  
IUBMB; the first half-century.  
*Trends in Biochemical Sciences* 30, 273-275 (2005)
282. Osborn M.  
Celebrating the 50<sup>th</sup> anniversary of the International Union of Biochemistry and Molecular Biology (IUBMB).  
*IUBMB Life* 57, 215-217 (2005)
283. Osborn, M.  
Immunofluorescence Microscopy of Cultured Cells.  
*In Cell Biology, A Laboratory Handbook (Third Edition)*. Ed. Celis JE, Elsevier Science (USA), 549-555 (2006)
284. Osborn M. and Brandfass S.  
Immunocytochemistry of Frozen and Paraffin Tissue Sections.  
*In Cell Biology, A Laboratory Handbook (Third Edition)* Ed. Celis JE, Elsevier Science USA, 563-569 (2006)
285. Hossbach, M., Gruber, J., Osborn, M., Weber, K. and Tuschl, T.  
Gene silencing with siRNA duplexes composed of target-mRNA-complementary and partially palindromic or partially complementary single-stranded siRNAs.  
*RNA Biology* 3, 82-89 (2006)